

americant modeler alternations and alternations and alternations and alternations are alternations and alternations are alternational and alternational and alternations are alternational and alternations are alternational and alternations are alternational and alternational and

Build a flying-wing auto, the Waterman

AEROBILE

SANTA MARIA PUBLIC AIRPORT

N54P

FOR THE TENDERFOOT

75c 8/3


Performance Tips

Survey of commercial retractable Landing Gears

Scale and stunt—the aerobatic SPINKS AKROMASTER

TARDON — Formula II non scale ovion racor

and a



CUTTY SARK, CLIPPER SHIP. The most famous "Clipper" of all times — the sleek, trim Cutty Sark . . . now available in two sizes . . . both exact scale replicas of the original. Both include realistic cloth sails.

Kit 174 15" model

\$1895 Kit 163 23" model

Kit 177 THE GOLDEN HIND Flagship of Sir Francis Drake. Disguised as a Spanish Galleon, this was the first English Ship to circle the globe (1577). Features full color designs printed on authentic cloth sails. Length 20" height 15"



Kit 178 SCHOONER AMERICA. Originated America's cup races. Cloth sails included \$9.95



Kit 169 H.M.S. BOUNTY, Famous for mutiny against her commander, Captain Bligh. Length 1342" \$9.95





Kit 173 1910 MAXWELL, %" scale. Not a plastic model — but an authentic scale model with hand crafted metal and wood compon- \$1295 nents. Display stand included



Kit 164 BLUENOSE. Famous Schooner with trim lines of a racing yacht. Cloth sails included. Length 24" \$18.95



Kit 172 BALTIMORE CLIPPER. Pirate brig. Cloth sails included. Length 221/2" \$18.95

MODELS, INC.

111 Monroe Street Newark, New Jersey 07105

SEE YOUR DEALER. If kits are not available at dealer, you may order direct from factory adding 50¢ for postage and handling. Outside U.S.A. add \$1.00.

Ol·line STUNTMASTER

they're almost ready-to-fly . . . You're on the flying field F-A-S-T with any one of these Scientific control-line sensations. What's the secret? It's our famous "buy it tonight . . . fly it tomorrow" design . . . every kit shown has a onepiece fully carved balsa body (fuselage), pre-shaped one-piece wing and all preformed parts that practically assemble themselves. Easy to follow, step-by-step assembly plans come with each model. They're all designed for any of the small size gas

engines. .020 to .074.

One of America's most popular models that's won many a competition for stunting, 18"

Wingspan.

MOSTE

\$395











Kit 60 STUKA DIVE BOMBER 18" Kit 95 PIPER CUB TRAINER 18" Scale model of W.W. II fighter \$3.95 Famous private trainer \$3.95


Kit 48 GOLDEN HAWK 18". A great model for fun flying \$3.95

Kit 59 P-40 FLYING TIGER 18" Kit 30 RED DEVIL 18" Great train-Famous W.W. II fighter \$3.95 ing model for beginners \$3.95











Kit 7 CESSNA "180" 18" Model has good looks, great speed \$3.95











Kit 53 RED FLASH 18" Model has Kit 8 PIPER CUB CRUISER 18" Kit 65 ZIG ZAG 18" A stunt sensa- kit 18 LITTLE MUSTANG 18" Fast Kit 29 LITTLE BIPE Big 70 sq. in. sleek looks, good control ... \$3.95 Most famous of all Piper Cubs \$3.95 tion, great looks too \$3.95 wing area, 2 preshaped wings \$3.95

HERE'S THE COUNTRY'S HOTTEST

Sky Master BIG 36 INCH WINGSPAN

Featured in the Movie "THE LONG FLIGHT"

YOU FLY IT A MILE . . . with truly amazing perperformance like you never thought possible. Big deluxe kit includes Hi-Thrust Propeller, Formed Leading and Trailing Edges, Formed Wire Parts, Pure Contest Rubber Drive, Colorful Decals and Full Size (44") Easy to Follow Plans. **KIT 160**

Send for our big colorful catalog . . . only 25¢

SEE YOUR DEALER. If kits are not available at dealer, you

INTRODUCTORY OFFER



- Save \$1.75! And have your copy delivered to your doorstep, hot off the press.
- · American Aircraft Modeler is the world's largest model airplane hobby magazine-jam-packed with plans and construction features.
- Is radio-control your thing? Free-flight your dish? Or control-line? Every issue includes a wide spectrum of types, features and articles.
- For the scale fan: the latest on plastic model techniques, four-color centerspreads of historically famous aircraft painted by Bjorn Karlstrom.
- Keep up with competition modeling, contests, rules, important developments, through Model Aviation, the official magazine section of the Academy of Model Aeronautics.

7 ISSUES ONLY \$3.50

issues of AMERICAN AIR begin immediately. 1 to to RAFT MODELER DUCTORY OFFER ve enclosed

COVER PHOTO: Miss Terri Green poses with Terry Aldrich's Waterman Aerobile at Santa Maria Airport. On real plane, entire swept flying wing could be removed when fuselage was driven as a car. Photo by Aldrich.

WILLIAM J. WINTER - PUBLISHER Kathryn Conover, Editorial Assistant EDWARD C. SWEENEY, JR. - EDITOR Eleanor Swavely, Editorial Assistant

VOLUME 71, NUMBER 5	NOVEMBER 1970
Articles:	
FOR THE TENDERFOOT: TIPS FOR PERFORMA	ANCE, Bill Hannan 14
AUTOGIRO, Ed Mazan	Market and the contract of the
AEROBILE, Robert Angel/Terry Aldrich	
YEAR OF THE RETRACTABLES, Howard McEr	
SPINKS AKROMASTER, Robert Schultheis	
TARDON, Bruce Lund/Jack Sabine	
HAVOC, Don Berliner	40
Features:	(4)
ON THE SCENE: WRIGHT MEMORIAL CHAMI	PIONSHIPS, Don Lowe 12
WHERE THE ACTION IS	
ORBIT COBRA, DYNAMIC PORSCHE, George	e Siposs 39
Academy of Model Aeronautics:	91
39TH NATIONAL CHAMPIONSHIPS	47
NATS STATISTICS, CONTROL LINE RES	
RADIO CONTROL RESULTS	
INDOOR RESULTS	
FREE FLIGHT RESULTS	
AMA NEWS EXTRA	
CONTEST CALENDAR	56
Departments:	
EDITORIAL—STRAIGHT AND LEVEL, WI	illiam I Winter
YOU SAID IT-LETTERS TO THE EDITO	
	ASSIFIED ADVERTISING 82
QUALITY HOBBY SHOPS .	

Business Manager, Harvey E. Cantrell.

ADVERTISING DEPARTMENT

733 15th St., N. W., Washington, D. C. 20005 (202) 737-4288

Western Advertising Representative: Aaron D. Viller & Associates, 5311 Venice Blvd., Los Angeles, California 90019. Tel: (213) 939-1161

Subscription Rates: In U.S., Possessions and Canada, 1 Year, \$7.50; 2 Years, \$14.00; 3 Years, \$20.00, Elsewhere, \$9.00 for one year. Payable in advance. Single copies, 75 cents. Six weeks are required for change of address. In ordering a change, write to American Aircraft Modeler, 733 Fifteenth Street, N.W., Washington, D. C. 20005. Give both new and old address as printed on last label.

We cannot accept responsibility for unsolicited manuscripts or artwork. Any material submitted must include return postage. When writing the editors address letters: Editorial Office, American Aircraft Modeler, 733 Fifteenth Street, N. W., Washington, D. C. 20005.

Second class postage paid at Washington, D. C. and at additional mailing offices. © Potomac Aviation Publications, Inc. 1970. All rights reserved. Printed in the U.S.A.

Postmaster: Send Form 3579 to American Aircraft Modeler,
733 Fifteenth St., N. W., Washington, D. C. 20005.

State, Zip

ANY BOOK G S Values to \$15.00

with Trial Membership in the Jeppesen Aviation and Space Book Club and your agreement to buy just four other Selections or Alternates (books, maps, wall prints, etc.) over the next two years — all at very large Member Discounts (as much as 70% off store prices).



FIGHTERS OVER THE DESERT (No. 3138). By Christopher Shores and Hans Ring. The World War II air struggle over North Africa . . . hundreds of action stories never told before . . . and a permanent detailed record of the men, the battles, the units, the planes of the U.S., Great Britain, Italy and Germany who were responsible for the victories, the mistakes — and the infuriating defeats. Retail price \$8.50.




BIG FRIEND, LITTLE FRIEND (No. 3133). The memoirs of World War II fighter pilot Richard E. Turner, Lt. Col. USAF, Ret. Dick Turner rode his Mustang all over the skies of ETO... and came back to write one of the most exciting, fastest-moving air combat books you've ever read — one sizzling dogfight after another. Retail price \$5.95

Huge Discounts, Free Subscription, Many Other Benefits...

You may choose one of the volumes described in this announcement for 99¢ plus shipping (total retail values to \$15.00) if you try a brief membership in the Jeppesen Aviation & Space Book Club, and agree to buy only 4 Club Selections over the next 24 months. Selections cover the entire aerospace field, with books, prints and other items relating to aviation's past, present and future . . . military flying . . . lavish picture and fact books for collectors and modelers, etc. These Club Selections are always offered to you at great discounts $-15\%-25\%-50\%-{\rm even}\,70\%$ off regular store prices.

There are many other membership benefits too: access to aviation books that are difficult to get in most stores...a FREE subscription to VAPOR TRAILS, the Club's official monthly publication – filled with news and articles of importance to anyone interested in flying, as well as informative book and product reviews. And special services and activities for members – prints and posters – extra free books and super-bargains such as the ones offered with membership in this announcement.

Come fly with us! Choose the book you want for just 99c plus shipping and sample the pleasures that our Aviation Book Club members enjoy. Mail Form to The Jeppesen Aviation & Space Book Club, 8025 E. 40th Ave., Denver, Co. 80207.



AVIATION HALL OF FAME (No. 3139). Nut-by-Bolt descriptions and history of three of the most famous aircraft that ever flew — the F-4 Phantom, the P-47 Thunderbolt and the Douglas DC-3. Includes photographs, diagrams, performance information and "how-to-fly-it" info never published in this form before. Regular retail price as three separate hardbound volumes, \$15.00.



LAST OF THE BUSH PILOTS (No. 3131) The air stories — and the close calls — of the pilots who, for 50 years, have been flying in the Alaskan Deep Freeze. Give these guys a cleared sheet of ice a few hundred yards long and they'd start an airline. They took off and landed equally well on wheels, skis or pontoons — and they flew on nerves of steel. They're the last of the breed, Retail price \$6.95.



THE CACTUS AIR FORCE (No. 3127) The story of the handful of combat pilots who found themselves on Guadalcanal when the Japanese came to take it. How these airmen outfought the enemy—with brains, guts and 31 beat-up airplanes that could not fly high enough to intercept the Japanese Zeros—is one of the most glorious stories in American military history! Retail price: \$6.95.

How the Club Operates

Every month the Club offers a new Selection and Alternates at member discount prices. All are described in VAPOR TRAILS, the Club's official publication. If you want the monthly Selection, do nothing and it will be delivered to you automatically about one month later. If you don't want it (or prefer one of the many Alternates) you instruct us accordingly by using a handy form always provided. GUARANTEE: If not delighted when your first Selection arrives, just return it. We'll cancel your trial membership and you can forget the whole thing! JEPPESEN AVIATION & SPACE BOOK CLUB 8025 East 40th Ave., Denver, Colorado 80207

** TRIAL MEMBERSHIP FORM **

Send the book I am selecting below and bill me later for 99¢ plus shipping cost. Enroll me as a Trial Member in the Aviation & Space Book Club. I understand that I will have all these rights and privileges of Membership: I can buy books, maps, wall prints, etc. at discount of up to 70% plus shipping. I need buy only 4 Selections over the next 24 months after which I am free to resign any time. I understand I will receive a Free subscription to VAPOR TRAILS, the monthly Club publication, describing latest Selections, Alternates and other items available at discount from the Club. If I want the monthly Selection, I will do nothing and it will come automatically about a month later, and you will charge my account at the Club's discount price. If I don't want it or prefer an Alternate, I will say so on a handy form you always provide. (NOTE: Membership open to residents of the U.S. and possessions, Canada and Mexico only.)

SEND ME T	AM 14	
#	Title	
Name		
Address_		

City/State_





There will be a 1971 Spokane Internats—and that's a story in itself

BOB KING, alias Robert F. King, Brigadier General Washington Air National Guard, Assistant Adjutant General, Air, is quite a guy. His letter of July 17, to "all concerned" with the Spokane Internats, that this two-year-old meet would be held again on July 10-11,

1971, proves it.
"On the basis of U.S. Weather Bureau climatological records, these dates should assure optimum conditions for a model airplane competition," he wrote us all. "Consideration is being given to making next year's Internats a three-day program instead of two. Many persons have suggested this."

Knowing King, S&L can't repress a benevolent chuckle. The events that occurred during the 1970 affair last June were wild. This is an ambitious under-taking, requiring the kind of coordinated logistics which only the Navy has approached (Navy's chores with the bigger, longer, heavily attended Nats are much tougher -though Navy can swing the manpower) and Plymouth flawlessly exhibited in the past at their own Internats in Detroit, which followed a nationwide elimina-tion tied in with their dealers. The Washington ANG had this thing organized like clockwork.

The meet began on Saturday. Out at the field, where Voodoos—the real ones!—took off in pairs for their electronic war-games practice, there was a neatly organized trade show, in a spotless hangar. Bleachers lined the taxi strip. Governor Evans, whose boys are modelers, was due to address the crowd. Pylon jobs zipped back and forth in front of the stands-but the action was

strangely subdued.

Way out on the field, the Pattern event crates performed occasional, lonely antics. In those vast open areas even a busy meet gets swallowed up. And it was overcast, chilly, and somewhat windy. We weaker souls took refuge in guest trailers, drowned ourselves in coffee, and talked shop. For New York this would have been a raw April day.

That night a banquet was scheduled at the Ridpath Motel for the Hall of Famers-Korda and Lewis couldn't get there, which made the writer a still colder specimen, what with a talk and gosh knows what else coming up. The banquet, incidentally, was a smash hit and, whereas the flying field looked half empty, the hall seemed crowded with all the modelers in the world.

There was action in Spokane, that's for sure. So on Saturday afternoon the governor, who was to fly in after a commencement address at a major University, was running late. The stands, of course, were empty. Would the meeting take place in the hangar? No. Where then? So a press conference was set up and, wouldn't you know it, the packed conference room, TV, radio and all, was taken over by hard-hitting reporters who bugged the patient governor about conservation, parks, and campus disturbances. It took nervy Jerry Kleinberg to give the governor a chance to talk about modeling and his boys.

On Sunday, as we jetted out to feed our own Monday morn press, a driving rain was sweeping all before it. Misery! Someone asked the modelers if they couldn't speed up results-not knowing what was involved in finishing some events. You know modelers? Many of

them vowed never again to leave sunny California. There followed a dejected notice by mail that in view of their excruciating pain (our words), there would be no Spokane Internats in the future. Bob didn't know his modelers. Take away a contest? Never!

So here's Bob delightedly telling us that: "It would seem that in its short life, the Spokane Internats has acquired a faithful and vocal 'alumni association' of sizeable proportions." And that: "Such loyal support is deserving of reciprocity of the Washington ANG."

For the writer there's quite a story behind this. It was on a nasty Saturday morning, three years ago, that we had written an editorial on the Navy's threat to drop the Nats because of lack of genuine youth participation. While AMA took care of that with a wow of a Delta Dart program held on the NAS involved, and all is now peace and light, Bob King happened into a library, noted a copy of AAM, and opened to that editorial. Knowing nothing about modeling he saw only the need to do something for airyouth. Letters, phone calls, and visits followed. He got

after AMA, all the magazines.

The Camp Murray program was started, with kids to visit, receive instruction, fly models. A \$1,000,000plus program was designed and pursued with school authorities and government in the far Northwest. Tremendous interest was generated-there would be facilities, tools, the works. A beautiful building, and King's personal magnetism and incredible dedication made the dream seem a shoo-in. Well he got part, not all, of what he wanted—but don't count him out. On top of all this, he dreamed up the Spokane Internats, to draw crucial attention to the real significance and size of the modeling movement, and all its social values to youth. It would be nice if you guys join this fight and, if possible, get to Spokane next July. It's part of a bigger thing. It should not be provincialized. Why not National Air Guard support for a program which includes kids—little ones and "big ones" both. More support is our constant bellyache.

Why this editorial? Well, it's about something a

thousand times more important than that stupid intermagazine spat over who really sponsored with what motel, you-know-which contest in the southwest. King is a man with a mission—one in a million. He produces. He keeps promises. Now Bob knows we favor his getting behind the kids, working with them in the Camp Murray concept, promoting Delta Dart things in the inner city-and we'd like that to catch fire nationally.

"Knowing how you feel about such things (as Bob knows, we don't flip over any man-only contest, not after all these years), I don't suppose the attached pronouncement will excite you," he writes, referring to the 1971 Spokane Internats. "You promised comments

on this subject. Please don't forget."

Bob promised us something too at that Spokane banquet. That was never to give up his crusade. That's a hell of a lot to ask of any man. He won't, Go to Spokane. Get behind any youth-promotional thing in your own city, school, shopping center, hobby shop, or your own club, whether or not Spokane is out of the budget. Let's keep faith with this man.

William Winter

RELIABILITY PLUS!

Maxey Hester with his famous Zlin Akrobat! WINNER of Scale Event at '69 NATIONALS and winner of 4TH PLACE 'at WORLD CHAMPION-SHIPS in Bremen, Germany. Maxey flies EK Pro-Series because, "I'm relaxed. I fly my best knowing I can rely on my EK Pro-Series flight after flight".

Ex Pro-Series



EK Champion from 249.95

EK Logictrol from 369.95

EK Pro Series from 474.95

All with Reliability Plus Write for Free Brochure



3233 W. EULESS BLVD. HURST, TEXAS 76053 P. O. BOX 1015 (817) 283-4092

Write for Sales & Service Center nearest you.



Barry Goldwater—modeler

Men from all walks of life have in the past and are still building Cleveland-designed models. You can imagine the thrill when I received a letter from an old modeler, Barry Goldwater, United States Senator from Arizona. Needless to say, I feel very honored to have him as a C-D fan for many years, even though unknown to me until the receipt of the following letter:

"First of all, I doubt that there are many people in this country who have made more kitted models than I have. I have flown over one hundred different types and am constantly finding old ones that have been out of manufacture for years.

"I am looking forward to the Great Lakes Trainer coming out again. In fact, I would like to have one sitting out at the field right now, as it has been a long time since I have felt wind on my face; that little airplane was the best.

"I am glad you have started the foundation. Things like that are long overdue in this field. In fact, I am trying my best to get the Smithsonian to start the Astronautical and Aeronautical museum going."

Ed Packard, Cleveland, Ohio

Beyond the Delta Dart

Three cheers for the editorial in the July issue. You have clearly and succinctly presented what I believe to be our hobby's most serious problem today. As an old timer and an unabashed free flight enthusiast, I fear that we will lose a wonderful hobby if large numbers of today's young people are not given an opportunity to progress through easy steps of free flight flying.

The Delta Dart program is a wonderful start—but, as you so aptly questioned, where do they go from there?

Although there must be steps in between, I have taken some heart at the spreading interest in the so-called ¼A size powered models using the .020 engine. The relatively low cost, the more modest building space needed, the easier portability and the much smaller field requirement all seem to point to this size powered model as the direction to go to make such flying available to a larger segment of our younger population.

As with the Delta Dart, available kits and sponsored events will be needed in order for this to catch on. I am convinced that this size gas model should receive the full support of all those interested in saving free flight flying.

Stanley Johnson, Whittier, Calif.

Ultimate status symbol

I got a real kick out of Hannan and Barrera's "Field Kit for a Free Flighter." Free flighters are not the only ones who suffer feelings of inferiority and rejection at the field, though. Among RC'ers a similar status gap exists between those who thumb dual-axis levers on fancy boxes and those of us who (because of eccentricity or impoverishment, or both) still push a simple button on a simple-looking box.

Now that some propo manufacturers have a battery-test button on the faces of their transmitters, we single-channel nuts can indulge in a little status-enhancing deception of our own. The procedure is as follows: Put the guts of your simple tone transmitter in a larger, appropriately shaped, vinyl-covered box, with the on-off switch

in the middle and the tone-keying button in the upper right corner.

Then mount an RF meter, two control sticks, and a row of auxiliary channel levers in the customary locations. Naturally, everything on the face of the transmitter except the switch and the button is non-functional, except perhaps to your psyche.

al, except perhaps to your psyche.
Since purchasing two control sticks would put quite a hole in the budget, these can be simulated by simple aluminum rods that protrude through large square holes cut in the face of the transmitter. This carries the deception a step further by pegging you as a perfectionist who demands nothing less than the best in precision—provided by open-gimbal sticks!

Phil Milam, Atlanta, Ga.

Infamous Q, pollution culprit?

Reading "You Said It" on the GHQ engine and not bragging about the age limit on model builders, I have a tale of the GHQ...

In 1932, for some reason or other, I won the Manitoba Provincial Model Airplane contest and a trip to Toronto. Some fellows were there from Akron, Ohio that year to show us the gas jobs. They flew all right, glide angles about 1 to 5, but that gas engine—Brown Jrs. Oh, boy! They were hard to get but after a year a buddy and I saved the \$21.50. With the duty it came to \$39.37—I still remember trying to get it out of the Post Office.

In January of 1935 it was ready to go. My father was (and is) a great man—"Finish the plane and then start the engine." He just didn't know general headquarters.


Out to Stevenson's Aerodrome at 32 degrees below. I remember trying to start that old buzzard in the Old Winnipeg Flying Club hangar, with plenty of expert help. It didn't run.

We took the engine out-set it up





TO THIS



IN JUST 8 HOURS?

It's NEW from Top Flite! The CONTENDER—the first all-balsa RIC model you can build in just 8 hours.

What makes the CONTENDER so unusual? From its inception, this plane was created and designed by the Top Flite engineering staff so that it can be built in only 8 hours. When you're ready to finish the CONTENDER, you can save additional time by covering it with Super Monokote.

When it comes to performance, the CONTENDER, because of its inherent docility, flies aerobatics as well or better than a model which needs expert handling. It does beautifully with anything from a .29 to a .60 engine.

This is the plane for the "fly-boy"—the guy who gets more of a kick out of flying than building—but still wants to build his own plane. So, if you don't want to spend weeks building, go pick up the CONTENDER and get airborne FAST!



The CONTENDER

TOP FLITE MODELS, INC.

2635 S. Wabash Ave. • Chicago, III. 60616

Wing span—54"
Wing area—650 sq. in.
Engine—.29.-.60

Price—\$34.95

HIII 0



Does your epoxy glue look like glass...and act the same way? Hobbypoxy never turns brittle!

There are only three formulas of epoxy glue good enough to carry the Hobbypoxy label. But there are lots of epoxy glues on the market. Choose wisely. Only Hobbypoxy has been put through the tough test of time by thousands of modelers. If an epoxy glue turns to brittle glass it doesn't belong in a model. You need a controlled flexibility after curing. Hobbypoxy has it - forever! Don't kid yourself, there isn't anything like Hobbypoxy.

Formula 4 QUICK-FIX Now in tubes!

Working time 4 minutes - Cures in 10 minutes New Formula 4 now comes in tubes as well as the double-pocket foil packets. Same formula, same exceptional strength. Easy to mix, it is non-critical when it comes to getting the right proportions of Part A and Part



B. Don't worry if you don't get an exact 50/50 ratio - QUICK-FIX will cure, but never turn to brittle glass. Test it yourself. Mix a portion on a piece of paper and let it cure. Formula 4 will retain Two-tube set (2 ounces net wt.)

Formula 1

The Original Model Epoxy

Working time 15 minutes - Cures in 1 hour. Formula 1 is the original epoxy marketed just for model builders. For more than five years it has held more planes (and flyers) together than all other epoxies combined. Moderately fast-acting, it is ideal for building, adding strength to critical areas, filling nicks and dents. It will stick anything to anything. Formula 1 - The Original Model Epoxy Twotube set\$1.00

Formula 2

The "Easy-Does-It" Epoxy

Working time 45 minutes - Cures in 3 hours. Formula 2 is a true epoxy designed for working on large surfaces. Ideal for use with styrofoam. Excellent for use as an "epoxy resin"; for forming, filling or molding with fiberglass or our Easy-Does-It cloth. Formula 2 retains its strength, flexibility and impact resistance under all conditions. Formula 2 "Easy-Does-It" Glue, Two-tube set (8 full ounces). \$3.00

Stick with Hobbypoxy . . . there's a formula made for every model building need. Switching to unknown, untested brands can be a shattering experience.

HOBBYPOXY PRODUCTS Pettit Paint Co., Inc. 507 Main Street / Belleville, N. J. 07109

in the vise, cast an aluminum prop and worked hard. One night I tried it again and actually got a pop out of it. It fell from the vise and took off all by itself, hitting all four walls of the basement and conked out. The sorry part is that after all the cranking all of us did on the Q, the only flight it ever made was by itself. It never ran again.

By March, I owned a new Brown Jr. and flew my Maylplane LR1 when it was only 10 below . . . successfully. Oh yes. The GHQ was dropped from

the Redwood Avenue Bridge into the Red River of the North. Possibly started all the water pollution that we hear about nowadays.

A. J. May, Bismarck, N. D.

Perhaps we all have a common ancestry. Who didn't have a GHQ? -the Publisher

Cover girl?

I feel compelled to reply to "modeler's wife," whose letter appeared in the July issue concerning the "cover girl" and "half-clad woman" as fea-

tured on the March 1970 cover. The "cover girl" mentioned must be all of 12 or 13 years of age (Ed. note: She is 16) and I'm sure any parent would be pleased to have as their daughter such a wholesome all-American appearing girl.

'Half-clad"?? Modeler's wife hasn't been to the beach lately or stopped by her local junior high school to witness

ladies attire.

As for encouraging our children to go into a hobby, how many model enthusiasts do you know who are drug addicts and criminals? Modelers are too busily involved with the hobby to troublemakers. what And about disabled persons, people from broken homes and those with personal problems for whom modeling has provided a new direction in life, a wholesome interest to pursue.

Ed Okie, Cypress Gardens, Fla.

Defender of free (dom) flight

I just finished reading "Field Kit for the Free Flighter" (Aug. AAM): Hannan and Barrera had no right to knock FF for it is an art. We free flighters are the cream of the crop in this hobby! We are the ones that have to trim our planes each flight until they fly right-or else they won't fly at all.

The article mentioned that a free flighter goes to the field with a feeling of inferiority and rejection. Somebody's nuts! FF has a higher standing in my book than RC and CL-and

we need no status at all.

We don't fly RTF or ARTF. We have to build and fly, not take a plane out of a box and fly it, which makes FF all the more special.

Michael Valdrow, Milwaukie, Oregon

We doubt that either Bill or Russ look down their noses at free flight, both being generally interested modelers-and Bill builds practically nothing but FF anyway, even if it is the zany or fun-type stuff. Tongue-in-cheek stuff can backfire when it concerns the other guy's bit. Do agree, Mike, that FF needs no defense. It's proud stuff.

the Publisher

Guillow's

3/4" scale flying models

FABULOUS SCALE DESIGN

The ultimate in realism for the superdetail bug — exceptional flyers for those who build to fly. Can be flown rubber powered, U-Control, gas free flight or simple R/C. Superior quality - unusual values!







\$10.00

KIT 401 MESSERSCHMITT BF109 . 24%" German fighter used all thru WW-2.

\$6.00


\$6.00

KIT 402 N. AMERICAN P-51 MUSTANG . 273/4 \$6.00 U.S.A.F. fighter. Protected bombers.

KIT 403 SUPERMARINE SPITFIRE . 27% Defeated Luftwaffe in Battle of Britain.

KIT 1002 JUNKERS JUST-B STUKA . 34'

Feared German dive bomber.



KIT 404 MITSUBISHI ZERO . 27 %" Led attack on Pearl Harbor, Dec. 7, 1941.



KIT 405 CURTISS P-40 WARHAWK • 28"
"Flying Tiger" of China-Burma — WW2



KIT 406 FOCKE-WULF FW-190 . 25 34"

\$6.00

\$6.00

\$6.00

scale flying models



\$4.00



Fighter flown by Bishop and Mannock \$4.00



KIT 205 DeHAVILLAND 4 • 27
British "Flying Coffin"
day bomber. \$4.00




KIT 203 NIEUPORT 11 • 24"
French "Lafayette Escadrille"
combat plane. \$4.00



KIT 206 RUMPLER C-5 . 24" German artillery-observation plane. \$4.00

MAGNIFICENT WAR BIRDS

Dramatic model creations of the planes flown by the air heroes of the first Great War. Superb kits for the scale builder or flying enthusiast. Designed to be flown either rubber powered or free flight with the Cox .020 engine.



PAUL K. GUILLOW, INC. Dept. A2, WAKEFIELD, MASS. 01880

or local hobby kit outlet for these and all Guillow kits — check Yellow under "HOBBIES". If none nearby, send direct to factory adding \$1.00 and postage in U.S.A. \$1.50 outside U.S.A. Send 10¢ for listing of kits



Wright Brothers Memorial RC Championships

An interesting visit to one of the biggest annual RC meets.

DON LOWE

plane Pattern.

Photos by Chuck Shade



Thirteen scale models were entered. Note variety in age and type categories.



THE EIGHTH ANNUAL WRIGHT Broth-

ers Memorial RC Championships were held in excellent Air Force facilities, but the weather ranged from perfection on

Saturday to high winds and spotty showers on Sunday. Sponsored by the Western Ohio Radio Kontrol Society, this

meet drew 98 contestants from around

the country. Its ten scheduled events included Class A Jr./Sr.; Class A Open; Class B; Class D N & E; Scale; Formula I; FAI Pylon; and a special event, Bi-

Jerry Worth shows off his low mid-wing "Rampage." A very pretty original design.



Competition in the pattern events was pretty evenly divided. Pattern was flown

using six-minute short patterns on Saturday, with four flights per contestant.

Four flight lines were set up, using the NATS arrangement of two lines on each of two complexes. At each complex, a numerical display system, visible from all over the area, indicated the next flier

up and kept fliers constantly informed of their flight positions. This assured

(Continued on page 63)

positions.

their flight

A Phoenix flown by Al Dupler to 4th in D Expert. Mufflers used by almost everyone.

S AIR FORCE





Above left: Ed Izzo emphasizes a point! He had tough luck with collapsing retracts and with rain during flyoff.

Above right: Ken Drummond's B-36 uses 35's, weighs 19 lb., operates flaps, drops bomb in flight, and flies extremely well.

Left: Don Lowe and son inspect Formula I racer. Racing is now such a popular event that separate meets are needed.

Right: Ed Keck, winner in Class D, flies KDH-retract-geared original "Starfire." A groovy and graceful plane with colorful and purposeful paint job. Strip ailerons are becoming popular again.





CARL GOLDBERG RANGER 42 The Versatile Almost-Ready-To-Fly Fun Model For Single or Multi-Channel

42" Span 31" Length 240 sq. in. Area Weight 26-36 oz.

Can be flown 6 ways:

- Single Channel Radio, Rudder Only
- Single Channel Radio, Galloping Ghost Two Channels, Rudder and Elevator

- Three Channels; Rudder, Elevator, Engine Throttle Four Channels; Rudder, Elevator, Engine Throttle, and Ailerons
- Free Flight

Full explanation of each method given on plan.

FEATURES:

Semi-Scale Beauty in A **Great Flying Model!**

DELUXE - Includes New Fittings

- One-piece molded Wing, high-lift One-piece molded Stabilizer One-piece molded Vertical Fin

- Une-piece moided Vertical Fin
 Molded Fuselage, completely assembled with firewall, nose gear, plywood floor, side rails, and main landing gear block already installed
 Complete fittings nylon links, horns and keepers; nylon hinge material, screws, blind nuts, washers, eyelets, retaining springs, etc.
 Complete plans, with step-by-step illustrations
 Instructions on Operating Radio Control Models

SKYLANE 62

Tough, roomy cabin and front end, takes single to 10 channels or proportional.

Steerable nose gear

FOR ENGINES FROM .19 to .35

AREA

62"

SPAN

LENGTH 50"

The Design That Makes The Simplest, Sound, Attractive Airplane

DELUXE — Includes New Fittings.
Takes Single to 10 Channels or
Proportional
Rudder-Only or Multi-Training
Span 56" Area 558 sq. in.
Length 43" Weight 3½ lbs.
For .09-.15-,19 Engines

Junior FALCON 56 95

Sr. Falcon Shown

THE FAMOUS FALCON

Radio Control; Also Free-Flight

Radio Control Flying is Fun! You can actually feel the thrill of

controlling an airplane in flight - doing stunts, loops and rolls

- and making it come back to you and land where you want. And the shortest way to success is with the unique new RANGER

42. This model has been carefully engineered, leaving only the simplest final assembly steps, all clearly illustrated. Flight sta-

bility is exceptional, as well as response to control. All you have to do is add your engine, wheels, and radio control — only 6 to 8 hours work — and you're ready to go FLYING! Just ask your hobby dealer - he'll be glad to show you the features.

For .049 to .10 Engines

DELUXE — Includes New Fittings.
For Single Channel —
Escapement, Servo or Pulse
Span 37" — Rea 250 sq. in.
Length 28" — Weight 16 oz. For .049 Engines

Skoestring

The Goodyear Racer with **Enough Wing 'Area and** Stability so YOU Can Fly It!

DELUXE - Includes New Fittings

54" AREA 540 Sq. In. SPAN

FOR .19-.40 ENGINES

CARL GOLDBERG MODELS INC. CARL GOLDBERG MODELS INC. 2535 W. Cermak Rd., Chicago, III. 60608 I am sending 10c for 4 pg. Illustrated Cata-log with "Recommendations on Starting in R/C." Basic Explanation of R/C Equipment, and Radio Control Definitions.

ADDRESS_

ZIP-

SR. FALCON \$3495

DELUXE — Includes New Fittings. For 10 Channels or

Proportional
Span 69" Area 810 Sq. In.
Length 53" Weight 61/4 Lbs.
For .35 to .45 Engines

FALCON 56 \$1895

FOR 6, 8, 10 CHANNELS OR PROPORTIONAL

WEIGHT 41/2 - 5 Lbs. LENGTH 44"

Most Beautiful R/C

MODELS DBERG GOL

1/2A SKYLANE 1995 For Single Channel

Escapement, Servo or Pulse
Span 42" Area 244 sq. in.
Length 35" Weight 22 oz. For .049 Engines

World's FIRST

SKYLARK Single or Twin Engine R/C Models Skylark 56 Shown DELUXE - Includes New Fittings

SKYLARK 56 \$2150

Takes Single to 10 Channels or Proportional Span 56" Area 528 sq. in. Length 44" Weight 3½ - 4½ lbs. For Single Eng. .09, .15, or .19 For Twin Eng. Use Two .09's or .15's

\$34 95

540 sq. in. WEIGHT 41/2-5 lbs.

For Single Channel —
Escapement, Servo or Pulse
Span 37" Area 235 sq. in.
Length 29" Weight 18 oz.
Weight 18 oz. Span 37" Area 235 sq. in. Length 29" Weight 18 0z. For Single Engine Use .049 For Twin Eng. Use Two .01's or .02's

 P.S. For best service, see your dealer for kits you want. If not available, write direct; add 35c per kit in U.S., 75c outside U.S. Minimum order \$1

CHICAGO, ILLINOIS 60608

Ever Kitted!



Tips for

Performance

Exploring rubber-power flying models the direct way, using a 49¢ ready-to-fly balsa job.

BILL HANNAN

ALTHOUGH RUBBER IS one of the oldest forms of model aircraft power, it remains one of the least understood. By employing a simple "flying laboratory approach, much of the mystery can be eliminated. If deep theory and equations are your bag, look elsewhere! Here we shall try to prove that learning can be

The first requirement is a simple, dependable aircraft. Several brands of ready-to-fly models are on the market, but a North Pacific Sleek Streek was chosen because it is widely available in

In addition to the model itself, the following items will prove useful: stopwatch, mechanical winder, needle-nose pliers, wire cutters, 1/32" diameter music wire and sandpaper. Also needed are tape, glue, different sizes and types of rubber, different sizes and types of props, rubber lube, oil and thrust washers. It is not absolutely necessary to have all of the above items, but the more that are available, the more extensive can be the experiments. Briefly, the purpose of each item is as follows: Stopwatch: To determine how changes affect a model's performance, a means

ing; (2) After being correctly aligned,

the fin and stabilizer are glued into their

slots. These changes are not intended to hop up the model, but are merely to

make it more rugged and able to withstand the rigors of hard testing.

Equipment and Materials

of comparison is needed. Judging slight improvements by eye is difficult and at best inaccurate. Measuring the actual time in the air from launch until touchdown is a much better system. If a stopwatch is not available, a regular watch with a sweep second hand will do. Winder: This is a basic tool for rubber-

powered model flying, since winding by hand is a slow, tiresome task. Some modelers prefer to wind by hand and can offer good reasons for doing so, but they are in the minority. Winders can be purchased commercially, or they may be converted from hand drills, by attaching a suitable winding hook. If you construct your own, make certain that the hook is securely attached, so that it will not work loose under a strong pull. Winders differ in ratio; that is, for each turn of the hand crank, the hook will revolve a given number of times. The hand drill conversions usually have about a 4 to 1 ratio, while the small com-mercially-made units have a 16 to 1

Needle-Nose Pliers, Wire Cutters: These tools are used to fashion propeller hooks, for use when propellers are changed.

Music Wire: One length will provide enough material for many prop hooks.

Sandpaper: Use to reduce the weight of the heavy blade, if a prop is found to be out of balance. It also may be used to smooth and lighten the entire model, if desired.

Tape: Use to reinforce the wings and for emergency repairs.

Glue: Use for assembly and repair pur-Rubber: Several sizes and types of

rubber strand are manufactured. Try at

stock different types, try a mail-order source. For longest lift, rubber should be stored in an air- and light-tight con-Propellers: The ready-to-fly model comes equipped with a prop, but, in ad-

least a small quantity of every available

size. If the local hobby store does not

dition, obtain one or more different types. For example, the North Pacific Skeeter, a smaller model than the Sleek Streek, features a scaled-down version of the same prop design, and the plastic nose piece can be directly interchanged with the larger one. Other brands of plastic or wooden props in the four- to six-in. diameter range should be obtained, if possible, for test purposes. Some props left over from small kits also would be suitable. The more types on hand, the more prop/rubber combinations can be tried.

Rubber Lube: A real must for rubberpowered models, rubber lube will allow any given motor to accept more turns and will extend its life. Commerciallyprepared lubes are available at low cost, or castor oil may be used. Do not use common motor oils, which will attack rubber.

Oil: While motor oil cannot be used to lube rubber, do use it or sewing machine oil on the prop shaft bearing. A single drop is enough, since an excessive amount is apt to work its way down the shaft and onto the rubber.

Thrust Bearings: Some ready-to-fly models do not feature thrust bearings. After a time, the plastic prop hubs wear down and friction increases. To prevent this (or remedy it) tiny washers or sequins are placed between the prop and prop shaft bearing. Some experts instead use Teflon washers, which do not require lubrication.

Notebook and Pencil or Pen: Any



Any model's performance can be improved systematically. Tests and experience are best gained with ready-to-fly types.


hobby shops, supermarkets, and some drug stores. If this brand cannot be found, another may be used. Other slightly more complex aircraft, such as

Delta Darts, are suitable also. The Sleek Streek is assembled according to package directions, with the following exceptions: (1) Two pieces of masking or clear tape are applied across the wing center section. This prevents the wing panels from popping out of the wing mount in case of a hard land-




Most important testing tool is the stopwatch. Checking relative performance is the goal.

November 1970



Glue to attach flying surfaces permanently, commercial rubber lube, a commercial winder (or alter a hand drill), and a selection of rubber of different sizes are needed.



Changing props will significantly affect a model's performance. Smaller prop and motor might fly the plane longer than a big prop and strong motor. Some effects are surprising!

small notebook or tablet will serve to record test results for future reference. The simple form we used is illustrated, but you may wish to design your own.

Last, but not least, find a willing assistant to help with the experiments. If it can be another modeler, both will benefit greatly and perhaps they can share the supplies.

Testing Procedure

All tests should be performed under calm conditions, since wind can adversely affect flight performance and cause inconsistent results. Early mornings and late afternoons generally are the quietest times.

First flights should be performed according to the manufacturer's instructions, hand wound, and with the standard prop and rudder. Primarily, this is to be certain that the balance is correct. If necessary, shift the wing along the fuselage or, in the case of a model which does not have a movable wing, add clay ballast at either the nose or tail, as required. Check also for warps. Sometimes during shipment a panel will become twisted or bent. By breathing heavily on the affected part and bending it a little beyond the desired position, a warp can usually be corrected. Be aware, however, that it may return, especially if the temperature changes.

Once satisfied that the model is flying reasonably well, try timing a few flights. Our initial timed flights were performed using the manufacturer's recommended 170 turns, hand wound. Bear in mind that individual models will vary

in performance ability, depending upon the weight of the balsa from which it was made, length of time the model has been on the dealer's shelf (which can affect rubber condition), etc. Caution: beware of false readings. A poor launch can handicap the model's true potential and, conversely, a thermal can boost duration. Neither presents a true picture of what the model is likely to do under average conditions. The number of flights per test is a matter of choice, but at least three or four are suggested.

If the model is equipped with a propeller free-wheeling device, as are Sleek Streeks and Delta Darts, conduct an instructive test by timing the model with the free-wheeler locked up, by means of tape or string. Note the effect on the glide.

Next apply some rubber lube to the stock rubber band, and note how it alters the feel even while hand winding.

Winding

When using a mechanical winder, models are usually wound from the front. However, with simple stick models, we prefer to wind from the rear, since it is easier to remove and attach the rubber loop to the rear fuselage hook. The procedure is as follows: have a helper grasp the prop firmly, while you stretch the rubber loop to about three or four times its normal length with the winder. While cranking in the turns, walk slowly toward the model until a point near the rear hook location is reached. The safe number of turns will have to be learned by experience, and a few strands of rub-

ber will be broken while a feel for it is developed. Charts which list the safe number of turns that can be used for different sizes of rubber have been published. The mathematically inclined may study one or more of the charts, but none is a substitute for experience. Rubber is inexpensive when compared to glow fuel or rocket motors, so don't be afraid to sacrifice a few strands in the interest of education!


It should be understood that individual batches of rubber differ in quality, regardless of brand, and results can be expected to vary. The big advantage of testing rubber on simple models is that a blown motor is unlikely to do much damage. By contrast, a fractured band in a scale job is almost bound to extract a few bits of structure and tissue in the process!

Another important point to remember: count the number of turns as they are put in, so that results can be duplicated. Usually only the turns of the winder's crank are counted, so don't bother computing how many actual turns are being put in. It is merely a matter of multiplication to find the actual number of turns for scientific comparison. Warning: a prime rule in rubber power model circles is never talk to a man while he is winding!

Any reference to breaking in rubber motors has been purposely omitted. It is another subject of conjecture and controversy. Suffice it to say that the properties of a motor change somewhat after it has been wound several times. This too becomes evident as you go along. After a stock motor or two has been used up, make new ones from rubber strand. With any given size of rubber, the power can be varied by altering the length of the loop. A short loop produces greater power, but it cannot hold as many turns as a longer loop. The knot should be securely tied before applying rubber lube, since it is difficult to tie a knot in slippery rubber.

Note that when changing rubber or loop sizes, the balance of the model may be affected, and suitable adjustments will be required. Also, greater amounts of power will usually alter much more than just the models' duration. A model, which is docile with low power, may turn into an unmanageable beast when more "zap" is applied. Thus ample practice in adjusting the model's flight sur-

DATE: OCT. 4, 1969	OCT. 4, 1969 CONDITIONS: CALM			FLIGHT NUMBER			
MODEL: NORTH PACIFIC	"SLEEK S	TREE	EK"	1	2	3	4
COMMENTS: STOCK PROP, STOCK RUBBER		(TIME IN SECONDS)					
HAND WOUND , 170	TURNS			8.5	7.0	9.0	9.5
STOCK RUBBER, 240	TURNS, WIN	VDER	WOUND	12	11.5		
" " 320		H		15	14.5	15.2	15.5
" " MOTOK	FAILED AT	336	TURNS				
TESTS CONCLUDED BE	CAUSE OF DA	BRKI	YESS.				
							- 8





As author illustrates, one must hold the model into the wind to get rotor up to speed. It does not take off from the ground.



This spin-wing plane is patterned after the Umbaugh autogiro. Note the use of three rudders for adequate stability and to balance the cabin area. As long as the rotor is spinning the plane is safe, low altitude stalls and engine failures are not disastrous.

AUTOGIRO

This wing slinger is a humdinger. Climb is fantastic and glide is all non-thermaling.

ED MAZAN

THE AUTOGIRO WAS invented by Juan de la Cierva of Spain. Although Cierva designed numerous successful conventional aircraft, he constantly searched for means to make air travel safer. In the early days of aviation, pilot error was the most common killer, since fixed wing aircraft often stalled and crashed. Cierva finally envisioned an aircraft with a freely rotating wing which could be completely independent of speed. In 1923 the autogiro was born.

Using a conventional aircraft, Cierva replaced the fixed wings with a free-spinning rotor, mounted off the fuselage on a tripod pylon. The autogiro proved its safety characteristics. No stalls or spins marred its performance. Most important was its ability, upon engine failure, to descend almost vertically at a rate roughly comparable to that of a parachutist.

The autogiro is not a helicopter. Their only likeness is the rotor, and their flight characteristics differ greatly. Autogiro lift is accomplished by a free-floating rotating rotor not connected to engine, while forward thrust is derived from a conventional motor and propeller.

Our model autogiro is a semi-scale design based on the recent full-scale Umbaugh autogiro. The ship is made of light or medium-weight solid balsa. It requires a large fuel tank because, in still evening air, the autogiro is capable of reaching fantastic altitudes nearly overhead, yet descending only yards from the point of launching.

Construction

Fuselage: The fuselage is carved from a unit of four separate solid balsa blocks, glued together. From 1" sq. light weight balsa, cut to proper length Blocks 1, 2, and 3, as indicated on plans. Arrange the blocks in proper order, glue and allow a reasonable time for drying. Cut Block 4 to length from medium weight balsa, 1x2" in cross section. Using the X method, find the center of each block's end. Through these bottom ends, insert 1/16" dia, wire rotor shafts (see plans). After inserting and firmly gluing the


After inserting and firmly gluing the shaft in Block 4, cut an oval pylon cap from \(\frac{1}{2} \) plywood. Drill a 1/16" dia. hole through the cap and glue it to the top pylon Block 4. Now glue assembled Block 4 to the previously glued unit of Blocks 1, 2, and 3.

Allow the glued unit to set overnight, then bend the rotor shaft back 15 degrees from a vertical position. Use the joint line between Blocks 1 and 2 as the horizontal base line for measuring the angle with a paper template.

In the fuselage bottom, hollow out wells for 1/8" plywood landing gear platforms. Glue the well areas and insert plywood for nose and main landing gears. Cut the engine firewall from ½" plywood and glue into position, aligning carefully. The engine must be mounted with the thrust line at zero degrees. Add dummy air ducts, carved from ½" sheet balsa, to each side of the pylon. Now the fuselage can be carved and sanded to shape and cross section. Glue the 1/16" plywood stab platform to the fuselage and check alignment. This platform, along with the stab chocks, will key the entire tail assembly.

Stabilizer and Rudders: Cut the stab from ½" sheet and sand leading and trailing edges round. All edges of all flying surfaces must be sanded round, since no special airfoil sections are used. Outboard rudders are cut from 1/16" sheet and the edges sanded. The mid-rudder is cut from 3/32" sheet. After it has been shaped, cut trim-tab and insert two soft aluminum hinges as shown. Trimtab is located only on midrudder. Glue rudder and stab assembly, checking alignment. Attach ½" sq. balsa chocks to bottom of stab with glue. A ½" sq. balsa incidence block is added at the bottom of the stab, near the landing edge.

Rotor Hub and Arm Assembly: Cut (Continued on page 73)



K&B 45 with reverse pitch 11-inch prop pushes the $7\sqrt{2}$ -pound model through the air at realistic and safe speed. Electric motors power real wheels on the ground.

Aerobile

The flying wing roadable aircraft of 1937 makes a unique CL or RC model with removable wings and drivable "car."

ROBERT ANGEL

The elevators also are operated differently for aileron control in real plane or in an RC model. Rudders move only outward. Wing and prop removed for road travel.

A COLORFUL PAGE in aviation history is occupied by the Waterman Aerobile, or "flying automobile." Many of flying's pioneers dreamed of an airplane that could drive through the streets like an automobile or soar cross-country on its wings. Two men, Molt Taylor and his Aerocar and Waldo Waterman with his Aerobile, came close to making that dream a commercial success. A limited production of the Aerocar was undertaken during the 1950's.

Mr. Waterman, a capable aircraft designer, worked actively for over 20 years on his craft, flying a total of six. The final version, first flown in 1957, is modeled here.

The full-scale Aerobile carried three passengers. It had a one-piece 38-ft. detachable wing. Power was a Tucker automobile engine, driving the propeller, or the wheels if on the ground. Top airspeed was 120 mph, landing sped 45 mph. As an automobile, it had a top ground speed of 70 mph and was licensed for highway operation in California.

The model is a little larger than 1/7 scale, having a 67-in, wingspan. It weighs 7½ lb. and is powered by a K&B 45 RC engine, turning in an 11-in. dia. pusher prop. The J. Roberts three-line control system provides engine throttle control. A battery-powered electric motor drives the wheels to demonstrate its automotive characteristics. The working headlight is controlled by a switch on the instrument panel.

The model is quite stable, although a little less weight or more power could be used. One unusual flying characteristic, caused by the line leadout location, should be mentioned. To avoid spoiling the scale effect by having leadout supports below the wing or by locating a bellcrank inside the cabin, the wires exit directly from the wing leading edge, well above the center of gravity. This causes the model to fly with a noticeable bank into the turn, which adds to the scale effect in slow level flight, but decidedly unnerves old control-line pilots.

How Terry Aldrich came to model the Aerobile is a story in itself. His job as a

professional photographer took him from California to Virginia. While there, he visited the Smithsonian Institution, in Washington, D. C. Out back, in a storage shed, he spotted the Aerobile which Mr. Waterman had donated in 1959. The Aerobile, like many other museum items, is awaiting its turn to be restored and put on display.

The Institution has the full-size copyrighted plans, which the serious scale enthusiasts might want, although they contain little additional detail. Copies are available for about \$2.00 each by writing directly to the Smithsonian Institution, Washington, D. C. Missing from these plans is the center of gravity location. Terry contacted Mr. Waterman, who Terry contacted Mr. Wa supplied this information.

The story of Mr. Waterman, his flying automobiles, and his other contributions to aviation is told in Paul R. Matt's Historical Aviation Album, Vol. 3. (\$2.98, P.O. Box 33, Temple City, Calif.). This book also contains plans for a version (1937) of the Aerobile, earlier than the one featured here.


Construction

There are some minor variances between the model pictured and the finished plan. The electric motor wheel drive is omitted from the plan. Elim-ination of motor and batteries should solve the weight problem mentioned earlier. Those who want to add this feature should not expect their scrap piles to contain the same parts as ours did, so ingenuity must be used. The simple pencell and headlight switch also are eliminated to save weight; however, the penlight bulb still should be cemented into place in the headlight block for scale effect. The control line exit points were moved to the bottom of the leading edge, placing them a little closer to the CG and out of sight. A demountable wing, as originally used, is not recommended, or shown. The problem of disengaging control linkages was hardly worth the effort. Because of the compact body, space saved by detaching was minimal. Just attach the wing to the hardwood braces in the upper cabin by four 6/32 machine screws.

The plan is fairly complete, so no stepby-step construction instructions are necessary. However, one point in fuselage construction is not readily apparent. The fuselage is built up around a flat ply-wood platform (P-1), looking much like a skateboard during the early stages of construction. To conserve plan space, P-1 is not shown separately but must be traced from the fuselage top view, following the exterior fuselage outline along the sides, and following the dotted outline (marked P-1) fore and aft. Similarly, P-2 is a center keel which is shown only in the fuselage side view and must be traced from that view.

After cutting out P-1 and P-2, cement them together, then add the lower formers, F2A through F5A, and install the P-3 axle braces, axles, wheels, pants, etc., to form the basic fuselage "skate-


Three-views available from Paul Matt (address given in article). Note the 4½ degrees washout in each wing panel. This and the sweep back gave the Aerobile its remarkable in-flight stability.



board." Axles are 1/8" piano wire running inside full length tubing. The wheel pants, with axles epoxied into place, are the only means used for wheel retention. The short tubing between wheel pant and fuselage on the nose wheel must not be attached to the fuselage and should have 3/32" clearance to allow some movement. The axle brace is 5/32 brass tubing soldered to the brass axle housing and epoxied to the fuselage.

The Aerobile's cockpit is rather Spartan. All instrument panels and the steering wheel are flat black. The front seat is a single semi-bucket type, while the rear seat is a bench type, seating two persons. These can be made of balsa. Note that there is a door on the right side only, and the rear cabin strut on that side is slanted instead of vertical.

The motor mounts are spaced for the K&B 45 RC. Spacing (width) for the builder's engine should be verified and altered if necessary. The airscoop of carved balsa is a working one and allows some air circulation through F-6 and around the engine. The engine on



CONSTRUCTION AND REFORMANCE WINESE STATEMENT TO STATEMENT STATEMEN

BALANC CY JAPONES CONTROL MACHINE FROM THE STATE OF THE S

CHECKED: UNITY WITH CATE AND DEC. 1964



Aerobile is an odd one in flight, yet easy to fly; however, the short wheelbase requires a smooth landing. Prop in back won't break.

the model was exposed, although the plans show the scale outline in the event the builder wants to install a screen around the engine. The carved balsa scale prop is replaced for flying by a regular 10-6 pusher prop. Concealed rubber bands hold the removable engine top block in place, although screws into the motor mounts would work nicely.

Wing construction is fairly straight-forward. The three-piece sandwich construction of the tip rudders was found necessary to eliminate warpage with the silk covering. The wing elevons are rigged to work up and down together as elevators only, for control-line flying. The control movement is transmitted to the elevons by torque, or rotational movement of the torque rod. The three torque-control horns should be made of steel and silver-soldered to the torque rod. It will be necessary to splice the torque rod for sufficient length by sweatsoldering two ends into a common piece of 3/32 ID brass tubing. A small bellcrank can be cut down to make the transfer bellcrank shown on the plans.

Due to the wing sweepback, the elevator pushrods operate with a slight sideways movement as well as fore and aft. Be sure to provide sufficient clearance for this movement in the pushrod exit plate on the outer wings. Plywood ribs are used for all outer ribs to prevent warpage by the silk covering. This includes the outside elevon ribs and the wing ribs adjacent to the elevons. The wings should be covered with silk before cementing the rudder assemblies into place.

As with any scale model, the final degree of finish and detail depends on the individual. This is where the winners stand out from the other nice-looking airplanes. It's up to the builder to figure out what materials to use and how to make the rear view mirror.

Last version of real plane resides with the Smithsonian Air Museum in Washington, D.C. It was licensed as motorcycle for road use!



of the Retractable

Close-up of retract gear installation Whit Stockwell's Pagan. No door or fairing is used. Power is 180-degree servo. Two-wheel gear needs thin wheels near leading edge.

For the most points in Scale and optimum performance in Stunt, retractable landing gears are becoming a necessity! The survey considers both old and new commercial systems.

HOWARD McENTEE

Photos by Frank Pierce

RETRACT GEARS have been on the market for over ten years, yet they have not become popular. Although they enhance performance, added weight and cost, plus possible unreliability, have prevented wide acceptance. However, the 1969 World Championship RC Stunt win of Bruno Giezendanner focused attention on them because of improved perform-

Year

ance. The 1970 competition season may be the "Year of the Retractables." They do reduce drag, although no fig-


ures on drag reduction for typical stunt planes have been seen. Most stunters are sleek, with low drag, except for that fixed tricycle landing gear! Those who have flown RLG (retractable landing gear) say the way planes go through tough maneuvers with the gears folded is a revelation. Observers can see a plane jump forward when the LG retracts!

The RLG field divides into three distinct types: electrically-driven systems with motors built into each wheel unit; pneumatic systems which also have a power unit for each wheel; and non-power-equipped wheel units. External servos are applied to work one or more of these, and almost any servo can trigger the units which have their own built-in power—electric or pneumatic.


Switches or valves require only a few ounces of operating power at the most. It is practical to operate electric systems from a special amplifier hooked to an unused control on a multi-digital system. Or simply link the switch or valve to the throttle (or other) linkage. Wheels-down seldom is used unless the engine is in low throttle. For takeoff, arrange the linkage so that the throttle, or the linkage itself, goes 80% of the way to wide open, then advance it the remaining 20% to actuate the retracting switch or valve. The wheels can be dropped at any desired lower throttle position.

For RLG's that have no built-in power or spring assist, standard servos should be avoided. Needed here is a rotaryoutput servo that can provide 180 degrees rotation of the output disk (Fig. 1). While most LG units have internal locks that take all landing shocks off servo and linkage, these locks may not always work. If the gear goes down, for example, but fails to lock, a rough touchdown can put a serious load on the servo gearing and even the motor. Any shock is taken entirely by the servo output disk and, possibly, its shaft. If these are sturdy enough, no harm can be done to the servo.

Many servos do not have enough throw to operate RLG's directly, and some may lack necessary power. Most landing gear servos now marketed (EK Products, BK Model Products, Kato Model Aircraft, Royal Products, Kraft, Pro-Line, and Orbit) have the desired angular rotation and sufficient power. With careful attention to attaining friction-free linkage, and with shorter LG



Editor's RC Nobler uses much modified Positract to pivot the gear legs at point of exit from fuselage. Looks good in flight and raises the center of drag.



legs and smaller wheels, one possibly could operate a trike RLG system from a single such servo. However, it is preferable to utilize one servo for the nose gear—this leg is often longer and heavier than the main gears—and another servo for the two mains.

Each of the servo systems has its pros and cons. Generally, pneumatic units are larger, and sometimes heavier, than electric units. Those that work from engine pressure require no added power. However, newer systems that work from compressed gas must carry this gas in an extra container. Such systems generally operate on Freon gas, widely used as a refrigerant. Some modelers have found that in cool weather several operations of the system can cause it to "freeze" to a modest extent. RLG systems normally operate only once at the beginning of a flight and once at the end, so this may not be a great problem.

Overall weights of the system vary greatly. When figuring weight for some RLG's, one or more servos, a switch (or valve), and perhaps separate servo batteries must be added. If it is possible to carry the weight, separate set of cells

should always be used for electric servos, in addition to the normal control system power pack. Not that the power pack can't stand the extra drain; it is brief and only needed twice per flight. But it is a mechanical-electrical fact that RLG servos can jam. The lighter-weight 450-mah nickel-cads recently introduced by Gould are ideal, alkaline pencells probably could be used satisfactorily too.

Electrical noise could bother digital receivers. The only electrical RLG's in this survey have capacitors across the motor brushes and low-resistance radio frequency chokes in the motor leads. Modern digital equipment systems are not as sensitive to such interference as the early ones, which probably is why all-metal retract units are now usable, whereas they might have upset early digital receivers.


Even the best-engineered systems can develop bugs. The average RC'er can do things to equipment that the designers never thought of! Probably the best way to check the various retract systems is to "Ask the man who owns one." Attend the larger Stunt contests, observe which RLG systems are in use and how

they behave, and ask the users for recommendations.


Unit Descriptions

THE BK UNITS work on such a simple principle that sketches of the action (Fig. 2) are included. BK RLG's have only two moving parts, yet give smooth and positive action. Bill Bertrand introduced this scheme of operation back in 1965; sketches appeared in AAM (Ref. 8). BK has simplified the arrangement mechanically. In Fig. 2A the l's indicate one extreme of motion—gear either up or down and locked. Operation is as follows: the semicircular block slides down and away from its lock pin, then moves the gear through 90 degrees to the opposite stop pin and the block slides diagonally upward until it locks the action again. Thus, a continuous servo pull unlocks, moves the gear leg 90 degrees, and relocks-exactly the same going either up or down.


The BK units are constructed of heavy ¼" linen phenolic. Bearings are holes in ½" aluminum channel, which also provides mounting. LG legs have two-turn coils of 5/32" music wire and a slight offset bend. However, they are left




Royal Products RMK special.




Selectronics CAS System.




Nelson Model Products Rowan.




Technisales KDH German units.




Never Fail retractable gears.



Wing Mfg. Positract nose unit.




BK Model Products main gears.






Editor's old DMECO units are modified. Nose gear was bolted to engine's backplate. A sequential system.



English Micro Mold gear from Bob Holman is unusually simple. Torsion bar mounted.



P.M.W. power unit, ram, airborne cylinder and P-40 gear on left and P-51-type gear at right. No spring assists.


straight on the end and may be cut and bent to suit. Some hints for improvement with a counter spring appeared in AAM (Ref. 9).

locking feature with gear retracted has


been eliminated. A small valve was sup-

ment with a counter spring appeared in AAM (Ref. 9).

THE CLETUS BROW SYSTEM, no longer marketed, has seen much use by prominent fliers. Each unit has a bent frame of thin sheet aluminum, which holds the operating cylinder and the gear leg mechanism. Nose gear is steerable and is a two-leg type utilizing 3/32" wire. The legs lock solidly when down, pneumatic pressure holds them up. As noted above, the wing gear units are based upon the BK mechanism, but the



THE DMECO ELECTRIC UNITS were simple and rugged; nose and wing units were almost the same, easily convertible from one to the other. A rugged alu-minum extrusion formed the frame and metal gears were utilized. Limit switching was built in. The motors always rotated in the same direction; and the current drain of a single unit could rise to amp or more when raising the wheel. Therefore, switching was arranged to move the wheels in sequence; one was almost completely moved before the next in line started. Cycling was so rapid that it looked as though all the wheels moved together. Some users had trouble with the gears getting out of sequence--one up and two down, for instance. Thus, some installed separate batteries (Ref.



Pneumatic Cletus Brow system operates from engine crankcase pressure.

				5	PECIFICATIONS	TABLE		
MAKER (IMPORTER)	TRADE NAME	NOSE GEAR WEIGHT	MAIN GEAR WEIGHT	TRIKE SYSTEM WEIGHT	MAX, DIM, NOSE UNIT	MAX. DIM. WING UNIT	TRIKE SYSTEM PRICE	REMARKS
BK MODEL PRODUCTS	вк	NONE YET	2.55 OZ. EACH	5.1 OZ *	NONE	1-1/2 X 1-3/4 . X 2"	\$14.95 ★	NO NOSE GEAR AVAILABLE
BOB HOLMAN	м.м.	NONE	2.96**	5.92 OZ. PAIR	NONE YET	1-3/4 X 2 X 1-3/4"	\$20.00 PER PAIR	NOSE UNIT NOT READY YET
CLETUS BROW	BROW	4.7 OZ.	3.43 OZ.	13.0 OZ.	2 X 6 X 2-1/8"	1-5/8 X 2-1/2 X 4-1/2	NO LONGER MADE	WING UNITS CONSIDERABLY MORE COMPACT
de BOLT MODEL	DMECO	5.0 OZ.	4.9 OZ.	15.0 OZ.	1-1/8 X 3-1/2 X 1-1/2"	1-1/8 X 1-1/2 X 3-1/4"	NO LONGER MADE	NOSE AND MAIN UNITS ALMOST IDENTICAL
NELSON MODEL PRODUCTS	ROWAN	3.10Z.	2.5702.	II. I7 OZ., FULL TANK	2 X 5 X I-3/4"	I-1/8 X I-3/4 X 4-7/8"	\$ 89.95	PRICE INCLUDES 4 0Z. TANK OF GAS
NEVER FAIL RETRACTABLE LANDING GEAR COMPANY	NEVER FAIL	6.20Z.	4.8 OZ.	16.8 OZ.	2-1/2 X 5-1/2 X 2-3/4"	2 X 2-1/4 X 6-3/4#	\$70.00	WITH WING UNITS THAT RETRACT WHEELS STRAIGHT BACK, \$85.00
P. M. W.	P.M.W.	NONE YET	NONE	I.3 OZ. EMPTY	NONE YET	NONE YET	\$ 38.50	FILLED CARTRIDGE RAISES WEIGHT ABOUT 1/4 OZ.
P.M.W.	PR-I	NONE	2.0 OZ.	4.5 OZ *	NONE YET	1-3/4 X 1-3/4 X 7-3/4"	NOT AVAIL -	TORSION BAR INCLUDED IN LENGTH BUT NOT OPERATING RODS
P. M. W.	PR-2	NONE YET	3.8 OZ.	7.9 OZ *	NONE YET	I-1/2 X 4 X 7"	NOT AVAIL.	PLY MOUNT INCLUDED IN SIZE BUT NOT OPERATING RODS
ROYAL PRODUCTS CORP.	мк	2.95 OZ.	2.0 OZ.	6.95 OZ.	2 X 3-3/4 X 1-3/4"	1-1/2 X 2 X 3-1/2"	NOT AVAIL+	TWO MK SERVOS ADD 4.1
ROYAL PRODUCTS CORP.	RMK	4.2 OZ.	2.5 OZ.	9.2 02.	2 X 2-1/4 X 1-3/4"	2 X 1-1/4 X 1-7/16"	\$34.90	SYSTEM WEIGHT LESS SERVOS RMK SPECIAL TWO SERVOS AD 4.1 OZ.TO COMPLETE SYSTEM
SELECTRONICS	CAS	3.5 OZ.	2.85 OZ.	9.2 OZ.	2-1/8 X 1-1/4 X 1-7/8"	2-1/8 X 1-1/4 X 1-7/8"	\$43.90	SIZE DOES NOT INCLUDE OPERATING ARM PROJECTION
TECHNISALES	KDH	4.1 OZ.	3.05 OZ.	10.2 OZ.	I-7/8 X 2-1/4 X I-7/8"	I-1/4 X 2 X I-7/8"	\$ 66.90	PROJECTING LINKAGE ARMS NOT INCLUDED IN SIZES
WING MFG.	POSI- TRACT	3.670Z.	3.60 OZ.	10.87 OZ.	4-1/4 X 2-1/2 X 2-1/2"	2-1/2 X 2-1/2 X 4-1/2"	\$ 57.90	DUST COVERS, 95¢ PER RLG UNIT

1) and altered switching to move all

wheels together. The remedy for these rugged and simple units is to install in each the small motor used in the Orbit PS-4 servos. The larger motor used in their PS-3 servos can be adapted, but requires much filing on the case. Order these motors from the factory, specifying long shafts (shafts are cut short for servo use). With these lower-drain motors, all servos could be operated together, keeping the battery drain within reason and eliminating the out-of-sequence bugaboo. Hal deBolt suggests an Ace RC amplifier (kit #25K108) to operate the modified servos direct from an unused digital receiver channel; this amplifier was intended to power electric brakes.

THE KDH UNITS, a German import, are entirely metal, beautifully made, all parts plated or anodized. Side frames are aluminum. Nose and main gears are somewhat different, although both work the same. These gears lock both up and down. Operation of the main parts is shown in Fig. 3. Servo linkage is arranged to keep a little pressure on the triangular plate, so that it will stay firmly against its stop pin. When locked, the triangular plate pivot and the heavy peg on this plate are in line; all shock

is taken between these two points, none on the linkage.

These RLG units have adjustable coil spring assist. The nose gear requires about %" linkage movement for full cycling, the wing gears about %". Keep this in mind when mounting or the linkage won't come out right. The nose gear mounts to the firewall and is steerable. Technisales will stock their Cushionaire knee-action steerable nose gear strut to fit the KDH unit.

Another style RLG unit by KDH, intended to retract two wheels rearward, is fine for pylon racers. New Mini units will soon be available in the same design, but about 20% smaller all around.

MICRO MOLD UNITS are an English

MICRO MOLD UNITS are an English import, very compact and light. At this writing, only wing units are available, but a nose gear is coming soon. The entire mechanism of the wing units floats on a 6½" torque rod of 5/32" music wire. The units are mounted with these torque rods in the wings just as non-retract wing struts are normally installed. The maker furnishes routed hardwood strips for this purpose, as well as torsion rod clamps and screws.

At first glance these wing units look a little flimsy, especially compared to some of the larger units included in this survey. Closer examination shows that all parts which support the wheels are amply strong, and the units should stand abuse well. Spring-assist is featured on wing units and is adjustable to stunt length and wheel weight. The units afford positive locking, extended and retracted. They require about one inch of servo movement. Units are right- and left-handed, wires are bent for wheels.

MK RLG's, distributed by Royal Products, are almost entirely plastic. The steerable nose gear is set up for firewall mounting. All units operate on the same principle as those of BK (Fig. 2). Main gears require about 13/16" linkage movement, nose gear about 7%".

MK makes two difficult, highly-geared servos, one for both wing units, and one for the nose unit. Those servos are quite compact, have 180-degree rotation and built-in limit switches. Switching is such that the main gear servo moves about halfway, then causes the other servo to move. With two wing gear units and three-in. Lo-bounce wheels, maximum current drain of this one servo was 175 ma, which came as the gear neared up position, on 2.4V. There is no spring assist.

Servos utilize the same type of motors (Continued on page 58)

Spinks Akromaster

60-powered model has all the fine aerobatic abilities of its full-size counterpart. Lines are simple and easy to duplicate.

ROBERT SCHULTHEIS

AFTER LAST SUMMER'S air show at Rockford, a flying buddy told me about a slick white aerobatic ship he'd seen. Not too good at names, he called it a Schlitz or Schmitz Akromaster. Well, I like planes such as Chipmunks, Zlins, and Yaks, so this was a natural for me. Then AAM (Feb. 1970) published a detailed article and a beautiful scale threeview of the Spinks Akromaster. I was hooked!

The bomber I was building was set aside, and I started drawing this pretty ship with its perfect RC Class III proportions. Except for the 520-sq.-in. wing area, the Akromaster has all the right moments. The only curve in the whole plane is on the top of the fuselage.

The symmetrical wing, as experience and other flier's comments indicate, makes for better aerobatic models. The real plane used the semisymmetrical NACA 2413. The tail group is scale size. A few builders may question the area, but those doubts are completely dispelled after the first flight. That little stab and big elevator do a fine job.

Another unusual feature is a fuselage six inches wide. Try to put that in an old multi-cradle! I usually start the motor with the plane inverted on someone's knee or in a cradle, but it can be started right side up. Holding that wide oily fuselage requires a hand like Wilt the Stilt's, but it can be done.

Construction

Start with 3/16 x 4 x 36" medium balsa sheet, add 3/16 x 2 x 17" doublers and 3% x 1 x 17" stiffeners. A piece of sheet about 234" long must be added at the tail. The 3/16" tail doubler will hold all this construction together. Mark former locations on the sides. Then, with sides stacked together, jig saw and cut to shape.


Rugged construction and wide fuselage characterize Akromaster. Scale three-view in background appeared in recent AAM article.

Formers 2, 3, and 4 are cut from ¼" hard balsa. The ¼" ply firewall (F1) can be added to the stack and all of them cut at one time. This keeps the width uniform and the notches in line. Now glue F2, F3, and F4 to one side. Also glue in F1 after attaching the motor mount. The Tatone mount is fastened to the firewall (F1) with 6/32 Allen bolts and blind nuts. Prepare the firewall to receive the motor mount and install the blind nuts. Cut ¼" from the bottom of the Tatone motor mount, so that it will fit under the ½" balsa fuselage top. Drill another hole in the bottom of mount to replace the one cut off.

With the four forward formers glued securely to the sides, make a cut, about two thirds of the way through, on the inside of fuselage side, behind F4. This can be done with a coarse hacksaw blade held in the hand. When the tail is pulled together, this cut enables the sides to bend at the angle shown on the drawing. It is not a smooth curve but a sharp angle. Both the three-views and photos show this.

Now bring the sides together at the rear and glue. Insert the tail block. Run some glue on the previously notched sides and attach some 34" triangle stock braces behind F4. Glue in F5 and F6.


The fuel tank is installed next, and the lower nose pieces glued in place. Epoxy 1/8" ply on front and rear of the (Continued on page 71)



ABOVE: The model's only deviation from exact scale is the use of symmetrical airfoil for serioustype stunting. Conventional landing gear works out well on this plane; takeoff and landing are bounce-free. Naturally, crosswind operation is tricky.

BELOW: Looks real, doesn't it? Maneuverability and precision are impeccable. A full-size Akromaster took third at recent Aerobatics Championships. U.S. won team first.






Concord and West Mfg./Ross Twin Glow 60. American-made RC motor is smooth-running, simultaneous-firing, common-centerline twin with special Kavan carb. Dependable idle and power for big props. Choice of mounting radial or beam, exhaust stacks or mufflers available. \$125. Concord and West Mfg. Co., 255-03 West End Dr., Great Neck, N.Y. 11020




FRANK PIERCE





Breiten Products/Right-angle wire bender. Precision tool permits accurate bending of 5/32" or 3/16" wire to smooth radius. Also available, coilbender attachment for forming your own landing gear. Price, under \$7, depending upon wire gauge size. Details, write Breiten Products, 100 E. Byrd St., Appleton, Wis. 54911


Model Engineering/Wing carrier. Great for 'wagons or family sedan, heavy-duty brackets have no-slip surface, keep up to six wings up and out of the way. Quick to install, quick removal when not in use. \$9.95/ set. Model Engineering, 3655 Calumet Rd., Decatur, Ga. 30034



Dynamic Models/Race car heat-sink. Gets rid of heat in enclosed engine applications and adds note of handsome realism. Variable efficiency, sink can be used with asbestos washer for winter applications if desired. \$4.95 including washer. Dynamic Models, 13309 Saticoy St., North Hollywood, Calif. 91605

AAM's own/Far-out insignia. Show your true feelings for your favorite mag. Sport the Great AAM Bird roundel on your fuselage, field kit, car window. Instant-stick plastic, no water necessary. 3" diameter, 25¢. Also Tenderfoot insignia, great for dressing up Delta Darts, 15¢. Order direct from American Aircraft Modeler.






Cleveland Model and Supply Co./Hundreds of plans. Where else can you find 11/2" scale plans for GeeBee racer or detailed miniature drawings of rare early birds? Cleveland is now merchandising complete line of plans from '30's and '40's kits. Catalog provides complete listing. Cleveland Model and Supply Co., 4506 Lorain Ave., Cleveland, Ohio




Rexco/Permabond. New semi-contact highstrength adhesive has many modeling applications. Sets firm in less than one minute, joins woods, nylon, metal, plastics, with either similar or dissimilar bonding. No heat or catalyst required. Complete data sheet provides all details. In several convenient sizes. Rexco Corp., 45 W. 47th St., New York, N.Y. 10036




Carl Goldberg/Snap'r Keeper. Pushrods won'l become disengaged when firmly locked in place with new CG product. Easy to install or remove. 4 for 50¢. Carl Goldberg Models, Inc., 2545 Cermak Rd., Chicago, III. 60608.

Breiten Products/New nose gear. Steerable, gear features quick disconnect lock for easy transport. Firewall-mounted, 3 oz. less wheel. Available with standard axle or curved yoke for \$1.90 extra. Gear with standard axle, \$7.95. Breiten Products, 100 E. Byrd St., Appleton, Wis. 54911





Min-X/Audio-tac. Audio tachometer operates on two 9V cells, provides accurate calibration of engine revs to 1%. Peak out engine, tune Audio-tac to same note and read rpm's from calibrated dial. \$24.95. Min-X Radio, Inc., 8714 Grand River, Detroit, Mich. 48204




Dumas/Evolution trainer. Shown in kit form, model can be flown in three configurations. Add wing-tip extensions and fly as 75" span, 09-powered RC trainer. Remove gear, add power pod and fly as thermal soarer. Or fly as hotter 48"span sport plane. \$19.95. Dumas Products, Inc., Box 6093, Tucson, Ariz. 85716



new lite-weight, built-up rubber-powered ROG's and gliders, kit provides detailed plans, all material, plus detailed instructions. For the successful Delta Dart graduate. Marlow Engineer-

> J. W. Caler/New WW II aerobooks. Two new ones from Kookaburra publications in Australia provide details on planes used in film Battle of Britain, and development of Hawker Hurricane. Both well detailed with lots of pix and three-views. Well printed with good color. \$1.95 ea. John W. Caler Publications Corp., 7506 Clybourn, Sun Valley, Calif. 91352





Tardon

Attractive non-scale Formula II winner at '69 Nats is also a fine small-size pattern plane.

JACK SABINE and BRUCE LUND

TARDON II WAS conceived at 20,000 feet over Mexico, while Jack Sabine and I were returning from the 1969 Mexican Nationals. Jack had just won the Open Pylon event with his "Tardon." In Spanish, Tardon means slow or pokey. Surprisingly, some of the local Mexican contestants had come over to ask what it meant—seems our dictionary was for Castilian, rather than Mexican, Spanish.

Thinking ahead to the Nationals to be held in Philadelphia, we realized that Tardon needed modifications to fit the recently revised AMA rules. Should new wings be built to meet the 1½-in. rule, or should a completely new plane be designed? The frontal area of Tardon could be reduced by placing the cheek cowls down on the wing like a Rivets, and the wing could be moved up closer to the thrust line. We decided to modify the winning Tardon.

The 1969 Nationals were only days

The 1969 Nationals were only days away when the redesigned plane was ready for testing. That first flight was all, or perhaps even more than, a modeler could desire. The ship handled like a dream, and no trim changes were necessary. The only problem was with the pilot, who has a habit of dancing or shuffling his feet during a test flight. Jack was a nervous wreck, but the Tardon made a perfect three-point deadstick landing on our 240-ft. strip.

This plane is fantastic. It demonstrated its high speed capability by qualifying at the Nats with a hot 2:06. Yet, with the engine killed it glides in for landing like a sailplane. It shows no tendency to fall off on a wing during low speed turns and, with the limited elevator throw, it will not stall.

When flying full-bore, the stability is phenomenal. It flies the pylon course as though programmed by a computer. One takeoff during the National finals was made totally blind. Jack's mechanic



Jack Sabine displays the fairly long highaspect ratio wing which gives Tardon its fantastically quick pylon turns.

stood up in front of him just as the plane was released. Jack just pulled up and waited until he saw his orange and white bird over the heads of those in front of him.

Tardon II is an easy plane to fly, even for a beginner. Most Class A fliers would have no trouble handling it. It also can be an attractive aerobatic plane—but

Construction

Construction is somewhat more sophisticated and time-consuming than usual, but it is not difficult. The end results are well worth the effort. If possible, total weight should be kept under 5 lb.

Tail: The stabilizer is simple to build, with 1/16" sheet balsa covering a Warren truss frame. Note that spruce spars are used and that the leading edge is quite tapered. The center of the bottom sheet is slotted to allow the stabilizer to slip over the sub-fin. When making this assembly, epoxy the joint thoroughly, since quite a bit of flexing takes place here. However, after a year of flying, our Tardon's joint has not failed.

The elevators are made from a sheet of ¼" balsa with ¼" plywood joining them. Vertical fin and rudder construction is similar to that of the stabilizer. The direction of grain and type of balsa are most important; choose the wood carefully and keep it light. Be sure to use toothpicks when securing the rudder hinges, particularly the bottom hinge. Wing: The original Tardon II had a

Wing: The original Tardon II had a foam core wing. Templates are shown on the plans for either foam or built-up construction. When foam is used, leave out the ½ x ¼" wing spars. If the equipment necessary to build foam wings is not available, use the stack method for cutting ribs. Cut a plywood or aluminum template of the root rib and the tip rib. Between these add 14 pieces of

1/16" sheet balsa, Tack-glue all these together with Ambroid and, when dry, carve down to the template. Then slip a razor blade between the ribs to cut the glue joint. Draw the centerline on each rib, as well as a centerline the full length of the ¼ x ¾" leading edge and ¼ x ¼" trailing edge.

Pin the leading edge to a flat work surface, using ½" blocks under it. Pin the trailing edge to the surface, with 11/16" blocks beneath it. Make sure the centerlines face the ribs. Insert each rib in its proper place and glue with Titebond. Check the alignment of each rib centerline in relation to the leading edge and trailing edge centerlines. Allow this construction to dry overnight. Then add the ¼ x ⅓" wing spars and 1/16" sheet webbing between them. Do not remove the wing from the table until the assembly has dried overnight.

Add hardwood landing gear blocks. Cover each wing panel with 1/16" balsa. Using ¾" select grade balsa, add the wing trailing edge and ailerons. Install the aileron torque arms and ½" brass tubing. Install wing tip blocks. No dihedral bracing as such is used. Simply epoxy a 4" piece of 2-oz, fiberglass cloth around the center of the wing, after blocking the tips up ¾".

After the epoxy has cured, the cutouts for the fuel tank and aileron servo can be made. Give the completed wing a final going-over with sandpaper, then make the cutouts for the landing gear. Remove the ailerons from the wing and add the hinges.

Fuselage: The fuselage sides are cut from 3/32 x 4 x 48" balsa. Cut out for the wing but do not cut through to the bottom of the fuselage. This will be done later. Using contact cement, glue the 1/32" sq. plywood and the 3/16" sheet balsa doublers to the sides. Add the ¼" plywood engine mounts, ¾" triangles, and 3/16" sq. pieces to each side. After both sides have thoroughly dried, pin the bottom of each fuselage side to the plan, starting at the tail. Insert the 3/16" sq. pieces across the fuselage top and bottom.

Now add Former F4 which has been cut from 1/8" plywood. Install the vertical grain portion of the sub-fin at this time, checking alignment carefully. Then pull the nose together and add Formers F2 and F3. This is the best time to add the 3/8" triangle stock between Formers F2, F3 and F4 and the fuselage sides. Glue the 3/16" sheet turtle deck and the 3/4" nose block in place.

After drying overnight, the fuselage may be removed from the building board, turned over, and the bottom glued in place. Add enough %" sheet blocking to the nose to allow a good profile after carving and finish off by gluing F1 in place. Round all corners as much as possible and rough-sand.

Cut out fuselage sides for the wing. Glue Former F4A with wing hold-down fitting in place. The fuselage is fitted to the wing, with 1/32" clearance allowed along the top of the wing for the plywood wing saddle. When the wing fits to satisfaction, glue the plywood saddles to the fuselage sides. Hold them in place, with Saran Wrap on top of the wing, until the glue has dried. Next, the cheek cowls are cut and rough-carved. Sand them to approximate shape, hollow out and glue in place. Form the remainder of the wing fillet with Epoxolite putty. Fit the section of fuselage under the wing in place. Glue to the wing, (Continued on page 76)

Formula II planes with 600 square inches are fairly large. Because of the drag of the larger wing, well-thought-out streamlining is essential. Fuselage profile shows careful designing.



R/C DON LOWE General Correspondent SPORT and PATTERN

Proposed Channel Changes: The FCC has proposed changes for the 72-75 mHz ranges so that two of the present spots would be shared with other model users and two new channels assigned to non-aircraft application. AMA is actively preparing arguments to change this rules proposal. These changes were suggested because of the recent rapid growth of RC car activity. Many modelers want to use their airplane systems in a car on 72. Others feel it is discriminatory to deny 72 to non-aircraft users. It is—and the reason

Whatever the outcome, consider that, because of the close-range operation of RC cars and most RC boats, 100 miliwatt transmitters are more than adequate on any frequency. And with the 27 mHz band, any frequency within the band may be used by a transmitter of less than 100 miliwatts. That means fifty channels or more. We think this band is where all non-aircraft use belongs. Fifty channels for less than 100 miliwatt

transmitters is enough.

Careless Frequency Control: In the Crescent City R/C Club's newsletter, "The Flyaway II," Ron Romeo reports "two planes shot out of the air as the result of carelessness with the frequency clothespin. The plane in the air had the pin in both cases, and in both cases the guilty party was an experienced flyer." Unfortunately, such carelessness is much too common!

Most clubs have ground rules to prevent simultaneous operation of transmitters on the same frequency. Some use a colored flag on the transmitter to signify frequency, but, are fliers color-blind or too lazy to observe what colors are flying? Most clubs use a clothespin system, requiring the acquisition of an appropriate-colored pin and affixing it to the transmitter prior to turning it on. Other clubs impound transmitters, even during regular weekend flying.

The problem of frequency control will always be with us, human nature being what it is. But if somebody violates the rules and washes out some hapless flier's hard-won pride and joy, is it enough to say, "Gee, I'm sorry!" Personal and financial responsibility is assumed for the careless wiping out of other kinds of property such as automobiles. Why shouldn't such responsibility extend to models? Obviously, clear-cut operational ground rules and clear evidence of fault must be established before judgment can be made. What do you think?




Kapiolani RC Club of Honolulu, Hawaii, flies. at Diamond Head Crater. Models are mostly high-wingers for off-grass operation.



Selectronics retract gear in a Lanier Citron is unique in many ways. For example, nose gear retracts forward, mains retract outward. Mains are mounted on plywood base without spar support. Flies great.

Here are several suggested operational ground rules. (1) Never operate a transmitter without a frequency flag. Write frequency numbers on flag to prevent color confusion. (2) Use the frequency and color-coded clothespins. (3) Impound transmitters with antennas removed. (4) Require fliers to operate from a designated area so that it



Ernie Huber, who is a machinist, has taken up the helicopter challenge. Nice work.

is easy to see who is flying and to check his frequency. This also prevents fliers from being clobbered by aircraft taking off and landing. (5) As an added precaution, always turn the receiver on first and note its operation, (Continued on page 68)

FRED MARKS

Specialist Correspondent TECHNICAL ITEMS **AERODYNAMICS**

A Digital Addition: An auxiliary function for digital equipment can be added to existing radios inexpensively and simply. Its application can be to throttle, flaps, landing gear or other auxiliary functions. Furthermore, it requires omission of the digital information for only about half a second, just enough to start it on its way to the next position. During this half-second, the regular digital servos stop for an unnoticeable moment.


An S-4 Controlaire servomechanism with a small switcher board, designed by Ken's RC, is used in place of the normal feedback potentiometer. A two-transistor POD is used to control the servo.

The schematic shown is for a negativegoing input signal. From this figure it can be seen that the input pulse (taken from a servo signal lead or at any convenient and compatible point on the digital decoder) is coupled via a steering diode to the 5.6 mf capacitor. As long as pulses are present, the first stage transistor is biased off by the 100 ohm resistor to its emitter. Upon omission of the pulses, the first transistor is biased on via the 2.2K resistor and, in turn, drives the output transistor into full condition.


As soon as the servo starts to move, the potentiometer wiper (normally used for feedback in the digital-type application) makes contact across the switcher plate. The plate is mounted where the pot element is normally located. This retains bias on the output transistor to full conduction, even after the pulse train resumes, until the switch plate contact breaks. The plate shown is for three positions to be used for throttle. If it is to be used for a two-position function, e.g., landing gear, the area of the switcher arc identified by a black dot should be blacked out prior to making a photo-etched p. c. board.

The POD can be used with a positive-going input pulse by simply making the mirrorimage p. c. board and using MPS 3638A and MPS 6531 transistors in place of the MPS 3646 and MPS 6534, respectively. All other component values are the same.

The unit built and tested was used with



Schematic for digital POD by correspondent Marks is for negative-going sig. input.



PC board layout is simple, and with so few parts, assembly is easy.

the Controlaire Digit Migit single-function digital system and works happily with other negative-going pulse digital sets. Both positive and negative pulse are available on the Digit Migit. Its installation will be described next month.

The preceding brief description is not intended to be a construction article. It is recommended for the tinkerer who knows, for example, where to pick up the power leads and signal leads for his radio. Furthermore, the location at which the transmitted pulse train can be interrupted within the transmitter using a normally-closed pushbutton must be known. In most cases, however, a duplicate servo plug on any channel provides the signal and power lead sources. The "enable" button on current digital radios for operation of buddy box or instructor/ trainer system performs the pulse-stopping function at the transmitter.





R/C GEORGE SIPOSS Specialist Correspondent

R/C CAR RACING


Tires: The latest fad in tires is spongies. Since some sponge tires behave better than others, the best types are semihard closed cell neoprene rubber. They are responsible for an approximately 10% decrease in lap times and for more control. .

Engines: The most popular engine is still the Veco 19. An air cleaner must be used on the carburetor intake (see diagram), as well as a fuel filter. The latest fad is to machine off the cylinder head fins so that a flat aluminum plate can be mounted with the six head screws. Machined stacks" can be attached for a more authentic look. Such an item is available from Dynamic and fits most 19's. . .

Gas Tank: The tank should be mounted so

Japanese jeep is for fun, not racing! Has differential, throttle, brakes, etc.





Amazing how much dirt gets into an engine. Simple filter eliminates problem.

that when it is half full the fuel level is about even with the needle valve on the carb. . .

New Clubs Forming: Contact the nearest club. In the Philadelphia area, write Larry P.O. Box 37, Warminster, 1082 18974; in the Bay area, Ray Bell, Cascade Dr., Sunnyvale, Calif. 94087.

Shop Hints on Filters: Don Rhodewalt makes a filter from a large piece of soft rubber, such as a pink pearl eraser, and a filter screen of fine wire mesh (use the screen from a faucet strainer). Cut out the rubber blocks so that the hole is equal in size to the neck of the carburetor. This way it will have to be stretched over the trumpet (intake opening).

In a pinch, a fuel filter can be made as follows. From a very fine mesh wire screen, cut out a $1/4 \times 1/2$ " rectangle (experiment with the size to find one best suited to the fuel line). Roll this rectangle into a smalldiameter cylinder, one-half inch long, and tuck it into the fuel line near the carburetor. Take it out occasionally, it's surprising how much dirt it catches during a typical race day. If the rolled-up screen is too loose to be effective, bend the screen in its center so that it will cock in the line.



Beautiful rocket-firing AM-1 Mauler by Bud Nosen. Fires individually or all at once.

CLAUDE McCULLOUGH

Specialist Correspondent SCALE

Swoosh: Bud Nosen's Marine Mauler took first at the Des Moines Modelaires Pylon and Scale Contest June 27-28 with a demonstration of operating rockets. Contestants and spectators found the realism perfect-puffs of smoke on ignition, followed by a salvo streaking away.

Unlike some earlier attempts with works, Nosen's installation is well-tested, uses the safe and proved standard solid fuel To make certain that the model motors. rockets cannot be accidently launched while handling, a thin music wire lock is strung through holes in the mounting tubing and dowels. A long ribbon on the end acts as a reminder, just as in full-scale practice, to arm the weapons before takeoff. An interlock on the transmitter auxiliary level to prevent inadvertent triggering would be a good addition. The rockets go where they are pointed and a dive attack puts them right on target.


Bud is adding a further feature on his Nationals entry P-47. Charges of flour will replace most of the clay ballast to simulate

an explosion on impact. . . .

Bigger Is Better: There seems to be a trend to smaller RC scales with higher wing loadings. Details, external stores and thick paint jobs are crammed aboard as though control lines were going to be used. Given precise digital control, ample power and high pilot skill, it is sometimes possible to make a lead sled fly. More often the result if it lasts through the test flights—is a jumpy bomb, a snap roll looking for a place to happen. Building to a larger size will tame such tendencies. The major advantage is reduced scale effect. A six-ft. span shows markedly better flight and handling characteristics over the same subject at five ft., even at identical loadings.

Robin Lehman's 1/7th size Britten-Norman Islander twin has been described in previous issues. Now he has produced a larger 1/5th version of the same design and is in a unique position to make comparisons. The weight went from 11 lb. to 19, but the wing loading dropped by 40%. The big job flies so well that it is hard to tell when an (Continued on page 68)


Rockets fired by Mauler, above, are made of paper and balsa. Commercial motor used.




R/CHOWARD MCENTEE Specialist Correspondent GLIDERS and FAI

Useful Wing-Attach Method: An arrangement utilized by Harley Michaelis to hold the wings on one of his large soarers worked, but he felt it wasn't practical. It was too difficult to run the 1/16" dia. lock wire through to the clevis ends, back in the dark area of

Wilhelm and Willoughby hold Flying Cucumber and Kurwi 68 Universal prototype.





Wing attachment method by Michaelis allows impact release but easy assembly.

the fuselage. However, with a few modifications to the installation, the idea became quite practical (see sketch). Guides inside the fuselage ensure proper wire placement. A slit end allows the clevis to pull loose in a bad landing or crash. This may ruin a clevis, but a new one is easily installed.

Father of the Kurwi: Dale Willoughby, during a trip to Germany, visited Wilhelm, who designs and kits the Kurwi gliders. Wilhelm's Flying Cucumber has an odd fuselage shape and was built to test V-tail installation on the same sort of glider. Although he has a complete woodworking shop in the basement, Wilhelm does much of the kitting work, including fiberglass fuselage manufacture, in his apartment. He uses epoxy for fuselage work. A lifetime model plane builder, Kurt seldom has time for flying any more, what with a full-time job and the great demand for Kurwi kits. .

Computerized Scoring: Pencil and paper toil by dedicated modelers' wives (or girlfriends) may come to an end, if more clubs follow lead of the League of Silent Flight. For their August Soaring Tournament at Livermore (Continued on page 66)

C/L BILL BOSS General Correspondent SPORT and SCALE

Slo-Moe: This all-purpose plane was designed by Bob Sylvia, for use in slow combat, balloon busting, and as a stunt trainer. With a little extra work on the control system and an engine change, it also could be used in the Profile Carrier event. The plane has been flown by Bob and several of his fellow club members (Suffolk Wings, Long Island, N.Y.) since 1966. An excellent flyer, it has garnered many awards in slow combat and balloon busting at local contests. It even has been successful against the fast combat jobs.

Bob's plane features two innovations: a diamond-shaped airfoil and a two-piece fuse-lage. Both of these make for easy construction and great strength at the wing-fuselage joint. In addition, the plane can be built with standard sizes of balsa. The list of materials is simple: leading edge, 1/2" sq.; two wing spars, 3/16 x 3/8"; trailing edge, 1/16 x 1 1/2" sheet; tail assembly, wing ribs, and wing tips, 1/8" sheet; 3/32" plywood doublers; and a 3/8" or 1/2" plank for the fuselage; 1/16" sheeting for center wing planking. Miscellaneous items for landing gear, control system, hardwood engine mounts, plywood bellcrank mount, etc., also are required.

The diamond-shaped ribs (12 required), because of their long flat bottoms, can be pinned to any smooth flat surface. Therefore, alignment of all ribs, spars, etc., is easy. Space the two center ribs in relation to the fuselage thickness, since the fuselage halves must fit in properly between them.

After the wing is constructed, cut out fuselage halves and notch both halves at the proper locations to accept the wing's leading and trailing edges, and top and bottom wing spars. Cut the nose of the fuselage to size for the chosen engine (19 to 35).


Next, cement fuselage halves into place between the two center wing ribs. Install nose doublers and engine mounts. Cut out and install rudder, stabilizer and elevator assemblies. Install bellcrank mount (1/8" plywood) in inboard wing sections. Landing gear, outboard wing weight, and tail skid complete the basic construction. Sand, cover and paint.


The Sloe-Moe has great stability, maneuvers well, and will take rugged handling from the novice. In the hands of the more experienced flier, it gives an excellent performance.

Bob will provide detailed construction drawings to those that want them. Write Bill Boss, care of AAM. . . .

Pacifier-Type Fuel Tanks: This item appeared in "Modeling's Liveliest Monthly Fishwrapper" (newsletter of the San Jose Aero Modelers). Mary Wentz, Technical Editor,

U.S.S. Middlesex is pride of N. J. club. Group has excellent community relations.





Bob Silva's all-purpose Slo-Moe is about easy to build as any 19- to 35-engined plane. Plane. Diamond airfoil builds on flat board. For larger drawings write AAM.

describes the simple construction technique. Secure some gum rubber baby pacifiers and pull out the plastic ring and insert. Discard these parts. Next, cut some short lengths of brass tubing, about 1/2" to 3/4" Insert the brass tubing into a length of black Veco fuel tubing which will reach from the spray bar of the engine to wherever the tank outlet is to be located on the particular plane. Insert the brass-tubed end of the black fuel tubing into the pacifier and bind off securely with a small rubber band. That's all there is to it. Make up several of them because they don't last forever. The big advantage of this type of fuel system over the usual metal-tank type is that the pacifiertype provides a more positive fuel flow, no matter what position the plane may assume during flight. .

Salute to Middlesex: Middlesex Modelers Inc. (Middlesex, N.J.) has 42 members, three of whom are girls and, with 21 adults and 21 Juniors, there's no lack of Junior participation here. The club maintains a minimum of four training ships for use by newcomers and those that can't afford a plane. On top of this, it pays all AMA membership fees for Junior club members.

Promotional activities of the Middlesex organization include static displays, club movies, and flying demonstrations for local orphanages, Boy Scouts, Lions and Jaycees. This civic interest has put them in a favorable position with local townfolk and has enabled the club to obtain a flying site that now has three 60-ft. circles, two of which have blacktop doughnuts. Two smaller circles are for 049-type flying.

Those who wonder how to promote a club, obtain flying sites, or encourage junior membership, might take note of how it has been done by the Middlesex Club—hard work, well-organized promotional activities, and some special attention to the newcomer. To the Middlesex Modelers, "Thanks for a job well done."

C/L JOHN BLUM

Specialist Correspondent CARRIER and STUNT

Stunt or Precision Acrobatics: This column has provoked a welcome response from modelers who have flown aerobatic models. It is always surprising that so many build great stunt models, yet are not interested in competition. However, reasons for this attitude are not hard to understand! Rules changes are only part of the solution. By presenting ideas and theories received from all levels of interest, we hope to spark concern and reaction toward bettering the event.


By this time, a rules change may have eliminated appearance points. Al Sugar comments that "in the Chicago area, the appearance of the ship was the only determining factor." He and four other stunt flyers

will not participate in the event until it is run under FAI Stunt rules.

Bill Noyes, in the SCCA Newsletter, suggests that all Southern California contests go straight FAI rules in Stunt. Certain elements in the St. Louis area promote the same philosophy. It's your event; consequently, it'll be what you make it. . . .

California Stunt Model: Jim Mayfield's new stunt model incorporates ideas evolved from his wide experience. It also meets coming muffler requirements—thus the exposed engine head and muffler, since muffled engines run somewhat hotter.

Other design characteristics, based on careful observation of what produces a winning combination of appearance and flyability, are: (1) swept-back rudders, which make inside corners appear round, while vertical rudders combined with straight fuse-lage make corners appear square; (2) the placement of the bubble canopy, which creates the illusion of the plane's pivoting around corners; (3) the straight fuselage, which emphasizes the straight sides of square maneuvers and level flight; and (4) a color scheme



Mayfield's new stunter is designed for mufflers and maneuver-appearance effects.

which adds to appearance in flight.

Jim feels the future trend in stunt design will be away from the jet look and toward a more functional design. He cites Bob Gieske's Nobler as an example. The model shown will be powered by a Fox 35 with muffler. Its weight of approximately 43 oz. is good for the 52-in. span at 560 sq. in. . . .

Keeping The Lines Tight: William Watkins handles the problem of slack lines during periods of takeoff and flight by use of a spring-loaded bellcrank. The bellcrank mounting platform usually is located between two wing ribs, with a pushrod to the elevator for up and down control. The slotted platform allows the bellcrank bolt to slide within the opening. The curved slot in the bellcrank permits a guide bolt to maintain horizontal alignment of the bellcrank in operation. This bolt also slides within the platform slot.

Also mounted to the platform is an auxiliary crank from which a pushrod is affixed to the rudder. When the model is at launching position, the spring causes the bellcrank to move toward the outboard wing, thus activating the auxiliary crank and creating offset in the rudder. As the model reaches maximum speed, thus creating centrifugal force increase, the model moves away from the pilot, extending the spring and allowing the rudder to return to a near neutral position. An alternate position of the auxiliary crank



Ray Willman adjusts throttle on Class II Rossipowered carrier model, a Guardian.

is indicated and makes reference to highspeed and slow-speed for clarity. This concept could be adapted to Navy Carrier with a few modifications. . . .

Save Those Bottles: Ed Jacobs, quoted in the Aero Modelers (San Jose, Calif.) Newsletter, keeps old dope bottles for other uses. To clean them, he fills the bottles with water and leaves them overnight. When the water is removed, the dope can be wiped out easily. . . .

About That Noise: Jim Mayfield's design indicates thought given to the acceptance of mufflers, which will be required in FAI Stunt in 1971. Various U.S. clubs now are conducting muffler studies. To review the matter, read William Netzeband's article, "Quiet Down or Quit," in the Jan/Feb. 1965 American Modeler. . . .

Reference Library: Control Line aerodynamics made painless in the following AM



Profile Mustang about to start official flight. From Sterling kit, has Veco engine.




Novi built by Ed Probaska from magazine plans. Weighs 52 oz., powered by Veco 35.

issues: July/Aug. 1966; Sept./Oct. 1966; and Dec. 1967.

C/L JOHN SMITH Specialist Correspondent SPEED and RACING

Junior Speed Event: For those who have a problem getting junior fliers to enter contests (and who doesn't?), here is an event that will bring them out in droves. This particular event was initiated in Cleveland and has been flown there for as long as I can remember. It was the brainstorm of Chuck Tracey, Aviation Editor of the Cleveland Press and perennial model aviation leader in that city.

The event requires a minimum number of officials. The only equipment used, other than several stopwatches and a speed chart, is a




Engine mount holes in speed pans are tough to align. Try Smith's handy jig.


pylon structure, painted red, white, and blue. A painted pole could be used but the pylon adds a little class to the event.

Here are the rules: (1) Any kind of model may be entered, including plastic RTF's, but no speed models. (2) Highest score from one flight is winner. (3) Select any one of three color zones before takeoff and advise judges. (4) When ready, signal for timers to start timing. (5) Hold model at required altitude (color zone) for required number of laps. (6) The number of laps is determined by (Continued on page 66)

Add fun and a challenge to racing events with this colorful pylon. Text tells how.



Why not control rudder position as a function of line pull/airspeed? Watkins simply spring loads his elevator bellcrank and links the resulting motion to the rudder.






Marty Thompson won Design Craftsmanship award at Boeing contest with this Nordic.

F/F BOB MEUSER General Correspondent SPORT


Big Boeing Bash: Fifteen-year-old Richard Sironen of Seattle won the \$1500 college



Meuser suggests plastic golf bag insert as fuselage protector for rubber jobs.

Motor hooks.

A clear demonstration (in Meuser's model) of what happens when the rubber explodes.



scholarship award as grand prize in the Boeing Management Association contest held Seattle on June 20-21. He took first place in Towline Glider, Cargo, and Indoor Hand Launched Glider, second in Outdoor Hand Launched Glider, third in Indoor Easy B. Bill Fisher, a CL man from Tacoma, and freeflighter Marty Thompson of Livermore, Calif., were close on his heels. The meet included RC and Rocket events in addition to FF, Indoor, and Cl, and also a special award for Design Craftsmanship. Flying facilities were excellent, weather superb. Fifty-nine contestants, aged nine to eighteen, came from six states and Canada to participate in the 17 events. Contestants said it was an especially well-organized and well-run meet. Boeing was delighted, plans a repeat in 1971. . . .


Blast-Proof Rubber-Powered Models: Enough energy is stored in the rubber motor of a big Unlimited Rubber model to lift an automobile three inches. When that motor explodes during winding, as it surely will sometime, weeks of effort are destroyed, along with a possible trophy or national record. Bob Stalick (AAM, June 1970, page 38) showed how the motor can be inserted into the fuselage after the motor is wound. A variation on this theme (see drawing) employs a winding-tube inserted into the fuselage during winding. This system saved Andy Faykun's Unlim at a recent meet, and George Xenakis uses a similar arrangement with his Wakefields. The plastic tubes used in golf bags, available at sporting goods stores, are 11/4 in. diam., 34 in. long, and are ideal for large models. A cardboard tube taped liberally with electrical tape is fine for smaller models. The prop must be detachable from the front motor hook, and the hook must have a place for the winding stick to hold it while it is being transferred from winder to prop. Sounds complicated? Not really, and much less so than building a new fuselage! . . .

Kites are Free-Flight? What is a towline glider on tow if it isn't a kite? Mostly-indoorbuilder Bill Bigge builds kites that are a cross between indoor microfilm model and an outdoor rubber-powered job. Much can be learned about free-flight from kite flying, and Bill has demonstrated that being a free-flighter puts him one-up on the traditional kite fliers. Bill won the Best Kite Award at the Smithsonian Institution's annual Kite Carnival in 1967, 1968, and 1969, and this year won an award for Best Airplane-Type Kite.

Originator of the Carnivals was Paul Garber, recently retired from a lifetime with the Smithsonian aviation museum. Paul developed camera-toting kites for the Army in World War II, and some oldsters will remember his book, Building and Flying Model Aircraft of 1928 at about the end of the twin-pusher era.

The Washington, D.C., area is a hotbed of kite-flying activity, with contests sponsored by the Maryland Kite Society, the National Park Service, a group at the University of Maryland, and the D.C. Maxecuters, in addition to the Smithsonian. Someone must have reasoned that if kite flying is so darned much fun there must be a law against it. Sure enough, they dug back 80 years and found one, and for a time the police were actually busting people for the criminal and vile act of kite flying!

Bigge's latest endeavor features lightweight indoor-model-type construction and a forward fin—conducive to stability, as pointed out in J. K. Querman's article in the 1957-58 Model Aeronautic Yearbook (Frank Zaic, Model Aeronautic Publications). Its predecessor was a similar tandem-wing affair which began life as an Outdoor Unlimited Rubber class model but which, according to Bill, "was much happier as a kite."



The Cleaver, championship kite by Bill Bigge

For very light kites, Bill uses nylon thread unraveled from model-covering cloth—about 5-oz. strength, wound on a 2-in. spool attached to a 16-to-1 gear ratio rubber winder—reels them in fast. One of Bill's kites of the conventional crossed-stick or Eddy type has wires at the center of the horizontal stick which permit the sides to fold back harmlessly when the wind becomes too strong, or when reeling in rapidly.

Flying scale kites are an intriguing idea. A free-wheeling prop could act as a forward fin to provide the required stability. Bill tells about flying kites into thermals! It seems a fellow could learn much about thermals—size, strength, etc. — by towing a kite back and forth through them. If the flying-site problem continues to intensify, maybe we'll be forced to adopt kites. Bill says one of the best storebought kites is the one-dollar Sting-A-Ree by Gayla Industries.

Bill really wasn't up to par at his most recent kite contest — seems he was up late the night before finishing his model dirigible! . . .

Meet Canceled Because Of Sheep Ticks?: We have heard of meets being canceled because of rain, snow, wind, and war, but sheep ticks is a new one. Ocie Randall says that, since several of their members had lost a week's work and one was hospitalized for three days after being bitten by the wee beasties, the Fresno Gas Model Club has ceased holding meets in April — no problem in March or May, That this is no small matter is emphasized by what the Fresno group will put up with without canceling a meet. At their June meet the wind was so strong that more than half of the entries were lost with three-minute maxes. Most were later found by airplane search, W. F. Morgan's model was wrenched around by the wind, and the prop of his Tiger 15 chopped up his hand so severely that stitches were required. Then, after the meet, the headquarters trailer was literally blown off the road while being towed home totally destroyed, along with stopwatches, PA system, and records, Oh well, everybody has their little problems.

F/F BOB STALICK Specialist Correspondent GLIDER and RUBBER

Community Model Airplane Program: The lifeblood of this hobby is based not only on continued participation by old hands, but also on the developing of new modelers



Twins Reid and Roger Simpson, members of U.S. Air Force Team, seen at '63 Nats.

to share in the wonders of flight. So many of the technicalities taken for granted by experienced fliers are completely bewildering to a newcomer. Older beginners can turn to a number of sources for information, but the young ones are left pretty much in the dark unless a modeling dad or neighbor is willing to spend hours explaining the intricacies.

Working with rank beginners in the smallfry category is a trying and time-consuming, but rewarding, endeavor. Those who have tried a model building and flying program for youngsters know what I mean. Until Frank Ehling developed the AMA Racer/AMA Sig Cub, building a truly flying model too often was beyond the ability of the beginner. Now, based on the AMA Sig Cub, the AMA has published a booklet, "A Community Model Airplane Program," which details methods for establishing a program for young beginners.

For the past two years, members of the Willamette Modelers Club, Inc., have sponsored such a program at the local Boys' Club. A long-term project which lasted 20 weeks, it attracted and introduced about 60 youngsters to the wonderful world of model airplanes. The program went on, in 1969, to prepare members for competition in the AMA-HIAA-Navy Air Youth Program. This year the Williamette Club hosted its own meet, open to anyone under 16.

Much was learned by applying basic aeromodeling experience to basic aircraft

Jack McGillivary of Canada winds while John Foley strains to hold the model.



and by planning a program well in advance to prevent anticipated difficulties. Club members also learned some important things about working with groups of youngsters. For a successful program, the following suggestions are invaluable:

(1) If the program goes beyond the Sig Cub phase, and it should, have a limited number of modelers for each instructor. Six or eight boys asking questions and wanting help for an hour and a half is about the limit of human endurance.

(2) Schedule meetings regularly and at the same location each week.

(3) Provide for some type of competition after each phase of construction. For example, when the Sig Cub is finished, hold an informal contest to teach adjustment and other flying techniques pertinent at this level.

(4) Have some long-term goals, such as the AMA-HIAA-Navy Program was in 1969, to culminate the year's activities.

(5) Enroll only youngsters who can display at least basic reading skills. We also stipulate that boys be eight years old, but prefer them a year or two older. Requiring a small investment of 50 cents or a dollar by the youngster helps ensure his taking care of the equipment and supplies.

(6) Require that all building for the program take place at the meeting site. However, encourage youngsters to try constructing other models on their own. Suggest some that are equal to their current building level.

(7) Have a beginners' ten week session and then an advanced section for those who successfully complete the beginners' phase.

Next month, a week-by-week outline for setting up such a program will be given.

F/F BUD TENNY

Specialist Correspondent INDOOR

New York Club Checks In: The Pan American Model Aero Club has 26 active members, all employees of Pan American Airways. The club meets monthly and is adding indoor flying to their regular CL and RC activity. The emphasis is heavy on Indoor Scale, because of drafty conditions in the hangars where they fly. However, the club co-sponsors two indoor meets annually, at locations where flying conditions permit other events. For more club information, write Don Wansor, 514 Beach 45 St., Far Rockaway, N.Y. 11691. . .

Light indoor model joints use the least glue but must have perfect joints as shown.

SPLICE

BUTT JOINT

SPAR NOTCHES

GOOD

Balsa Wood Joints: A recurring question about indoor models is how to make strong, light joints in balsa wood. Two basic principles are involved: proper fit between the pieces and proper choice of glue. Proper fit means that the two pieces of wood must touch all along the joint, with no open spaces left to fill up with glue (see sketch). Glue which fills the cracks adds weight out of proportion to the added strength.

Almost any commercial model or household cement (except special plastic cements) is good for balsa; however, it must be slowdrying. Joints in wood get their strength from glue which soaks deep into the fibers and holds them all together. Fast-drying glue hardens without penetrating, thus only the top surface of the wood is involved in the joint.


For ultralight indoor models, so little glue is needed that it is made very thin and applied with a hypodermic needle to control the amount applied. Use dope thinner with

Sketch by Pat Percival shows proper wire bracing on Indoor microfilm "flimsie."

a little amyl acetate added to thin out the glue; then experiment wih scraps of balsa to get the right mixture for proper drying speed. The same material can be used on heavier models. A small, pointed brush is used to apply the glue. Coat the parts before joining, set them in place and let the first coat dry. Add several more coats of the thin glue. This makes stronger joints with less

Let's have more club information. Write Bud Tenny, Box 545, Richardson, Tex. 75080

Dan Domina, a strong Paper Stick competitor, watches his model climb for altitude.



Since you put your best into what you make,



*MISTER" MULLIGAN

MODEL SPECIFICATIONS:

.09 TO .15 ENGINE, 40 INCH WING SPAN, 320 SQUARE INCH WING AREA, MEETS 1/4 MIDGET RACING SPECIFICATIONS.

KIT INCLUDES METAL COWL, FULL COLOR DECALS, QUALITY MACHINE CUT BALSA. PRICE \$21.95

VINTAGE AIRCRAFT

FROM OUT OF THE PAST...

Write for Free Catalog P.O. Box 454 Coos Bay, Oregon 97420






crystals, and the transmitting frequency can be changed by simply unplugging and replacing the crystals. Thus, during a typical race, a car can be assured of a spot in the starting lineup instead of being "married" to a frequency. A full set of flags is available, so that the set can be completely changed over and complying with regulations in a matter of seconds.

Our transmitter is black with a checkered design and has no unnecessary embellishments. This no-nonsense design is meant to take abuse during a hardfought race day. The transmitter has no meter, and the on-off switch is out of the way where it cannot be tripped accidentally. The three-spoke design steering wheel is much easier for beginners to learn to use. The wheel allows more feel and resolution than a gimbaled stick. Steering trim is electromechanical and is in an easy-to-reach location above the wheel.

The left hand holds (actually cradles) the transmitter and, thus, the left index finger finds the spring-loaded throttle lever very easily. Below the throttle is another lever, used for cars which have a shiftable gearbox or torque converter. The center position of this lever has a spring detent to locate neutral.

Located in a slanted position on the upper edge of the transmitter, the antenna is automatically in a vertical position when the transmitter is held most conveniently. This assures maximum power output and is not a hazard to nearby drivers who stand elbow to elbow while racing.

The layout inside the transmitter is uncluttered, the PC board sits neatly (Continued on page 76)



Small Orbit transmitter requires practice to appreciate wheel steering, left-hand throttle and shift controls. Several bodies are available for Dynamic's car.

Orbit "Cobra" with Dynamic Porsche 917

GEORGE SIPOSS


BACK IN THE EARLY DAYS of radio control, Orbit Electronics, with Bob Dunham at the helm, was one of the pioneers. Reed or digital proportional, those black transmitters could be found in the hands of many early RC pilots.

in the hands of many early RC pilots. In response to the terrific upsurge in RC car activity Orbit again has pioneered, this time with a set designed specially for cars and with features that reflect an in-depth understanding of human engineering. It is aptly called the Cobra. (Remember the world-beater Cobra-Shelby race cars a few years


ago?) Its concept was influenced by the MATS and Toledo shows, where the number of cars convinced even skeptics that a new era in racing has arrived.

Our Cobra was one of the early production models, complete in every respect but not supplied in a fancy box. It was installed in a Dynamic 1/2 scale car, the battery fully charged overnight, and then tested on one of Southern California's popular tracks. The system's frequency was 27.045 (red). This is of no real consequence because the set comes with a set of four spare

Torque converter has effect of infinitely variable gear ratios from infinity (which is out of gear) to 6.6 to 1, fully engaged. Declutching in a spin takes practice; you must be quick. Drag race starts are nifty; one can lay a strip of rubber spinning the tires. Akerman steering system is fully adjustable.



In addition to all-plastic transmitter, two most significant features of this radio are interchangeable crystals shown at left—an essential feature for serious racing. Another feature is super-fast PS-5 servo with very thick gears, as shown. Incidentally, while NiCads are used with receiver, the dry transmitter battery seemingly lasts forever.





An RAF Boston III in Egypt in 1943. Photo fortunately reveals the twin swivel-mounted guns in rear cockpit, gun pod on side of nose.

Douglas A-20 saw widespread service in many roles throughout World War II DON BERLINER

Photos by Howard Levy

MORE THAN SEVEN THOUSAND were built, yet it doesn't stand out as one of the major types in the history of military aviation. Produced as both a bomber and a fighter, it entered service before Pearl Harbor and remained opera-tional to the end of the Second World War. Yet few, aside from those who flew the Douglas A-20 or one of its many variations, remember the type as anything more than a familiar light twin that did many jobs well, but never did anything really spectacular.

Perhaps because of its origins the Havoc or Boston, or whatever you want to call it, is something of an under-appreciated airplane. It began as the Douglas Model 7A, a company project intended to be the U.S. Army Air Corps' first twin-engined attack bomber. The original 7A never was completed, but the 7B flew for the first time late in 1938, at more than 300 mph—quite a speed for bombers in those days. It was not only fast, but it also was unusually well-armed, with eight .30-cal, machine guns in the B version and an additional four in the solid nose of the A version.

While the airplane looked highly promising to the USAAC, the first orders came from the French who contracted for 380, highly modified in light of what had been learned in the Spanish Civil War. Known as the DB-7, fewer than half of those ordered were delivered to France before that country fell to the Germans, and hardly any of those planes got into action. By a variety of routes, a large number of them came to the Royal Air Force, where they were pressed into service as trainers, bombers and fighters, including some of the first radarequipped night fighters.

Because of the desperate need for night fighters to hold off the German He-Ills, Ju-88s and Do-217s, the British tried some novel ideas, including trailing a bomb on a 2000-foot cable behind the Pandora version of the Havoc I, in hopes of dragging it into low-flying bombers. A more practical idea was the Turbinlite, a monster searchlight grafted onto the nose of a Havoc or Boston, in place of

the far more graceful solid or clear nose. The intention was to light up enemy aircraft so that they could then be shot down by single-engined fighters. Before the system was fully developed—if, indeed, it ever could have been-airborne intercept radar came into being and the bulky light was replaced by strange collections of antennas.


All the while the British were enthusiastically using the trim Douglas fighter/bomber, the U.S. was moving ahead with its plans. The first A-20A's were ordered in July 1939, and deliveries commenced in 1940. By 1941, as the war in Europe gained intensity and U.S. entry neared, orders for the machine poured in from not only the USAAF and the RAF, but also from European governments-in-exile who were fighting from British bases.

As the airplane saw more action, it was continually modified. Armament was increased, as was the bomb load. To handle the rapidly increasing weight, the original Pratt & Whitney R-1830 Twin Wasp engines of some 1100 hp. were replaced by Wright R-2600 Cyclones of 1600 hp. Early problems with directional stability were corrected by enlarging the vertical tail, thus changing its original highly tapered form to the more familiar squared-off shape.

By 1942, substantial numbers of A-20's were being sent to the USSR, some of them for the Soviet Navy's use as torpedo bombers. In all, nearly 3000 went to the airplane-hungry Russians. Most of these planes were A-20G's with heavy

Twin-tailed French DB-7A in early days of WW II before entry of United States. Few of these aircraft reached front before Fall of France. Many were diverted to British.





batteries of guns in the nose, which made them highly effective against tanks and other hefty ground targets.

The RAF's successful use of modified bombers for night-fighting purposes did not escape the notice of the USAAF, and about 270 A-20's were converted into what was then the Army's heaviest fighter plane, the P-70. The first of these carried four 20-mm cannon in a special package under the fuselage. The P-70 was used primarily to train pilots who eventually were assigned to the North-

(Continued on page 58)

Dimensions			
	Havoc I	P-70	A-20G-45
Wingspan	61' 4"	61' 4"	61' 4"
Length	46' 1134"	47' 7"	48' 0"
Height	15' 10"	17' 7"	17' 7"
Wing Area	465 sq. ft.	465 sq. ft.	465 sq. ft.
Empty wt.	11,400 lbs.	16,030 lbs.	17,200 lbs.
Performance			
Top speed	295 mph	329 mph	317 mph
Service ceiling	25,800	28,250	25,000'
Range	996 mi.	1040 mi.	1025 mi.

A-20-first	production	version	for	USAAF;	Wright	R-2600-7	en-
	converted t						

A-20A-143 built with R-2600-3 engines.

XA-20B-1 A-20A tested with three power turrets.

A-20B-999 built with Wright R-2600-11 engines.

A-20C-948 similar to RAF Boston III, Wright R-2600-23 engines.

A-20D—never built; would have had R-2600-7 engines.
A-20E—17 A-20A modified with Wright R-2600-11 engines.

XA-20F-1 A-20A, one 37 mm cannon, two power turrets.

A-20G-2850 built with Wright R-2600-23 engines.

A-20H-412 as A-20G with 1700-hp Wright R-2600-29 engines.

A-20J-450 built as A-20G with bomber nose; 169 to RAF as

A-20K-413 built as A-20H with bomber nose.

BD-1—several A-20A built for U.S. Navy.

BD-2-8 A-20B built for U.S. Navy.

DB-7—original design of series, ordered by French, diverted to RAF as Boston I and II. Pratt & Whitney R-1830 Twin Wasp

DB-7A-100 for France became RAF Havoc II. Wright R-2600

DB-7B-300 for RAF as Boston III.

DB-7C-48 similar to Boston III for Dutch AF in exile.

DB-131-1 DB-7 tested by France with twin rudders.

XF-3-photo version of A-20.

YF-3-2 A-20 converted to photo recon.

F-3A-46 A-20J and A-20K converted to photo recon.

O-53-1489 photo recon versions of A-20B cancelled. XP-70-A-20 modified to fighter with four 20 mm cannon in nose.

P-70-59 A-20 modified as fighters.

P-70A-1-39 A-20C modified as fighters.

P-70A-2—65 A-20G modified as fighters.

P-70B-1-1 A-20G modified as fighter.

P-70B-2-105 A-20G and A-20J modified as fighters.

Boston I-ex-French DB-7's to RAF for training.

Boston II-ex-French DB-7's to RAF as bomber.

Boston III-300 ex-DB-7B's to RAF.

Boston III Turbinlite-three Boston III with 2.7 billion candlepower light in nose.

Boston IIIA-Boston III built by Boeing for RAF.

Boston IV-169 A-20J for RAF.

Boston V-90 A-20K for RAF.

Havoc I-ex-French DB-7's to RAF as fighter.


Havoc 1 Turbinlite—31 Havoc 1, 2.7 billion candlepower light.

Havoc II-ex-French DB-7A's to RAF.


Havoc II Turbinlite-39 Havoc II modified with light in nose. Havoc III-became Havoc I "Pandora" version; 20 modified.

Havoc IV-became Havoc I (Intruder).

Douglas 7A—prototype, fighter nose, P&W R-1830 engines. Douglas 7B—prototype, bomber nose, P&W R-1830 engines.



Douglas BOSTON/HAVOC




Over 7000 of the Douglas A-20 were built for the RAF, USAF, and many governments in exile who were fighting from bases in England. Armaments, details, and missions varied in seemingly endless combinations. When, in 1944, production halted, the A-26 (a larger, faster brother) began rolling from the Douglas line.

Some New Billing Boat Kits From Kayeff

All With Planked Hulls



SPERWER — Model of Dutch Canal Boat, in scale of 1:15. Length 23½", Width 9", height 32". Kit comes complete with sails and decorative side paddle. Complete with fittings of brass — \$33.00.



Excellent quality construction kit. $22^{1/2}$ " long by $19^{1/2}$ " high. Includes ribs, planking, Brass fittings, cloth for sails. Complete kit, including fittings — \$11.00.



VIKING SHIP KIT, Complete. This exciting new kit by Denmark's Finest Models features planked hardwood hull, and is an authentic reproduction, scaled down to 26" long by 6½" wide.—\$16.00



DRAGON International Racing Class. 31" long. Complete with fittings — \$29.00.



JYLLAND Frigate. 39%" long, 24%" high. Complete with fittings — \$65.00.



BLUENOSE. 35" long, 27" high. Beam 5½" with all fittings — \$52.00



NORSKE LOVE NOrwegian Lion. 40" long, 36" high. With fittings — \$101.00.



LILLA DAN. 26%" long, 4%" wide, 19%" high. Complete with fittings – \$40.00





SANTA MARIA. 21% long, 17% high, 5" beam. With fittings — \$24.00

DENMARKS FINEST MODELS

All Billing Boats scaled from originals. Planked hull construction, hardwoods. Turned Brass Fittings. Authentic Replicas.



"KRABBENKUTTER"

German Shrimp Boat

The newest kit in an ever growing list of easy but challenging kits. This one makes a 20 inch long model with planked hardwood hull, brass fittings; all the gear, including dip nets.

KIT, COMPLETE with fittings\$37.00

AUTO FERRY — About 20" in length, easy to build. Planked hull construction. Typical boat ferry, now in use in denmark. Kit and fittings complete — \$14.00.

VEDETTE - Model of a luxury power launch, about 30" in length, makes a beautiful display piece. Planked hull construction. Complete with fittings — \$19.00.

TRAWLER — Model of North Sea Fishing Trawler, about 26" in length. Excellent detailing. Complete with fittings of brass — \$24.00
VIKING SHIP (DMI) — Beautiful model of authentic Viking Ship. About 20" in length. Complete with

sail and decorative side mounted shields - \$6.00.

Plane Talk From Kayeff!



KITS FEATURE:

Metal Cowl, Plastic Canopy needed) (where Semi-Pneumatic Rubber Tires; Band-Sawed Pre-Fab Wood Parts, ready to assemble. Detailed Plans. Unusually fine quality materials. finish 8 workmanship. Each packed in heavy corrugated box.

Six Models Available In This Group:

F-51 MUSTANG .. \$18.00 F4U CORSAIR ... 18.00 F8F BEARCAT .. 18.00 AD-4 SKYRAIDER 18.00 SPITFIRE 18.00 ME 109 MESSER-

#401 P-38 Lockheed Twin Engine ... \$20.00 #411 B-25 No. American Twin Engine ... \$35.00 #413 C-47 Douglas DC-3 Twin Engine ... \$40.00 #501 B-29 Boeing Four Engine ... \$60.00 #503 Super Constellation, 4 engine ... \$75.00 #504 Globemaster, 4 Engine ... \$75.00 #601 B-36 Convair—112" Wingspan; 6 Engine ... \$80.00

MULTI-ENGINES

Lots More Of Everything In Our Catalogs

- Try Your Dealer First -

Wileys Hobby Shop
1482 Granet
San Diego, Cal. 92109
Kit Kraft
2109 Ventura Pl.
Studio City, Cal. 91604
Hobby Hamlet
8240 De Soto Ave.
Canoga Park, Cal. 91304
Westgate Bike & Hobby
4025 W. Charleston Blvd.
Las Vegas, Nevada 89102
Hobby House
2011 E. Charleston Blvd.
Las Vegas, Nevada 89104
J & J House of Hobbies
1564 Orange

1564 Orange Redlands, Cal. 92373 Allied Models

Rediands, Cal. 92373
Allied Models
10938 West Pico
Los Angeles, Cal. 90064
Conejo Cyclery & Hobby Center
1764 Moorpark Rd.
Thousand Oaks, Cal. 91360
Earle's Camera & Hobby
17439 Bellflower Blvd.
Bellflower, Cal. 90706
Wishire Model Center
1304 Wilshire Blvd.
Santa Monica, Cal. 90401
Bock's Toys & Hobbies
146/148 N. Glendora Ave.
Glendora, Cal. 91740
Model Shop at Hobby City
1238 S. Beach Blvd.

Model Shop at Hobby City
1238 S. Beach Blvd.
Anaheim, Cal. 92804
Art's Toy Fair
No. 61 Fashion Square
La Habra, Cal. 90631
Scott's Sporting Goods
145 East Garvey
Monterey Park, Cal. 91754
Norton's Arcade Model & Hobby
6751 Brockton
Riverside, Cal. 92506
Hobby Bench
350 W. Foothill
Glendora, Cal. 91740
Uncle Don's Toys
296 N. Palm Canyon Dr.
Palm Springs, Cal. 92262

Covina Hobby
140 N. Citrus
Covina, Cal. 91722
Craf-T-Macs
2051 La Habra Blvd.
La Habra, Cal. 90631
Westfair Hobby & Toy
5885 Warner Ave.
Huntington Beach, Cal.
Franciscan Hobbies
1935 Ocean Avenue
San Francisco, Cal. 91427
Reginald Denny's Hobby
1501 N. Western Ave.
Los Angeles, Cal. 90027
Bill's Hobby
1125½ Pacific Avenue
Glendale, Cal. 91202
Bob's Hobby
2226 East 4th
Long Beach, Cal. 90814
Modelcraft
2304 Redondo Beach Blvd.
Gardena, Cal. 90247
My Hobby Shop
921 E. Baseline
San Bernardino, Cal. 92410
Bobbye Hall's Hobby
4822 Bryan Street
Dallas, Texas 75204
Orchid Bowl Hobbies
Hwy. 101 at Fairview
Goleta, Cal. 93017
SAR Hobbies
1032 S. Main St.
Santa Ana, Cal. 92701
Fresno Hobby Shop
3033 East Tulare
Fresno, Calif, 93721
Your Model Shop
12 N. Santa Anita Ave.
Pasadena, Cal. 91107
Robert's Hobbies
1600 S. Chester Ave.
Bakersfield, Cal. 93304
Don's Hobby Hut
8140 N. Central Ave.
Claremont, Cal. 91711
The Hobby Shop

Claremont, Cal. 91711

e Hobby Shop 440 E. 17th St. Costa Mesa, Cal. 92627









"Samson" Sea-going Tug. Unusually fine quality wood kit, with keel plate, ribs and planking. Excellent detailing includes rubber bumper on bow. Approximately 23½" long. Complete with metal 11½" high, 5" beam. With fittings, fittings. - \$17.00



ZWARTE ZEE Tugboat. \$53.00

See Your Hobby Dealer... or send \$1.00 for Colorful Catalog. Dozens of beautiful models; some advertised in recent issues of this magazine. If dealer does not stock, send check or money order for direct, prompt shipment. California orders must add 5½% sales tax. Satisfaction guaranteed. KAYEFF, INC. 511 Campesina Road Arcadia, Calif. 91006



WORLD **ENGINES** DIGITAL

BLUE MAX SYSTEM

WORLD ENGINES DIGITAL

DESCRIPTION	FACTORY ASSEMBLED	SEMI	FULL
6 Ch. 4 servos 5 Ch. 4 servos 4 Ch. 4 servos 4 Ch. Tx w/Power Pak Add-A-Channel Tx (5-6)	\$340.00 325.00 310.00 139.98	\$280.00 265.00 249.98 114.98	\$245.00 235.00 224.98 99.98 6.98
6 Ch. Decoder + Receiver 5 Ch. Decoder + Receiver 4 Ch. Decoder + Receiver Add-A-Channel Decoder	76.00 72.00	64.00 61.00 58.00	54.00 51.50 49.00 3.98
Rx Pak Charger 6 Ch. Flite Pak 4 Ser. 5 Ch. Flite Pak 4 Ser. 4 Ch. Flite Pak 4 Ser. Digit Migit 3 Ch. 1 Ser.	7.98 210.00 205.00 199.98 109.98	160.00 155.00 149.98	5.98 141.00 138.00 134.98
Digit Migit 1 Ch. S-4B Servo S-4C Servo S-4D Servo	69.00 30.00 31.00 31.00	22.98 23.98 23.98	18.98 19.98 19.98

SERVO NOTES

The S-4C replaces the S-4, S-4A, S-3 servo and works with Controlaire, M.A.N., O.S. Digital Systems. The S-4B works with World Engines Blue Max Systems, Mule Digital, Digit Migit 3 Ch. and most other 4.8v center tap system decoders. The S-4D is very similar to the S-4C but is recommended for systems using SCS Decoders.

Single Stick and 72 MHz Add \$35.00 for 72 MHz and \$25.00 for Single Stick Transmitter.

Digit Migit Extra Channel

Digit Migit 1 Channel up elevator or motor control servo kits at \$22.50 each (kit only). You can use only one (not both) on 1 Ch. system.

OS R/C EQUIPMENT

2 Ch. Digital Propo w/2 servos and Rx nickel cadmium + Charger (assem.) \$139.98

OS 3 Ch. Digital Propo w/3 servos and Tx and Rx nickel cadmium + Charger (assem.) \$199.98

OS 4 Ch. Cougar Digital Propo w/4 servos and Rx nickel cadmium + Charger (assem.) \$275.00

SERVICE EXPERTS

The service experts listed in this advertisement are, for the most part, people who have been working with Digitrio and other kit systems in the various areas mentioned. They have all put together an M.A.N. System from a raw kit and have agreed to stock parts that are compatible with World Engines Systems. They have been given schematics of World Engines Systems and current OS Digital Proportional Systems. Many of these service experts service other makes of equipment other than our own. Consider these people for repair work or for help in matching up our flight packs. our flight packs.



NORTH EAST

CONNECTICUT

Ed Grening Jr. Rfd. 3 West Hill Rd. Winsted, Conn. 06098 Tel. 203-482-6422

Al's Hobby Shop 5 Beverly Place Norwalk, Conn. 06854 Phone 203-847-786/

Spencer's Craft & Hobby 2015 Ewing Street Road Seymour, Ind. 47274

MARYLAND

J. M. Lawrence, Jr. 8451 Giendale Rd. Greenbelt, Md. 20770 Repairs & modifications on all makes of Controlaire Equip.

NEW HAMPSHIRE

Dembros Hobbies Inc. 58 Lake St. Nashua, N.H. 03060 Low low prices on R/C equipment plus fast repair service.



PENN Hobbies & Electronics P.O. Box 1141 Merchantville, New Jersey 08109 Best quality service All work guaranteed Call 609-662-7717

RJL Control Systems P.O. Box 280 Denville, New Jersey 07834 Assembled MAN Systems with service and crash ins. policy. Write for details.

NEW YORK

Andy's Hobby 36 Main Street Elmsford, N.Y. 10523

Sage Electronics 10 Hunter Street Hicksville, N.Y. 11801

Mel's Hobby P.O. Box 413 Upper Darby, Penn. 19084

R. E. Barnstead 1708 A Cedar Hill Rd. Charlottesville, Va. 22901 Controlaire specialists

Radio Electronic Model Shop 800 National Ave. Winchester, Va. 22601 Phone 703-667-1730 Complete sales and service Kits and equipment.

SOUTH EAST

ALABAMA

Mike Deasy 4002 McVey St., S.W. Huntsville, Ala. 35805

FLORIDA

E. W. Bryant R/C Box 416 Punta Gorda, Fla. 33950 We service all types of R/C gear—also build radio kits to your spec's.

SOUTH CAROLINA

S & R Hobby Crafts 1127 Arthur Drive Charleston, S.C. 29407 Phone 795-4280 Radio control headquarters for the South Carolina Low Country.

W. H. Gladden 142 Camelot Dr., Camelot Vill, Hanahan, S.C. 29405 Charleston's only Digital Propo repair service at reasonable charges.

TENNESSEE

Aerotronics 109 Chatham Lane Oak Ridge, Tenn. 37830 R/C equipment—Service—repair—tr. R/C problems? Free consultation and advice for beginners or experts.

MIDWEST

ILLINOIS Stanton Hobby Shop 4734 Milwaukee Chicago, III. 60630

Walker's Hobby Shoppe 101 E. Main St. 101 E. Main St St. Charles, III.

"Everything you need in Model Crafts". Kits, tools and raw materials. Experts in R/C.

Controlonics Karr Mfg. Div. Box 92 Thomasboro, III. 61878

Gills Hobby Supply 2020 Lone Rd. Freeland, Mich. 48623 Radio control specialists. Sales and expert service. Tel. 517-799-2532

J. H. Krauer 22626 Petersburg E. Detroit, Mich. 48021 Service on all brands of R/C equipment quickly, efficiently.

Northern Authorized Factory Service 6470 Washington Stevensville, Mich. 49127

Try us for FAST service by qualified engineers. Phone area 616-429-9926

MINNESOTA Al Schwartz 2787 Fernwood St. Paul, Minn. 55113

C. W. Reed 5408 Woodson Road Raytown, Mo. 64133

Contact Charley for quote on Controlaire and M.A.N. Systems and Supertigre Engines

оню

Country R/C 12450 Amity Rd. Brookville, O. 45309

4 mi. so. of Interstate 70 We repair most R/C equipment Gerald L. Peters, prop.

Town & Country Hobbyland 55 Country Road Columbus, O. 43213

OKLAHOMA

Tulsa R/C 1241 S. 105 E. Ave. Tulsa, Oklahoma PH 836-5425 R/C Equipment Sales—FAST Service—Mail or Direct

Wilson's Hobby Shop 2206 West Beauregard San Angelo, Tex. 76901

Align and repair for all kits. Fast return. Dealers welcome.

WEST

ARIZONA

R/C Engineering 356 West Roma Phoenix, Ariz. 85013 Tel. 602-265-3369

CALIFORNIA

E&L Models
681 Mar Vista Dr.
Los Osos, Calif. 93401
You fly them & we'll fix them
with the best R/C equipment
G. E. Lyman Phone 528-1158

COLORADO

Hood Electronics & Hobbies 5310 Johnson St. Arvada, Colorado 80002 Sales Installation and repair of all makes of R/C Equipment.

WYOMING

Bobbies Hobbies 151 N. Cedar Laramie, Wyo. 82070 We repair all brands of R/C gear.

FOREIGN

AUSTRALIA

William B. Malcolm Berkley St. Forbes N.S.W. 2871 Australia

J. P. Gregg P.O. Box 509 Carnarvon, West Australia 6701

All makes of R/C Gear Serviced. 4/9-878-5646

DENMARK

Silver Star Models Mollebakken 45 DK 9500 Hobro R/C and model airplane specialists. Largest selection of R/C articles in Scandinavia

ENGLAND

World Engines of England M. J. Wilshere 97 Tudor Avenue Watford, Herts

Heinrich Haferland Hanover Herrenhausen Morgensteinweg 8A, Germany

GUATEMALA

Roberto Wagner Schaeffer 2 Ave. 15-24, Zona 10 Guatemala City

Ogawa Model Mfg. Co., Ltd. 83 Hiranobaba Higashisumiyoshi Osaka, Japan

SOUTH AFRICA

Sean McCullagh Manie de Villiers Sport Ltd. 223 A Voortrekker Rd. Parow Capetown, South Africa





NOVEMBER 1970

MODEL AVIATION

Official magazine



Academy of Model Aeronautics • 806 Fifteenth Street N.W., Washington, DC 20005

INTERESTED IN JOINING A.M.A.? Over 27,000 did in 1969. Membership details may be had by requesting FREE BROCHURE from above address.

The 1970 Nats - Bigger and Better

To the PR men involved, it was the biggest National Model Airplane Championships ever. Among contestants and officials, the consensus was that this was the best Nats ever. Producing the combination of biggest and best took some doing: good planning, innovations, excellent personnel, and a few breaks—including fine weather.

The statistics are impressive. One thousand, one hundred and forty-nine contestants, plus 395 mechanics. That compares with 1,074 contestants and 428 mechanics at Willow Grove (Pa.) in 1969 and 1,184 contestants and 217 mechanics at the previous Glenview Nats in 1966. There were 1,050 contestants entered in advance, by mail, for the 1970 Nats; 99 more registered at Glenview as late entries.

There were more events than ever before—42 this year, compared with 38 in 1969. The increase was accommodated without increasing basic Nats staff and facilities, although the workload went up for the AMA people directly involved. The event breakdown by category: Control Line—18, Free Flight—13, Radio Control—6, Indoor—5.

Great Weather. A short storm cut off RC Pylon qualifications about an hour early one day, but the weather otherwise did not interrupt flying—although winds during the first two days made Free Flight retrieving tough. It was always hot, sometimes windy. But on one glorious day for Free Flighters the weather was so good that, despite hundreds of flights with dozens of maxes, there were no lost models—practically all stayed on the field, and events closed early because all flights were in, including some seven and nine flight flyoffs.

RC Scale had two great half-days of excellent weather—a total of ten hours shared by the 28 entrants who actually flew. Many got in four flights—highly unusual for a Nats—and all could have had that many. Truly spectacular was the fact that two B-36 entries (that's twelve engines!) got in five flights between them, without mishap. Even so, RC Scale was won by a single-engined Spirit of St. Louis. It was the first Nats for builder-flyer Ed Ellis (Dearborn, Mich.) so the old pros took a back seat.

Single-engine entries dominated the RC Scale event, taking the top five trophies. But Ken Drummond (Orient, Ohio) won the Best Scale Flight Achievement award with his B-36 which dropped bombs with amazing accuracy—including one less than ten feet away from the judges!

Ken and Walt Burgin (Ottumwa, Iowa (Continued on page 56)



Hail the champions! Bucky Servaites, receiving trophy from Admiral Greer, Chief of Naval Air Reserve Training, and Suzanne Bowie, Miss Model Aviation, retained his Open and Grand National Champion titles from last year and took the new FF Category award this year. Sharing in the spotlight are Marty Thompson (L) and Brian Webster, Junior and Senior National Champions.



The Delta Dart program ran for five Nats days during which over 2,000 area youngsters took part. Below left, Miss Model Aviation builds her Hlaa Flyer version of the DD, watched over by a Navy instructor plus HIAA's Walt Caddell and AMA's John Worth. Below right, during Nats, AMA's 30'000th '70 membership went to Matt Whitson—received special award from John Worth.





NATIONAL CHAMPIONS

Grand Champion Bucky Servaites, Dayton, Ohio Junior Marty Thompson, Livermore, Calif. Senior Brian Webster, Manchester, Tenn. Open Bucky Servaites, Dayton, Ohio Control Line Category Danny Bartley, High Point, N.C. Free Flight Category Bucky Servaites, Dayton, Ohio

Indoor Category James Richmond, Oak Brook, Ill. **Radio Control Category**

Larry Leonard, Northridge, Calif. AMA Club Team

Chicago Aeronuts (Charles Markos, Richard Lyons, James Richmond, Charles Sotich and Robert Watson) Nats Team

USAF Champions (Robert Adair, Keith Trostle, Hoyt Hawkins, Burt Dugan and Philip Bayle)

PERPETUAL TROPHIES & SPECIAL AWARDS

Tulsa Glue Dobbers (high time regardless of age, Nordie A-2 Glider): Peter Allnutt, Toronto, Ont., Canada. Mulvihill (high time regardless of age, Unlimited Rubber): Willard Smitz, Kenosha, Wisc. Tulsa Glue Dobbers (high time regardless of age, Outdoor HL Glider): Don Chancey, Richardson, Tex. Hoffman Memorial (high time regardless of age, A FF Gas): Andy DeAfello, Toronto, Ont., Canada. Testor's (best model finish, regardless of age): Leroy Gunther, Allen Park, Mich. Jim Walker (winner of Junior-Senlor-Open flyoff, CL Stunt): Keith Trostle, Nickerson, Kans. Stout Indoor (high time regardless of age, Indoor Cabin): James Richmond, Oak Brook, Ill.

Stout Commercial (high time regardless of age, Indoor Stick); James Richmond, Oak Brook, Ill.
Sterling Models (best Flying Scale model of any category); Edward Ellis, Dearborn, Mich.
St. Louis Modeling Assn. (most unique Scale model); Fulton H. Hungerford, Titusville, Ill.

1970 NATS SPONSORS

Approximately 600 awards were provided through the contributions of the following:

Ace R/C, Inc., Al's Hobby Shop, Ambroid Company, Inc., American Aircraft Modeler, Aristo-Craft Distinctive Miniatures, Burgess Battery Division, Citizens-Ship Radio, Competition Models, Inc., D. N. Mallory Distributors, Dee Bee Engi-neering, Du-Bro Products, Inc., Dumas Planes.

E.K. Products, Inc., Flying Models Magazine, Carl Goldberg Models, Inc., Grish Brothers, Heath Company, Hobby Industry Assn. of Delaware Valley, International Balsa Corp., Jasco, Jetco Models, K & B Manufacturing Co., Kraft Systems, Inc., Kyosho Corporation.

Lanier Industries, Inc., L. M. Cox Manufacturing Co., Inc., Midwest Prod-ucts Co., The Mini-Flite Co., Model Rec-tifier Corp., Orbit Electronics, Pactra Chemical Co., Inc., Paul K. Guillow, Inc., Pettit-Hobbypoxy, Progress Manufactur-ing Co., R/C Modeler Magazine, Russell Marsh & Kennedy insurance Marsh & Kennedy, insurance.

Scientific Models, Inc., Sig Manufacturing, Inc., Stanton Hobby Shop, Inc., Sterling Models, Sullivan Products, Inc., Tatone Products, The Testor Corporation, Top Flite Models, Inc., Williams Brothers, World Engines, Inc., World Wide Radio Control.

THE REPORT OF THE REPORT OF THE PROPERTY OF TH

NATS ENTRIES

Number of Entrants Number of Mechanics	Jr. 212	Sr. 176	Open 761	Total 1149 395
Entries by Event				
Control Line	Jr.	Sr.	Open	Total
Scale Racing (Goodyear)	26	22	71	119
Rat Racing (Goodyear)	18	30	65	113
B Proto Speed	2	14	32	48
4A Profile Proto	29		only)	29
1/2 A Proto Speed	3	19	37	59
FAI Speed	3	7	20	30
14 A Speed	16	16	25	57
A Speed	6	13	29	48
B Speed	5	12	33	50
C Speed	-5	11	28	44
Jet Speed	1	7	26	34
Stunt	22	24	47	93
Combat	34	39	84	157
FAI Team Racing	1	7	24	32 50
Scale	11 5	10	29 41	56
Carrier I	4	6		48
Carrier II Profile Carrier	13	15	29	57
	10	10	40	91
Indoor				00001
Scale	12	8	70	90
H.L. Glider	39	34	88	161
Paper Stick	18	11	40	69
Cabin	7	5 9	19 31	31 47
Stick	7	45	91	4.1
Free Flight			HIGH EVEN	100000
1/2 A Gas	74	54	203	331
A Gas	41	44	188	273
B Gas	16	33 28	131 127	180 170
C Gas	15	16	83	106
FAI Power Wakefield Rubber	5	7	51	63
Unlimited Rubber	27	16		127
Coupe D'Hiver Rubber	11	10	82	103
Nordic Glider	42	38	137	217
H.L. Glider	89	62	156	307
Rocket Power	18	20		114
Scale	9	9		69
Helicopter	0	1	7	8
Radio Control				
D Pattern	5	7	92	104
B Pattern	1	4		22
A Pattern	4	5		36
Scale	2	2		43
Pylon I	2	8	72	82
Pylon II	1	.5	45	51






Above, camper center greatly relieved barracks shortage. Left, attendance at the Sunday Air Show was tremendous. Models and Navy's Air Barons featured.



CL Scale Racing, a new Nats event, had big entry list. Glenn Lee, left, and Ron Waldron shown with their ST 15 Pitts Special entry.



Open Stunt winner Keith Trostle exhibited in the Air Show. His original design has Focke Wulf Tu 135 looks.

CONTROL LINE

1/2 A SPEED	
Junior	mph
Brian Pardue Ross Legg Marty Thompson Bruce Pailet Senior	94.01 90.23 79.40 70.56
2000	94.60
1. Terry Herron 2. Tom Hartvigsen 3. Danny Bartley 4. Mary Brown 5. Bruce VanHoozen	92.18 90.33 88.29 86.84
Open	
1. Finn/Morton 2. Warren Kurth 3. Charles Legg 4. Anaston/Bussell/ Phillip 5. Bartley/Garner	106.72 105.84 103.29 101.54 93.32
A SPEED	
Junior	mph
1. Dennis McGraw 2. Brian Pardue	138.83 126.09
Senior	recorder a
1. Mary Brown 2. Terry Herron 3. Gary McGraw 4. Danny Bartley 5. Bruce VanHoozen	151.20 148.21 136.72 131.24 129.82
Open	SANAMANAN
 Charles Vassallo Baltes/Beatty Finn/Morton Alfred Stegens Clifton Norman 	162,24 160,51 154,44 151,58 144,40
B SPEED	
Junior	mph
No official flights Senior	

1. Danny Bartley 2. Gary McGraw

3. Charles Schubert 4. Brian Webster

163.27 155.78

150.32

5. Robert Myers	142.91
Open	2000 CONTROL
1. Roselle/Frye 2. Anaston/Bussell/	169.42
Phillip	167.53
3. C. Fred Randell	161.52
4. Glenn Lee 5. Bartley/Garner	159.79 159.65
C SPEED	100.00
Junior	mph
100 mm (100 mm)	138.51
1. Michael Hainen 2. Dennis McGraw	133.97
3. Thomas E. Bell	115.86
4. Mark Pafelski	86.09
Senior	
1. Danny Bartley	186.07
2. Robert Mohr	168.00
3. Neeson/Neeson	167.84
4. Mary Brown 5. Gary McGraw	165.99 164.02
Open	104.02
1. Roselle/Frye	189.40
2. Bartley/Garner	188.41
3. Garzon/Alpino	180.47
4. Draycott Hooke	174.35
5. Robert Heminway	173.17
JET SPEED	
JrSrOpen	mph
1. Mike Olson	170.87
2. Seymour Olson	170.55
2. Seymour Olson 3. Myrle Hoyt	100.11
4. Danny Bartley	162.10
5. Baughman/Yoho	158.53
FAI SPEED	
Junior	km/hr
1. Michael Hainen	164
2. Brian Pardue	162
Senior	
 Danny Bartley Bruce VanHoozen Mary Brown 	179
2. Bruce VanHoozen	165
3. Mary Brown	160 141
4. Robert Mohr 5. Charles Schubert	136
Open	
1. Laird Jackson	214

2. Carl Dodge 3. Clifton Norman 4. Keith Trostle 5. Finn/Morton	213 195 173 169
1/2 A PROTO SPEED	
Junior—Profile	mph
1 Bruce Peilet	74.23
2. Walter Gifford 3. Brian Pardue 4. Marty Thompson	71.49
4. Marty Thompson 5. G. Hubschmidt, Jr.	69.47
Junior 1. Ross Legg	81.97
Senior 1. Danny Bartley	90.14
1. Danny Bartley 2. Tom Hartvigsen 3. Terry Herron	89.38 84.75
2. Tom Hartvigsen 3. Terry Herron 4. Bruce VanHoozen 5. John Jaycox	81.42 74.35
2. Charles Legg 3. Warren Kurth	94.65 89.83
1. Bartley/Garner 2. Charles Legg 3. Warren Kurth 4. Anaston/Bussell/ Phillip	88.42
5. Finn/Morton	88.42 88.16
B PROTO SPEED	
Junior 1. Michael Hainen	mph 115.04
O Law	
1. Danny Bartley 2. Terry Herron 3. Mary Brown 4. Charles Schubert 5. Brian Webster	146.40 139.59
3. Mary Brown 4. Charles Schubert	128.98 122.53
5. Brian Webster Open	111.72
1. Jim Delaney	148.09
 Bartley/Garner Finn/Morton 	144.46 134.48
1. Jim Delaney 2. Bartley/Garner 3. Finn/Morton 4. Draycott Hooke 5. John Camp	124.05 115.08
AEROBATICS (STU	
Junior	Points
 Mike Jackson Alan Adamisin Greg Voumard 	439 371
4. David Sain	361 348
5. William Miller Senior	344
1 Tommy Morgan	504 481
2. Neal Thompson 3. Dennis Adamisin 4. Dawn Cosmillo	481 476
5. Michael Thompson	469 456
Open 1. Keith Trostle	489
2. William Rabe, Jr.	475
2. William Rabe, Jr. 3. William Werwage 4. Robert Lampione 5. Gene Schaffer	473 466 464
COMBAT	404
Junior	
1. Jeff Davis 2. Tom Autrey	
2. Tom Autrey 3. Greg Voumard 4. Brian McCormock	
o. William Miller	
Senior 1. Jonathan Drake 2. Laurence Moore	
2. Tommy Morgan	
4. Neal Thompson 5. Richard Sherman	
Open	
1. Howard Rush 2. Gilbert Reedy	
1. Howard Rush 2. Gilbert Reedy 3. Ronald Sheldon 4. Robert Baldus	
5. Daniel Patton	
FAI TEAM RACE JrSrOpen	Time
1. Dunkin/Wright	9:48.0
Oesterle/Drake Albritton/Marvin William Patton	11:10.7
4. William Patton 5. Prather/Schauer	
RAT RACE	
Junior	Time
1. Tom Tuma 2. Brian McCormock	6:09.3
3. Jeff Davis	7:50.9 10:00.0
4. Ricky Draper	
5. Robert Ponik	
5. Robert Ponik Senior 1. Tim Zimmer	5:31.2
5. Robert Ponik Senior	5:31.2 5:37.0 5:49.0 5:52.6



Danny Bartley, a Senior age class entry, did some very fast Speed flying to become the Control Line Category Champion. B Proto model shown-146.40 mph Sr. first.



stiff competition. He flew a Guillotine model powered by a K & B 35, crankcase pressure, 9-7 Tornado nylon prop.



Ed Sensenbaugh's Carrier II Guardian in foreground is powered by a Supertigre 65 ABC engine and 8-10 prop.



First place in Junior 1/2 A Proto Speed was taken by Ross Legg, age 14. Engine being started by his dad, Charles.




Open

3. Dale Johnson 4. Billy O'Connor

2. John Kilsdonk	7:37	Senior	
3. Gary Fentress 4. Glenn Lee 5. John Flinn	7:40 7:41 7:59	Douglas Tomayko Michael Bedard	505 393
NAVY CARRIER PRO		3. Neal Thompson 4. Joseph Dzialo	264 197
Junior	Points	Open	7.000
		1. Ray Willmann 2. Donald Gerber	590 572
1. Mike Willmann	235.51	3. Edwin Gross, Jr.	559
 Stanley Snyder Richard Doig 	157.83	4. Richard Sawicki	541
4. Jay Rosenberg		5. Raymond White	531
5. John White		Washington to the second	
Senior		FLYING SCALE	
1. David Engel	209.90	Junior	Pol
2. Mark Eaton		1. Cathy Burnstine	
3. Anthony Carolla	173.99	2. Billy O'Connor	
4. Edwin Zivi	119.65	3. Robert Butley	
5. Donald Cline	72.66	4. William Miller	- 13
Open		5. Robert Wolff	1
1. Paul Smith	289.62	Senior	
2. Joseph Flinn		1. John Glab	1
3. James Hainen 4. James Blaszczyk	277.85 259.83	2. Dale Hungerford	
5. Frank Polowy	258.52	3. Dirk Ouweleen	
o, Frank Follows	200.02	4. Robert Morse 5. James Damerell	
NAVY CARRIER I		Charles of the constitution of the constitutio	119
Junior	Points	Open	
		1. Linton Keith, Jr.	10
 Robert Sawicki James Jones, Jr. 	416.35 344.10	2. E. Violett, Jr. 3. Bert Dugan	
2. dames dones, dr.	024,10	o. Pere Pulgan	- 12

4. Frank Beatty 5. Bill Boss







Left, Senior Stunt flight just beginning by Miss Dawn Cosmillo-original design. Right, the Roselle-Frye team maintained their superiority in C Speed, and this year they also won B. B engine is original, similar to TWA.



Lots of man-hours went into the PT19 CL Scale model of AMA VP Bill Boss. Three years in construction, it placed 5th.

大TRY YOUR DEALER FIRST

. ALABAMA

Alabama, Birmingham 35211 SPIVEY STORES 1301-03 Tuscaloosa Ave.

Arizona, Phoenix 85012 WEBSTER'S HOBBY SHOP 30 E. Camelback Rd.

California, Burbank 91505 T & A HOBBY LOBBY 3512 West Victory

California, San Diego 92103 HILLCREST HOBBY CRAFT 3921 Fifth Ave.

California, San Jose 95128 HUSTON'S HOBBY SHOP 930 Town & Country Vill

California, Watsonville 95076 McKELL DRUG CO. Alta Vista Shopping Center 40 Mariposa Avenue

* CANADA

Canada, Calgary, Alberta CALGARY HOBBY SUPPLY Box 3173 Postal Stn. B

Canada, Toronto, Ontario KLEIN BROS, SPORTS & HOBBIES 496 Lawrence Ave. W. "Lawrence Plaza"

* COLORADO

Colorado, Denver 80220 TOM THUMB HOBBY CENTER 7020 East Colfax

Colorado, Pueblo 81001 D & S PAINT CENTER INC. 217 West 9th Street

* CONNECTICUT Connecticut, Bridgeport 06605 BOB'S HOBBIES 1542 Wood Ave.

Connecticut, Hamden 06514 HAMDEN HOBBIES 1564 Dixwell Av

Connecticut, Windsor Locks 06096 SKIPS ELECTRONIC SERVICE CT.

Delaware, Wilmington 19803 SIMPSON'S HOBBIES INC. 709 Faulk Road Faulk at Murphy Road

. FLORIDA

Florida, Jacksonville 32211 ART'S HOBBY SHOP 10234 Atlantic Blvd.

Florida, Jacksonville 32205 FIELDS HOBBY SHOP, INC. 602 So., Edgewood Avenue

Florida, Miami 33142 ORANGE BLOSSOM HOBBY SHOP 1975 N.W. 36th St.

Florida, St. Petersburg 33704 FLORIDA HOBBIES & RACEWAY 2801 9th St. No.

Florida, Tampa 33605 FARMERS SUNDRIES & HOBBIES 4926 East Broadway

· HAWAII

Hawaii, Honolulu 96814 PETE'S MODELCRAFT FUN SHOPPE 1042 Ata Moana Shopping Center

· ILLINOIS Illinois, Chicago 60652 ASHBURN HOBBY SHOP 8230 S. Kedzie Ave.

Illinois, Chicago 60630 STANTON HOBBY SHOP 4736 North Milwaukee Ave.

Illinois, Mundelein 60060 HOBBY HUT 141% Seymour Ave.

Illinois, Sycamore 60178 TRI-HOBBIES 116 So. California St.

· KANSAS

Kansas, Salina 67401 FLIGHT CONTROL PRODUCTS

. LOUISIANA Louisiana, New Orleans 70122 MERCURY HOBBIES, INC. 5773 Wickfield Drive Phone: 282-9023

MASSACHUSETTS Massachusetts, Attleboro 02703 HOBBY HUT 170 Pine St.

Massachusetts, Cambridge 02138 CROSBY'S HOBBY CENTRE

MICHIGAN

Michigan, Dearborn 48126 JOE'S HOBBY CENTER 7845 Wyoming Ave.

Michigan, East Detroit 48021 JOE'S HOBBY CENTER 17900 Fast Ten Mile Road

Michigan, Grand Rapids 49501 GRAND VALLEY HOBBIES 1049 28th St. S.W.

Michigan, Lapeer 48446 CLIFF'S HOBBY SHOP 317 So. Saginaw St.

* MISSOURI

Missouri, Affton 63123 AFFTON HOBBY SHOP 8627 Gravais

Missouri, Des Peres 63131 DES PERES HOBBY SHOP 12065 Manchester Rd.

Missouri, Kansas City 64110 K. C. HOBBY CENTER 5717 Troost

Missouri, St. Joseph 64503 POLLOCK REF. & MODEL SUPPLY

. NEW JERSEY

New Jersey, Greenbrook 08813 (Plainfield Area) TINY TOTS INC. U. S. Route 22 E.

New Jersey, Millville 08332 CARDINAL HOBBY HOUSE 6 Cardinal Rd.

NEW YORK

New York, Buffalo 14215 FIELDS HOBBY CENTER 3177 Bailey Avenue

New York, Rochester 14623 COMMUNITY HOBBY CENTER 1475 E. Henrietta Rd.

New York, Syracuse 13202 MODEL RAILROAD AND HOBBY CENTER INC. 219 East Fayette Street

* NORTH DAKOTA

North Dakota, Minot 58701 MERYL'S HOBBY SHOP 124 1st. Street S.E

* OHIO

Ohio, Cleveland 44129 NATIONAL HOBBY INC. 5238 Ridge Road

Ohio, Columbus 43211 LINDEN HOBBY & BIKE 2458 Cleveland Ave.

Ohio, Lancaster 43130 SLATERS INC. 1141 N. Memorial Dr.

Ohio, Ohio City 45874 GLENMORE HOBBY SHOP RR No. 1

Ohio, Youngstown 44512 BOARDMAN HOBBY CENTER 6828 Market Street

* OREGON

Oregon, Portland 97217 HOBBYLAND 4503 N, Interstate Ave.

* PENNSYLVANIA

Pennsylvania, Harrisburg 17110 HEN'S HOBBY HOUSE 2955 N. 7th St.

Pennsylvania, Monroeville 15146 LORESKI'S HOBBY SHOP "Miracle Mile" Shoppine Center

Pennsylvania, Upper Darby 19082 TODD'S MODEL SHOP 7036 Terminal Sq.

Pennsylvania, York 17404 3KELLY SPORTING GOODS 2227 West Market St.

SOUTH AMERICA

South America, Bogota 2, Colombia AEROMODELOS BRITANNIA, LTDA. Apartado Aereo 52530

Texas, Austin 78704 LEW'S HOBBY SHOP 1704 South Congress

Texas, College Station 77840 HOBBY WORLD


Texas, Corpus Christi 78415 MODEL SERVICE

Texas, Gainesville 76240 BIFFLE RADIO & TV 112 Harvey Street

Texas, Houston 77005 G & G MODEL SHOP 2522 Times Blvd.

Texas, San Angelo 76901 WILSON'S HOBBY SHOP 2205 W. Beauregard Texas, Victoria 77901 ANN'S HOBBIES & ART SUPPLIES 1308 Polk off N. Laurent

Virginia, Richmond 23221 BOB'S HOBBY CENTER 3002 West Care Street





Hello!

These are busy, busy, busy times! The reception of our Commander R/O Packs continues to be utterly fabulous. The demand is increasing, which pleases us greatly, because it indicates that you have found that they combine the simplicity of installation and operation and maintenance, with the sophistication and the same reliability of the high priced spreads. This is the first time that any manufacturer has offered these very versatile, adaptable, pulse units that have been completely designed to work as systems. These are no longer any hodge podge of unrelated components which are put to-

gether with baling wire and a prayer.

The year 1971 looks like it will be a fantastic R/O Pulse year, because we have a number of things which

we'll add to our pulse line.

One item that we're working on for 1971, and on which we are ready to begin deliveries NOW, is the foam wings which are designed for small aircraft such as the Dick's Dream and the Citabria, and also other sport type airplanes such as the Skampy 2, by designer Owen Kampen, pictured above.,

These are the foam wings which made a hit at the Atlanta, Oklahoma City and Toledo trade shows, and RCM said "Someone should make them available." We are-NOW!

They were developed by Owen Kampen, and Owen is well known for the flyability of his planes. The wing will work as is with the Citabria plans that we have been selling, and some slight modification is required for the Dick's Dream, but this is minor, and IF YOU REQUEST IT, we will include the modifications with your order for the constant chord wings, Both the Citabria and Dick's Dream use constant chord.

The Skampy requires the taper section. We will have more as to the availability of plans for this and other taper wing section plans later.


We think that these 35" wing sections (see details elsewhere) represent an important break through for the modeller. They will provide aircraft which is designed to fit beautifully with our Commander R/O Pulse Systems in the Baby and Baby Twin sizes.

These wings have undergone development and testing for well over two years. The airfoil as used is especially designed for small aircraft by Owen Kampen, and the foam provides great flexibility with high strength, and has a bead which provides exceptionally light weight at the same time.

Join in the fun!

Jan Paul F. Runge Ace Radio Control, Inc.

Keep'em pulsing,



A HANDFUL FOR YOUR PLEASURE

For the modeler who has been looking for superhet systems which are ultra light to go in-to the mini and micro series of airplanes!

Weight of the receiver and the small Bentert is less than 1 ounce, and depending on your battery choice you can keep the weight well under 11/4 ounces.

This is excellent for the mini and micro plane enthusiasts, and also is finding increasing use in the boost glide phase of model rocketry.

We are listing below all of the components that are required for an ultra light weight installation, and you can select your handful of pleasure to fit your application.

The receiver is compatible with our R/O Pulse Commander Transmitter, and this may be had separately or you can add this handful of pleasure airborne package to your present R/O

COMMANDER MICRO GEM RECEIVER

The Micro Gem is available in two models. This is a proven design of which thousands are in satisfactory use throughout the world. The receiver measures 1 1/16 x 1 1/2 x 1/2 inches. Weight of the bare receiver less hook-up wires is .5 ounces. With light weight hook-up wire is .7 ounces. Operation is on 2.4 volts with phenomenal range; may be used with 3 volts.

The two models are the DE, which has a double ended output to feed into the Adams style actuator, and the SEB, which is designed for the Bentert type of actuator only.

No. 12K2-Commander DE Gem Rx No. 12K3-Commander SEB Gem Rx 30,75 (For the Bentert only)

(Available all 27 MHz except 27,255.)

COMMANDER R/O TRANSMITTER The foregoing receivers are compatible with our Commander Pulse Transmitters. Requires 9

No. 11K1-Commander R/O Tx \$42.50 (Available all 27 MHz except 27.255.)

volt battery of the M1603 type.

BENTERT ACTUATORS These are single coil units with magnetic return. Small model weighs 7.5 grams and draws 50 ma at 3 volts. Large model weighs 15 grams and draws 80 ma at 3 volts.

No. 14K1-Small Bentert Actuator \$9.95 No. 14K2-Large Bentert Actuator

MALLORY MS76 SILVER OXIDE

Non-rechargeable 1 1/2V. Good for 60-90
minutes with Gem and Bentert. Only 2.2 grams; No. 38K32-MS76 Silver Oxide cell, ea.

50 MA BUTTON NICAD

Rechargeable 1.25V. Only 3 grams; .606 x .230". Solder tabs. No. 38L4-Nicad B50T Button/tabs, ea. \$1.39

100 MA BUTTON NICAD

Rechargeable 1.25V. Only 8.5 grams; 63/64 x 1/4". Solder tabs. \$1.70 No. 38K29—Nicad B100T/tabs, ea.

2.4V/B100T PACK

Two of above 100 ma cells stacked for 2.4V pack with tabs, Measure 63/64 x 1/2", No. 38K9-2.4V/B100T Pack \$3.65

PULSE .. Best Choice for You!

FULLY PROPORTIONAL-BUILT-IN RAND STICK WITH TRIM: ALL BATTERIES SUPPLIED, NICKEL CAD PAK FOR AIRBORNE UNIT: THOUSANDS IN USE

RUDDER ONLY PULSE IS:

- * FULLY PROPORTIONAL!
- * LIGHTEST -- 2.5 oz. for Baby
- LOWEST COST--Packages include ALL batteries; Airborne cost pack uses nickel cads for re-peatability and dependability; need only recharging.
- * SIMPLEST--only one moving part, noise free
- VERSATILE--arrange to suit your particular installation. You can go up in size or down in size. You can even go micro and mini, and not obsolete your transmitter or basic receiver. Simple changes of battery and actuator allow a variety of installations. Motor control can be easily added to larger units.
- * FASY to install
- **GREAT for Beginners--CHALLENGING to** the pros.
- * FUN!

WITH ALL BATTERIES!



COMMANDER R/O PULSE PACKAGES Ideal for Beginners and Sport Flyers Now available in four sizes!

The Commander R/O packages contain the Commander DE 2.4 superhet receiver, Commander Pulse Transmitter, Adams actuator size of your choice, and nickel cads, wired with onoff switch. AND each package saves you \$10.00 over buying components separately.

The R/O Packages are available in 4 sizes for most sporting needs from the smallest to the larger aircraft-or boats. Ready for installation, completely wired and tested.

The Baby is for .010 to .020 jobs. Has two 225 ma Nickel Cadmiums and the regular Baby Adams, Airborne weight is 2.5 oz.

The Twin Baby is for hot .010 to .020 jobs.

As above, except uses Twin Baby actuator. Airborne weight is 2.9 ounces.

The Standard uses the Single Adams for more power for .049 to .07 size. Uses larger capacity nickel cads. Airborne weight is 4.5 oz.

The Stomper uses the Twin Adams actuator

for up to .15, or can be boosted for use with .19. Airborne weight is 4.9 oz.

(Charging equipment extra)

No. 10G15—Commander R/O Baby pkg. \$69.95 No. 10G15T—Commander R/O Twin Baby72.95 No. 10G16—Commander R/O Standard 71.95 No. 10G17—Commander R/O Stomper 74.95 Available all 27 MHz, except 27.255. Specify.

Thousands of Satisfied Users

ACE FOAM WINGS

Here are the 35" span foam wings that were the hit of the Atlanta, Oklahoma City, and Toledo trade shows. They are available in two configurations--constant and tapered. The airfoil is especially designed for small aircraft, and is semi-symmetrical.

They were developed by Owen Kampen, working in conjunction with the late Dick Adams.

The constant chord measures 35" span, and is $5\frac{1}{2}$ " wide for an area of 192.5 square inches, Weight is about 3 ounces.

The tapered section is 35" span, center is 5½, which tapers to 4", and has a total of 166.25 square inches. Weight is just over 2 oz.

Wings come in two pieces of 171/2" so that they may be easily epoxied for the correct di-hedral. May be used unfinished or finished with a polyurethane varnish; or striped with Monokote for trim.

The constant chord section may be used with the Dick's Dream with slight modifications on the fuselage (we have poop for these mods, but you MUST REQUEST it). Citabria works by adding 1/2" balsa strip. Taper section may be used with design to be published later.

Also lend themselves excellently for the

home-brew builder who wants a proven and tried airfoil which will provide satisfaction and service.

Build small-with foam; through! Makes planes which are ideal for the Cox Pee Wee or TD .020 engines and the Commander Baby or Baby Twin R/O packages.

No. 13L166-Ace Foam Taper Wing \$2,95 No. 13L192-Ace Foam Constant Wing

COMMANDER CHARGERS

No. 34K4—Commander Baby Charger \$4.95 No. 34K5—Commander Std.-Stomper Chg. 4.95

NICKEL CAD TX BATTERY PACK KIT

If you are a regular flyer of your Commander system, you have found that the transmitter battery does go down fairly fast. This is because this is a powerful transmitter. If you want to avoid the continuing expense and also assure yourself with a reliability and dependa-bility on your transmitter that you have on your receiver pack, go nickel cad.

We have a completely assembled battery which measures 1 3/8" diameter by 2 11/16" long. Has lugs for easy attachment of wires. Made up of seven 500 MAH nickel cadmium type batteries, 8.75 volts. Will easily fit the Commander series of transmitters. Comes complete with charging jack and mounting hardware in kit. Check dimensions of your case for use in other transmitters.

No. 38H74-XL-ent K9V Transmitter \$10.00 Nickel Cad. Battery Supply Kit

(If you order this at the same time as your Commander Pack, we will install. Request in-stallation on your order, and it will be done without charge.)





PLANES JUST FOR FUN!

Easy to build, easy to maintain, and low in cost and upkeep, this new breed is fine for beginners. AND more and more of the big plane fliers are joining in on the fun so they can keep

their hands in--or teach their youngsters.

To help the Fun Plane along, Ace is offering two plans now. More later. These are full size with enough details to allow almost anyone with just a bit of experience to build and fly. They are designed specifically for radio gear of no more than 3 ounces-and here is where the new Commander R/O Baby Twin pack comes in. Just right and proven dependability!

Rudder-Only does allow you much more than simple steering-you can do loops, spirals, Split S, and many more. You can gain or lose altitude simply by widening or tightening your turn.

DICK'S DREAM

This 34" job is designed by Owen Kampen. Named for the late Dick Adams who developed the magnetic actuators. Essentially this is a scaled down Whiz Kid, but has a few features especially for this size plane. Easy construction. Plans are full size.

No. 13K29-Dick's Dream Plans

\$1.00

CITABRIA

This semi scale is a design by Roman Bukolt. Has 34" span and features simple slab con-struction. Another eye catcher at the Toledo Conference, Full size,

No. 13K30-Citabria Plans

COMMANDER GALLOPING GHOST
Rudder, Elevator, Motor-One Actuator
\$109. \$109,00 No. 10G18-Commander Ghost

COMMANDER FAST TULSE PACK Rudder, Elevator, Motor-Two Actuators
No. 10G19—Commander FP \$1 \$139.00

All 27 mHZ frequencies, except 27.225.

NEW HANDBOOK-CATALOG For the Fun Flyer and Tinkerer

Our NEW Handbook-Catalog is bigger and better than ever. We specialize in equipment for the Beginner, Sunday and Fun Flyer. More items for the do-it-yourseifer; more products from most major manufacturers, in addition to many Ace MUSTI' by R.C editors. Price is just \$1.00 POST-PAID. This is completely refundable on your first order! And that order also puts you on our mailing list-for our newsletters and R.C. Data Service your force on a cound trip today. It could be the best dollar you ever spent!

Important: For overseas delivery on catalog or Binder please add 50g for additional postage. My BankAmericard #

ACE RADIO CONTROL . BOX 301 . HIGGINSVILLE, MO. 64037

ADDRESS				
QUANTITY	STOCK #	NAME OF ITEM	PRICE	TOTAL
	TO SEE THE			

Guaranteed delivery anywhere. Orders over \$5.00 sent prepaid. Orders under \$5.00 please add 50c for postage and packing.



Ed Ellis' Spirit of St. Louis is modeled after the aircraft residing in the Henry Ford Museum. It won RC Scale first and also the Sterling Models Award. Wingspan is 801/2".

In Formula I Pylon, a flyoff between Al Sager and the Bertken/Smith team (shown) was necessary to decide the winner. The B/S team finished barely ahead of Sager.



The winning D Pattern model by Jim Kirkland is an original design with appearance similar to the Navy's A-6 Intruder. Lee Custom engine, KDH retracts, Pro Line.





Left, Jim Edwards flew Dragon Fli model to D Pattern 2nd. Pro Line radio, KDH retracts. Right, B Pattern model of Denver entrant James Wilmot had too much lift-used soda straw spoilers.



Ken Drummond won Flight Achievement Award with RC Scale B-36. Note wing tip assembly, important in transporting 115" span.



Claude McCullough flew a Douglas Sky Pirate in RC Scale. During the Nats an AMA Scale Contest Board was authorized, McCullough its chairman.



Above, Formula 1 start—Bud Phillips and Bror Faber in foreground. "Sandbagging" at the start was common. Right, it's nice to see RC Pylon togetherness when Lois and Brian Ehmke race.

RADIO CONTROL D PATTERN FINALS

DAVIO CONT	NUL	JrSrOpen
D PATTERN QUALIF	YING	1. Jim Kirklar 2. James Edwa
JrSrOpen	Points	3. Philip Kraft 4. James Whit
1. Jim Kirkland	8685	5. Larry Leons
2. James Whitley	8520	6. Don Colema
3. Ron Chidgey	8435	7. Ron Chidge
4. James Oddino	8350	8. Norman Par
5. Larry Leonard	8340	9. James Mart
	8335	10. Tony Bonet
7. James Martin	8335	11. Donald Low
8. James Edwards	8295	12. James Oddi
9. Don Coleman	8260	13. William Sa
 Tony Bonetti Bob Smith 	8260	14. Douglas Sp
11. Bob Smith	8225	15. Bob Smith
12. Norman Page	7990	16. Cliff Weiric
13. William Salkowski	7910	17. George Hill
14. Douglas Spreng	7795	18. Alan Duple
13. William Salkowski 14. Douglas Spreng 15. Donald Lowe	7785	19. J. Doughert
16. CHII Weirick	7780	20. Robert Noll
17. John Dougherty, Jr.		D DATTERNI
18. George Hill	7670	B PATTERN
19. Robert Noll	7645	JrSrOpen
00 Alex Dunles	TEGE	ari- write bon

20.	Alan Dupler
Best	Junior
Billy	Hiller

Best	Senior
Rob	Smith

2.	James Edwards	14045
3.	Philip Kraft	14025
4.	James Whitley	14000
5.	Larry Leonard	13890
6.	Don Coleman	13735
7.	Ron Chidgey	13665
8.	Norman Page	13555
		13480
10.	Tony Bonetti	13440
11.	Donald Lowe	13320
12.	James Oddino	13305
13.	William Salkowski	13185
	Douglas Spreng	

Points 14140

> 12760 12480

> 11805

20. Robert Noll

B PATTERN	
JrSrOpen	Points
 Steve Buck Keith Fisher Ben Mathews Ernie Weiss 	482 468 450 422
5. Robert Eson Best Junior None flew	394

Best Senior Steve Buck

A PATTERN	
JrSrOpen	Points
1. Hank Clark	320
2. James Marshall	319
3. Paul Goell	311
4. Henry Smith	296
5. Randy Shartle	292
Best Junior	

Brian McAvoy Best Senior Randy Shartle

PYLON FORMULA I

FILON FORMOLA	
JrSrOpen	Points
1. Bertken/Smith	19
2. Alvin Sager	19
3. Vernon Smith II	18
4. Larry Leonard	17
5. Robert Upton	14
Best Junior	
James Hiller	
Best Senior	

PYLON FORMULA II

FILON FORMOLA	• •
JrSrOpen	Points
1. Larry Leonard	20
2. Edward Keck	18
3. Vernon Smith II	17
4. Austin Leftwich	17
5. Telford/Violett	16
Best Junior	
Bryan Sattley	

Best Senior Whit Stockwell


Bertken/Smith

SCALE	
JrSrOpen	Points
1. Edward Ellis	15236
2. Frank Nosen	14828
3. Richard Graham	14574
4. William Bertrand	12613
5. John Roth, Jr.	12001

Best Flight Achievement Kenneth Drummond Best Junior

James Hiller Best Senior Whit Stockwell





New in RC D Pattern this year, but certainly not new to aerobatic flying is Jerry Worth. Many recognize him for his CL Stunt efforts.



Larry Leonard cleans up his Formula II Shushonick with which he placed first. He is the RC National Champion for the second year in a row.



Special thanks go to the Hewlett-Packard Co. and Collins Radio Company for loaning equipment (and training operators) for monitoring radio transmissions and possible interference.



Original model by Robert Eson placed 5th in B Pattern. It is powered by an Enya 60, KO muffler, Graupner plastic prop. Bill Loss holds.



Ron Chidgey named his original D Pattern model "Tiger Tail." It has a foam wing, muffled Lee Super 60 power, TF 11-71/2 prop.

INDOOR

CARIN

Junior

1. Barry Pailet
2. Tom Sova
3. William Schlarb
4. Michael Kuehne
5. Steve Bandt

CABIN		4. Susan Weisenbach
Junior	Time	5. Dale Hacker
 Tom Sova Michael Kuehne Barry Pailet Bruce Pailet William Schlarb 	11:23.4 7:41.8 5:03.0 4:55.0 4:33.8	Open 1. James Richmond 2. Al Rohrbaugh 3. Clarence Mather 4. Edward Stoll 5. Joseph Sova
Senior		5. Joseph Sova
 Ronald Ganser Daniel Domina Terry Ku, hne Dale Hacker Susan Weisenbach 	13:51.7 13:43.2 7:50.2 7:48.5 5:24.2	H.L. GLIDER Junior 1. Marty Thompson 2. John Lorbiecki
Open		3. James Haught
 James Richmond Bucky Servaites Ronald Ganser Charles Sotich Al Rohrbaugh 	20:25.2 19:16.2 17:29.2 17:19.4 16:36.2	4. Michael Taibi 5. Michael Kuehne Senior 1. Richard Hixon 2. Paul Andrade
STICK		3. George Pharr, Jr. 4. Paul Tobie 5. Daniel Domina
Junior	Time	
 Tom Sova William Schlarb Bruce Pailet Michael Kuehne Barry Pailet 	18:26.1 11:05.0 10:47.0 10:43.1 9:34.0	Open 1. Dennis Bronco 2. Robert Watson 3. Bucky Servaites 4. Ronald Higgs
Senior		5. Rudy Kluiber
 Jan Servaites Ronald Ganser Terry Kuehne Jeffrey Annis Susan Weisenbach 	14:45.0 14:09.8 13:19.6 12:27.0 12:25.0	Junior 1. Michael Kuehne 2. Bruce Pailet
Open		3. Michael Parykaza
1. James Richmond 2. Clarence Mather	34:33.8 30:44.0	4. Marty Thompson 5. Barry Pailet Senior
3. Ronald Plotzke 4. Daniel Belieff	28:14.2 26:55.6	
5. Manuel Andrade PAPER STICK	25:08.0	Daniel Domina Terry Kuehne Brian Webster Robert Hanford

Time

10:37.1

10:26.8 9:47.8

8:57.0

Senior Jan Servaites Jeffrey Annis

3. Richard Hixon

10:32.2 21:34.2 20:20.3 18:50.6 18:24.0 16:44.7 Seconds 118.2 100.2 89.6 85.3 85.2 116.0 108.6 105.7 104.9 101.3 128.6 123.6 121.4 118.8 114.0

16:45.6 11:47.9 11:30.1

11:29.2

Points

105.0 83.0 78.3 77.5 72.5 115.5 103.0 102.0 Brian Webster
 Robert Hanford Open 172.5 160.3 154.7 1. Ronald Martelet Earl Thompson James Richmond

Charles Sotich
 Bucky Servaites



Bucky Servaites outflew others for the FF Category Championship as well as the Open and Grand National.



Lowering lights helped Indoor retrieval. Ed Stoll unhooks Paper Stick model here, placed 4th. Armory had good conditions.



Size of Jim Richmond's Indoor Scale Pilatus Porter belies its airworthinessdid 3:23. Richmond was Indoor Champion.



A most remarkable model was the Ford Tri-Motor Indoor Rubber Scale model by Fulton Hungerford. Won new St. Louis Award.





Seconds

525 458

Left, Marty Thompson shows off the style which garnered for him the Junior National Championship. VTO launch is of his Torp 40-powered Starduster 900, the beginning of one of the flights which placed him first in Class C. Right, former AMA president C. O. Wright still competes vigorously in the Nats. FF Scale Antoinette launch shown.





Weighing Wakefield is Chris Matsuno. Pipemounted balance rig checks both total weight and rubber weight depending upon hook used.

Jetex exhaust goes through tubular pylon of Charles Monson's model. Vintage wing has "PAA" markings.

1/2 A GAS Junior

Stephen Klause

Mark Kummerow Frank Wolff Marty Thompson

Glen Winkel

 Grady Turner
 Pat McGehe Alan Hofeldt R. Robinson, Jr.

5. George Pharr, Jr.

Senior



Original Class B FF model by Bob Combs has high thrust line, low rudder, big 45% stab, powered by Supertigre 29.





A number of Canadians entered the Nats, among them Link Thomas, left, winding for Unlimited Rubber, and Willard Thompson, right, with A-2 Towline Glider. Peter Allnutt, another Canadian, won A-2 Towline both this year and last.

FREE FLIGHT— Outdoor

	 Dennis Kargol Gilbert Robbins Allan Vollmer Vic Cunnyngham, Jr Jack Greene 	1080 720 610 540 530
	A GAS	
	Junior	Seconds
	Marty Thompson Randy Weiler Michael Taibi Brian Pardue Gerald Comp. Jr.	1027 889 685 599 530
	Senior	
	 Brian Webster Howard McCarthy Richard Lyons, Jr. Mike Hallum David Berquist 	1014 502 490 487 486
	Open	
	1. Andy DeMello 2. William Wall 3. Dennis Bronco 4. Anthony Italiano 5. Gerald Comp	1260 1236 1200 1175 1020
l	B GAS	
l	Junior	Seconds
	Marty Thompson Michael Taibi Larry McFarland Kevin Hayes Roger Greene	1080 662 445 416 406

		Senior
		1. Mike I 2. Paul A 3. Gary I 4. Donald 5. Brian Open
	Metal State	1. Willard 2. George 3. Peter
Senior 1. Gary Myers	720	4. Mike 5. Sherm
2. Lewis Cleveland 3. Brian Webster	695	HELICO
4. Gary Price	480 462	JrSrO
5. Joe Norcross Open	457	1. Glenn
	900	2. Richar 3. Lee To
 Larry Miller James Messer Vic Cunnyngham, Jr. 	840 720	4. Willia
Andrew George Bruce Hannah	720 720	ROCKET
Jack Bresnahan 4. John Pfeifer	720	Junior
5. Jim Hyde	710 665	 Charle Willia
C GAS	_	3. James Chara
Junior	Seconds	4. John 5. Rod V
 Marty Thompson Kevin Hayes John White 	1024 476	Senior V
3. John White	450	1. Denny
 John Lorbiecki Robert Butley 	407 395	2. John 3. Robert
Senior		 Richa Joseph
1. Grady Turner Brian Webster	496 496	Open
2. Pat McGehe 3. Robert Hanford 4. Lewis Cleveland	488 479	1. Don C
4. Lewis Cleveland 5. Gary Myers	472 415	2. Charle 3. Willia 4. Charle
Open	413	5. James
1. Frank Wolff	1031	NORDI
2. Robert Sifleet 3. Glenn Schautz	1013 1002	A-I Jur
4. William Wall 5. Charles Harper	972 960	1. John 2. James
FAI POWER		3. Kenne 4. Eric
Junior	Seconds	5. Barry
1. James Haught	751 503	A-2 Jur
 Michael Taibi William Schlarb Michael Kuehne 	406 360	2. Ron
 Michael Kuehne Marty Thompson 	185	3. John 4. James
Senior	791	5. Wayn
1. Paul Andrade 2. Glen Poole	669	1. Dona
 Lewis Cleveland Terry Kuehne 	526 182	2. Georg
Open		4. Gary 5. Rober
1. Robert Watson 2. Andrew George	900 868	A-1/A-2
3. Thomas Hutchinson		1. Peter
4. Joe Beton 5. Rolland Anderson	834	2. Phili 3. Richi 4. Thon
WAKEFIELD RUBBE	R	5. Phili
Junior	Seconds	H.L. G
1. John Petchler 2. John Bennett	302 253	Junior
3. Michael Kuehne	70 49	1. Davie 2. Robe
4. Keith Gordey Senior	7,964	3. Char
1. Jan Servaites	561	4. Tony
2. Mike Bailey 3. Robert Hanford	531 499	5. Robe Senior
4. Richard Hixon 5. Terry Kuchne	403 388	1. Rons
Open		2. Grad 3. Denr
1. Frank Heeb 2. Dale Wilson	790 760	4. Geor
3. Jack McGillivray	720 694	5. Terry
4. Urs Schaller 5. Willard Smitz	656	1. Don

492 421 261

532 532

522

521 519

Seconds

COUPE D'HIVER RUBBER

Junior-Senior

Open

1. John Petchler 2. Susan Weisenbach 3. Keith Gordey 4. Richard Hixon 5. Richard Persh

Joseph Macay

Larry Miller 3. Bucky Servaites 4. James Richmond 5. Charles Schobloher

Richard Sherman

unior Michael Taibi Eric Hatschek Peter Lewis John Bennett	487 477 427 315
Thomas Dinelli Gary Hungerford	315 298
Senior Mike Bailey Paul Andrade Gary Heeb	684 537 480
i. Donald Mackenzie 5. Brian Webster Open	463 444
1. Willard Smitz 2. George Perryman 3. Peter Allnutt 4. Mike Thomas 5. Sherman Ovelmen	2160 2118 1260 1084 717
HELICOPTER JrSrOpen	Points
1. Glenn Lee 2. Richard Wetzel 3. Lee Taylor 4. William Ellerman	149.09 126.66 105.00 35.00
ROCKET POWER	Seconds
Junior 1. Charles Krickel 2. William Schlarb 3. James Haught Charanne Moore 4. John Lorbiecki 5. Rod Wilson	264 157 141 141 110 109
Senior 1. Denny Dock 2. John Castiglioni 3. Robert Hanford 4. Richard Lyons, Jr.	302 230 152 74
 Joseph Działo Open 	38
 Don Chancey Charles Markos William Haught Charles Sotich James Gremel 	410 377 373 349 339
NORDIC GLIDER	Seconds
1. John Petchler 2. James McCarthy 3. Kenneth Bauer 4. Eric Hatschek 5. Barry Pailet	552 524 466 432 396
A-2 Junior 1. Marty Thompson 2. Ron Weaver 3. John Lorbiecki	767 669
2. Ron Weaver 3. John Lorbiecki 4. James Haught 5. Wayne Friebts A-1/A-2 Senior	666 636 596
1. Donald Mackenzie 2. George Pharr, Jr. 3. Susan Weisenbach 4. Gary Myers 5. Robert Hanford A-1/A-2 Open	773 697 676 641 579
1. Peter Allnutt 2. Philip Bayly 3. Richard Mathis 4. Thomas Hutchinson 5. Philip Klintworth	900 869 842 840 835
H.L. GLIDER	Seconds
 David Uthoff Robert Butley Charles Krickel George Hubschmidt Tony Stuckwisch Robert Faranda 	294 221 176 176 172 169
Senior 1. Ronald Ganser 2. Grady Turner 3. Denny Dock 4. George Pharr, Jr. 5. Terry Kuehne	287 280 271 252 210
Open 1. Don Chancey 2. Richard Mathis Charles Markos 3. Thomas Peadon 4. Frank Mock 5. Robert Watson	407 325 325 296 287 270
SCALE Junior-Senior	Points
 Michael Kuehne Open 	311.0
1. Frederick Stark 2. Ronald Martelet 3. Robert Adair 4. Rudolph Stab 5. Bruno Markiewicz	550.5 532.0 518.5 477.5 451.0

AMA News Extra....

1970 CONTROL LINE WORLD CHAMPIONSHIPS

Terrific is a word which describes the kind of flying U.S. team members did in the Control Line World Championships at Namur, Belgium, August 19-23. Our competitors placed first both individually and as a team in Speed and Aerobatics. In Team Racing, Russia swept the field, although America's Theobald/Barr was close behind in fourth, and the team finished second. Word is that Albritton/Marvin likely would have qualified for the Final Race had their first flight not been disqualified for a passing infraction. The official results:

SPEED): lstU.S.A.; 2nd-	-Russia;	3rdFrance			Best
P1.	Competitor	Country	lst	2nd	3rd	km/hr
1.	Arnold Nelson	U.S.A.	240.0			240.0
2.		U.S.A.	218.1	238.4	235.2	235.2
3.		Gt. Britai			229.2	229.2
4.	Dusi	Italy		225.0	225.0	225.0
5.	Glenn Lee	U.S.A.	225.0		223.6	225.0
6.	Rodzhers	Russia	210.5		219.5	220.8
7.	Wamper	E. Germany			218.1	220.8
8.	Volkov	Russia	210.5		220.8	220.8
9.	Burrus	W. Germany			209.3	220.8
10.	Jarry-Desloges	France		206.8	220.8	220.8
	5411, 54110811				0.730	
AEROF	BATICS: lstU.S.A.;	2ndCzec	choslovakia;	3rdItaly		
						Total
P1.	Competitor	Country	lst	2nd	3rd	2 F1.
1.	Bill Werwage	U.S.A.	932	979	945	1,924
2.	Bob Gieske	U.S.A.	969	933	951	1,920
3.	Gabris	Czechoslo	vakia 877	951	946	1,897
4.	Gerald Phelps	U.S.A.	924	944	942	1,886
5.	Billon	France	875	935	911	1,846
6.	Cani	Czechoslo	vakia 929	893	859	1,822
7.	Compostella	Italy	877	903	904	1,807
8.	Anderson	Sweden	816	897	889	1,786
9.	Rossi	Italy	883	882	877	1,765
10.	Van Den Hout	Holland	855	888	877	1,765
		0 1 11	7.1.0	Deltai		
TEAM	RACING: 1stRussia	2ndU.	S.A.; 3rdG	reat Britain	2nd	Final
P1.	Competitor	Col	untry	Heat	Heat	Race
1.	Babichev/Krasnorutsh	-	ssia	4:17.0	4:37.0	8:55.8
2.	Plotzinjsh/Timofeev		ssia	4:30.8	4:38.1	9:13.0
3.	Onufrienko/Shapovalo		ssia	4:53.0	4:27.7	d.n.f.
4.	Theobald/Barr		S.A.	4:35.5	4:45.8	
5.	Bader/Kaul		Germany	4:44.0	4:44.7	
6.	Sundell/Sundell		nland	5:15.9	4:45.8	
7.	Metkmeyer/Metkemeyer			disq.	4:46.4	
8.	Schwarz/Ilg		Germany	5:10.9	4:47.1	
9.	Gurtler/Baumgartner		stria	disq.	4:47.2	
	Magli/Ferroni		aly	4:49.5	disq.	
	Hagit/relioni	110	aly	7.77.7	-	
10. 18.	Albritton/Marvin	77	S.A.	disq.	5:00.4	

By special arrangement with the publisher this page is produced at the very last minute, just before the magazine is printed, to bring you the latest news concerning current Academy of Model Aeronautics events of national significance. (Continued from page 47)

-the other B-36 entrant) also showed everyone how to start engines. They consistently started all six engines on each plane in a minute or less, in contrast to some single engine entrants who missed a turn when they couldn't get started within three minutes.

Interesting complaint from some RC Scale contestants: they hardly had time to clean up and refuel after one flight before being called up for the next,

RC Pattern contestants were generally happy about how their part of the Nats ran. D Pattern (FAI) contestants got eight rounds of qualification flying in. plus six rounds in the finals; A and B Pattern flyers got four rounds.

The shared-time concept for Nats RC, originated by Ed Shipe (Santa Barbara, Calif.), was developed in detail by the overall RC Director. See the July 1970 issue. It proved to be all that was promised, making possible the flying of Pattern, Scale and Pylon Racing on two days instead of three days, thus permitting the addition of A and B Pattern to this year's Nats.

Another innovation for Nats RC was the use of grandstands for Pattern and Pylon Finals' spectators. It was particularly beneficial for those viewing the climaxing four hours of Pylon flying. Extremely close races, a good view, and loudspeaker commentary provided a tremendous degree of excitement that had cheering sections roaring constantly. The Pylon event officials did a great job of

keeping the action moving constantly. It was the greatest RC Nats yet, according to both contestants and officials. The main point seemed to be that everyone got a fair shake-that despite the minor inequities that plague any large meet, there was enough flying available to fairly determine the winners. A common remark among the losers was that they couldn't blame the system this year.

Outdoor Free Flight benefited from one major improvement over previous Nats. For the first time in many years the same crew of officials worked all the events, in contrast to the past when different event directors were used every day. As a result the FF events quickly shook down to smooth and consistent operation.

Elimination of the first flight by noon rule of previous Nats proved to be a good thing, substituted for by a sharp event cutoff time. Fear of getting caught by the latter was effective in avoiding late jams which had been the original cause of instituting the noon rule in other years.

Free Flight, as usual, had the most contestants per event. Ten events had over a hundred entries each, and the three largest had much more: ½ A Gas and HL Glider had over 300, A Gas and Nordic Glider had over 200. Coupe D'Hiver, a brand new event for this year's Nats, drew 103 entries.

Scoreboard-type posting of results in all Free Flight events also contributed to contestant satisfaction. Entrants could view all standings at any time, so avoided was much confusion, uncertainty, and questioning of officials.

AMA HQ developed the special scoreboards which also doubled as event master records. As a result of the Nats success they are being made available to all Contest Directors for general meet use—they are suitable for all categories of competition. Write to HQ for a sample and prices.

Safety was greatly increased in Free Flight at the 1970 Nats. Despite many years of previous trying, it has always been difficult to get cars parked upwind of the launching area. This year the effort was successful, aided by winds which generally were consistent in direction and also by officials who kept tighter rein on permissible launching

Indoor had two good days of flying in near perfect draft-free air. As a result, despite a somewhat less than ideal site, performances were excellent. The topper was Jim Richmond's 34 minute, 33 second flight in the Indoor Stick event-a fabulous achievement in a building with less than 100 feet in ceiling height. Richmond also placed first in three of the five events to become the Indoor Category Champion,

Indoor also had some great handlaunched glider performances, with three entrants averaging over one minute. Open class entrant Dennis Bronco, (Lakewood, Calif.) came out on top with a two-flight total of 128.6 seconds, but Junior Champ Marty Thompson (Livermore, Calif.) was close behind with 118.2 seconds.

An incredible Ford Tri-Motor Indoor Scale model by Fulton Hungerford (Titusville, Fla.) had everyone amazed. Weighing only an ounce, it lacked nothing in detail, including corrugated covering. Its three props were driven by three rubber motors, one in the fuselage and the others spanwise in the wing. Only about a foot in span, the model had true scale construction inside and out -probably the most magnificent example of craftsmanship at the Nats. Its only weakness was in flying performance; otherwise it stole the show.

Another unique Indoor model was the 42" Stick entry of Ron Plotzke (Mt. Clemens, Mich.). This huge but graceful microfilm-covered model placed third with a flight of over 28 minutes. It was an outstanding example of intricate cross-trussing and delicate construction

Control Line performances were dominated by the CL Category Champion Danny Bartley (High Point, N.C.). Although a Senior age contestant, he beat out many adults, placing in eight events and taking five first places. His nearest competition was over 100 points behind in the Category Championship race.

Scale Racing, better known as Goodyear, proved to be extremely popular in its first Nats appearance on the official event schedule. With 119 contestants, the event had to have a second circle added in order to get all the flights in. Open winner John Burnhart (Chicago, Ill.) was the top placer with a time of 7 minutes, 36 seconds.

Combat, as in '69, was an extremely crowded event with 157 entries, which took every bit of time available to run off, especially in the Open age category which had 84 contestants. Past Nats experience of officials paid off in a smooth running event despite extreme pressure -only minor complaints and disputes were involved in what is always the most violently contested event at the

C Speed produced the fastest times of all Nats events, even topping Jet Speed. There were four C Speed flights of over 180 mph, led by the Roselle-Frye team (Dayton, Ohio) performance of 189.40. Young Danny Bartley stayed right near them, however, by recording the top Senior C Speed flight of over 186 mph.

Control Line Stunt was treated to some new techniques in judging and event organization. Navy personnel were greatly impressed by the training session in which they were given judging instructions—a naval aviator on the scene remarked that the training was equivalent or superior to military flight instruction. It all paid off, as there were 93 contestants entered.

Carrier events also had more than a hundred contestants to contend with-57 in Profile Carrier alone. Unfortunately, the circle layout was arranged for two carrier decks, and when a third had to be utilized due to the numbers involved, there was an awkward model and line processing arrangement which drew complaints. Otherwise the event

proceeded smoothly.

Bucky Servaites (Dayton, Ohio) was again Grand and Open National Champion this year, as in '69. He also took home the new Free Flight Category Champion trophy. Bucky was the only one competing for Individual Champ who topped 800 points; the next three

nearest were in the 700's.

Larry Leonard (Northridge, Calif.) is the 1970 Radio Control Category Champion, repeating his 1969 performance. He was up against tougher competition (Continued on page 80)

Indoor Modelers-want results of the December CIAM meeting (with possible rule changes) in a hurry? Send stamped, pre-addressed envelope with request for same to AMA HQ-will be mailed as soon after the meeting as possible.

CONTEST CALENDAR

Official Sanctioned Contests of the Academy of Model Aeronautics

Oct. 3-4—Tulsa, Okia. (AA) RC Formula Gala Meet. Site: Glue Dobbers Field. W. Salnikov CD, Rt. #1, Box 130-C, Coweta, Okia. 74429, Sponsor: Tulsa Glue Dobbers, Inc.

Oct. 3-4—Montevallo, Ala. (AA) Birmingham RC Contest. Site: "X." Ranch Field. E. Riley CD, 1924 2nd Pl., N.W., Birmingham, Ala. 35215. Sponsor: Birmingham Radio Control Club.

Oct. 3-4—Santee, S.C. (A) Wings & Wheels RC Jamboree, Site: Wings & Wheels Museum, R. Thompson CD, P.O. Box 621, Sumter, S.C. 29150.

Oct. 3-4—Sebring, Fla. (AA) Hurricane FF & CL Meet. Site: Sebring Airport. R. Fritz CD, 3812 Pelican Ln., Orlando, Fla. 32803.

Oct. 3-4—Jamestown, N.Y. (AA) United RC Pylon Racing Circuit Championships. Site: Winch Rd., Lakewood, N.Y. H. DeBolt CD, 3833 Harlem Rd., Buffalo, N.Y. 14215.

Oct. 3-4—Amarillo, Tex. (AA) ARKS 10th Annual RC Contest. Site: Club Flying Field. B. Irwin CD, 3302 Lewis Ln., Amarillo, Tex. 79109. Sponsor: Amarillo Radio Kontrol Society.

Oct. 4—Arlington, Tex. (AA) Ft. Worth Plainesmen Fall Annual FF Meet. Site: Arlington. C. Davis CD, 7612 Sybil Dr., Ft. Worth, Tex. 76118. Sponsor: Ft. Worth Plainesmen.

Oct. 4—Dayton, Ohio (AA) Cold Cash CL Bash. Site: Municipal Model Flying Field. H. Roe CD, 165 Broadripple Rd., Centerville, Ohio 45459. Sponsor:

Broadripple Rd., Centerville, Onio 45459. Sponsor: Dayton Buzzin' Buzzards.

Oct. 4—Pittstown, N.J. (AA) Central Jersey 1970
Eastern States RC Championships. Site: Sky-Manor Airport. L. Shulman CD, 42 Blake Ave., Cranford, N.J. 67016. Sponsor: Central Jersey Radio Control Club.

Oct. 4—Watsonville, Calif. (A) RC Bee's Santa Cruz County RC Meet. Site: Peterson Ranch. W. Pritchard CD, 9 Debble Ct., Boulder Creek, Calif. 95006. Sponsor: RC Bee's

Oct. 4—Lincoln Park, N.J. (AA) 12th Annual CL Model Air Show. Site: GSCB Club Field. E. Dickson CD, 36 Vreeland Ave., Clifton, N.J. 07011. Sponsor: Garden State Circle Burners, Inc.

(Continued on page 79)

(Continued on page 79)

DU-BRO PRODUCTS, Inc.

480 Bonner Road, Wauconda, Illinois 60084

NYLON HINGES Pkg. of 6 \$1.10

FINEST CONTROL HORNS AVAILABLE

SMOOTH HORNS.

OR OUVES IN THE
BASE REINFORCED
NUT PLATE ASSURES GOOD TIGHT FIT TO CONTROL
SUBFACE WITHOUT DISTORTING HORN POSTUBE
PRECESION FORMED OF HIGH GRADE NATURAL
NIVON FOUR THROW ADJUSTAMENT FOSTIONS
SET CONTAINS ONE LEFT—ONE RIGHT HORN. TWO
SET THEADING NUT PLATES AND FOUR 256-7;
SCREWS & PIECES

R/C TANK FILTER

Combination Weight And Filter

Filtering

FUEL TUBING

LONG

WRENCHES

Allen-type for those hard-to-reach places. Fits all Du-Bro socket head cap screws. Fine for bench and field box

LW98, pair . . 98¢

REGULAR

6 INCH REACH

Designed To Fit All Clunk Tanks

Made of Sintered

BASE %

Pkg. of 15 \$2.49

CONTROL

HORNS

DU-BRO CH-49 CEPTIONALLY

CLEAN LINED

Self Addressed Envelope for Catalog We couldn't possibly include everything in one ad

Requires very little pressure to engage brake . . . is not affected by fuels. "S" Hook Brake Line Support Brake Line Complete Brake & Linkage Hook-up No Noise Lex: Brake firum (11 PIECES) \$295 EACH

2 EACH DU-BRO 30¢ THREADED COUPLERS For clean fool-proof coupling. Designed for use on the Du-Bro Kwik-Link. Brass, 114" overall with 34"—2.56 thread. % a" opening for piano wire or cable. Cat. No. TC-25

DU-BRO **SERVO MOUNTING** HARDWARE PACK

Hardware for one servo-4 ea. boits (3-48), washe spacers and blind nuts. Cat. No. SM-55 55¢





DU-BRO DURA COLLARS

@@@@@@@ 69¢ DC116 DC332 DC180 DC532 DC316 Rugged cadmium-plated brass. Threads will not strip. Complete with set screws and Allen wrench DU-BRO

MOUNTING BOLTS & **BLIND NUT SETS**

For mounting engines— large or small. 4 ea. bolts, flat washers, lock washers and blind nuts per set. (16 pcs.) Four sizes: (0)

MB256 2.56 x ½" 39c MB440 4.40 x 1¾" 45c MB348 3.48 x ¾" 39c MB632 6.32 x 1¾" 45c

DU-BRO SOCKET HEAD BOLT & BLIND NUT SETS

For those who prefer socket head bolts. 4 ea. bolts. flat washers, lock washers and blind nuts plus one Allen wrench per set. 98¢ (11 pcs.) Two sizes: Cat. No. SH4 -4-40 x 1" Cat. No. SH6 -6-32 x 1"

DU-BRO BLIND MOUNTING

Can be used on 16" plywood (without sticking NUTS thru) and thicker, 4 per pkg. 4 thread sizes:

Cat. No. BN256 (2.56) 4 EACH Cat. No. BN348 (3.48) 25 ¢ Cat. No. 8N632 (6-32) 4 for 30 €



Hinge Pin Locked In Place


0

aven

R/C ACCESSORIES

DU-Bro NY-STEEL KWIK-ROD ASSEMBLY KR30® No Shrint, No Strotch, Froe-infere-adjustable at control hore, Great strangth, simple and easy to Install. Not, wet or celd day affect trim setting. Best available. Complete 31° assembly with Kuik-Links.

ONLY





NOISELESS - RELIABLE mounted bearings LB89 89¢

The Original DU-BRO KWIK-LINK EACH

Control Yoke Assembly for any control linkage. Allows easy removal for on-the-field adjustments. 4" rod. Split coupling sleeve Cat. No. KL-49

Connectors and Du Bro Dual Take Offs. Also ideal for style take-offs. Spring steel. Cat. No. DVL-1




49¢

DU-BRO DURA- V-LINK



DU-BRO RG-75 ROD GUIDES ADJUSTABLE CONTROL ROD LEAD-INS



3/16 I.D. SLEEVE RETAINER RINGS 2 632 STEEL HEX. LOCK NUTS 2 NO. 6 FLAT WASH. 2 NO. 6 SPLIT WASH

2 632 BLIND MOUNTING, STEEL NUTS REQUIRES LESS SPACE-SETS UP FAST POSITIVE MOUNTING. RG-75 12 PIECES 75c

WING BOLT SET-WB2 The up-to-date way to fasten wings to fuselage. "No Noise" Nylon bolts and Nylon threaded

Complete set of 22 PIECES



Strip Aileron Horn Wire CONNECTORS-AH79

GEAR STRAPS-GS25

STEEL -

PLATED

12 PIECES ONLY

25€

LANDING GEAR FASTENERS
Light—Strong—



The tried and true spring steel clevis used on the Du-Bro Kwik-Link, Ideal for any control linkage, Cat. No. KL-75



contains 2 Dura-Collars, 2 siot head set screws, 2 horn connectors ..79€



Aero Commander Specifications

Wing span-49". Wing chord-8". Wing area-388 sq. in. Length-36". Flying wt.-3 lbs. 12 oz. Installed fuel tank mount. Motor Mount MM1 included.

*Does not include engine, wheels or R/C gear

Also Available SEA BIRD 600 A.R.F. FLYING CRUISER®



2.79/pr
2.99/pr
3.19/pr
3.39/pr
3.59/pr

LOW

BOUNCE

	7	
175R	WHEELS 13/4"	2.19/pr
200R	WHEELS 2"	2.39/pr
225R	WHEELS 21/4"	2.59/pr
250R	WHEELS 21/2"	2.79/pr
275R	WHEELS 23/4"	2.99/pr
300R	WHEELS 3"	3.19/pr
325R	WHEELS 31/4"	3.39/pr
350P	WHEELS 314"	3 59/nr

Low Rounce "SLICKS"

POM	Donne	31	IUNG
2255	WHEELS	21/4"	2.59/pr
2508	WHEELS	21/2"	2.79/pr
2758	WHEELS	23/4"	2.99/pr
300S	WHEELS	3"	3.19/pr
	225S 250S 275S	225S WHEELS 250S WHEELS 275S WHEELS	250S WHEELS 2½" 275S WHEELS 2¾"

Cherokee Arrow Specifications

Steerable Nose Gear NG1 - Motor Mount MM1 Aileron linkages AH79 and LB89 included, \$39.95

*Does not include engine, wheels or R/C gear

DU-BRO KWIK GLOW KG-200 GLO-PLUG CONNECTOR

THE IDEAL GLOW PLUG R/C ENGINE CORD SET. SLIM 14" BY 4" ONE PIECE BRASS BARREL SNAPS ON TO PLUG. NO FLIMSY SPRINGS OR CON-NECTIONS. WIRES FIRMLY ANCHORED IN TOUGH PLASTIC - CAN'T JERK
OUT. EXCELLENT ACCESSORY FOR TODAY'S KIND
OF B/C MODELER.ENGINES. 10 AND UP.
APPROX. 24'9" LONG.

KG-200 WITH ATTACHED BATTERY LUGS \$2.00

Complete . . . fully adjustable . . . can be used on any high, mid or low wing plane.







ORDER .

BUILD . .

FLY . . .

NOW!

0



Havoc

(Continued from page 41)

rop P-61 Black Widow, the first American airplane designed strictly for night fighting. Some later model P-70A's got into combat in the Pacific, but most were

limited to training activities.

Considerable interest was shown in developing a photoreconnaissance version of the A-20. With the addition of camera equipment and a variety of experimental combinations of machine guns, three were tested as XF-3 and YF-3 in 1940. Then a reconnaissance version of the A-20B, to be called the 0-53, was planned. No fewer than 1489 were ordered, but the idea was dropped before any were built. Finally, in 1944, the F-3 program saw 46 A-20J's and A-20K's modified into F-3A's.

The U.S. Navy got into the act, briefly and unsuccessfully. Between one and four A-20A's were turned over to the Navy to be tested as BD-1's. An additional eight A-20B's became the Navy's BD-2, but none of them advanced beyond the research and development stage. The BD-1 designation reappeared in the early 1960's on the prototype light plane designed by Jim Bede and eventually marketed as the American "Yan-kee." Obviously, this was just a coincidence.

Of all the interesting variations of this Douglas airplane, the A-20G was the really important model, accounting for almost 40% of the total production. They all had the 1600-hp Wright R-2600-11 engines, but armament differed considerably. The A-20G-1 had four 20-mm cannon and two .50-cal machine guns in the nose, a .30 or .50 cal machine gun alongside the nose, and a .50 cal. in the rear cockpit. Later, the four cannon were replaced by four more .50 cal. machine guns. Wing racks for up to 2000 lbs. of bombs were installed on the -20 and subsequent versions, along with a new power-driven rear top turret having two .50-cal, machine guns.

By the time the final A-20K was de-

livered to the USAAF in September 1944, total of 7385 had been built. And, while it was the end of the line for one proud airplane, it was the beginning for its successor, the Douglas A-26 Invader. The newcomer was larger, faster and packed a greater wallop, but it was unmistakably the big brother of the Havoc, and so its achievements in the closing months of World War II and in the Korean Conflict are more than slightly

related to the history of the A-20. What remains of the A-20 after all these years, besides memories? As far as can be determined, the only one left in recognizable shape is an A-20G (S/N 322200), properly restored and parked in the outdoor display area of the USAF Museum at Wright-Patterson AFB, Ohio. alongside its brothers-in-arms.

Year of the Retractables

(Continued from page 25)

found in modern digital servos and have capacitor noise suppression. They come wired to connectors, ready for use. MK also offers an amplifier for driving servos direct from the receiver, and an SPDT switch which may be triggered from throttle linkage. Servo operation is quiet and smooth, and gears rise in about two

THE NEVER FAIL RLG is pneumatic and operates from a tap on the engine cranckcase. Gear units are built on sturdy aluminum frames, pistons are springloaded to assure dropping wheels if the engine stops, and all gears lock both up and down. Nose gear is steerable and designed for horizontal mounting. The system operated on five-lb, pressure. Operation is quite fast going up, virtually instantaneous going down. Units are mostly metal, but most metal-to-metal contact is eliminated.

THE P.M.W. SYSTEM is well thought out, neatly made, and light in weight. The 2" gas cartridge (¾" dia.) is held by a nylon clip and is easily removed for refill. This cartridge is connected to the valve's power ram unit by 11" tiny metal tubing. Ram movement is

about %" maximum.

A large can of Freon comes with these units, plus a valve which screws on the can. It takes only a few minutes to fill the cartridge from this large can—a simple procedure. The makers claim 25 operations per cartridge filling. The single power ram is intended to operate all the RLG units on a plane. The valve on the power ram assembly takes only an ounce or two to move, and movement is about 3/16".

Two styles of P.M.W. wing gears are made, one (PR-1) pulls the gear up spanwise, as would be needed on a P-51. The PR-2 folds the gear chordwise, as well as rotating the wheel and strut so the wheel fits into its well, as in the P-40. The two units are quite different in construction and action. The PR-1 is based upon specially-bent torsion bars

GIVE 'EM A WHIRL! MODEL POWER BOAT 4 different sizes ... 2 different styles ... 2 different weights!

OCTURA	SIZE	PLATED	ANODIZED	DEEP	DOUBLE		PR	ICE
FLYWHEEL	DIA. X WIDTH	STEEL	ALUMINUM4	RECESS	COUNTERBORE2	ENGINE	STEEL	ALUM.
15	138 x 1	31/2	N.A.	N.A.	YES	.15 — .19	3.65	N.A.
30	15% x 1	51/2	2	YES	YES	.29 — .40	3.95	4.45
30DR K & B5	15's x 1	51/2	2	YES	NO	K & B 30RR	7.50	8.00
45	113/16 x 1	71/2	234	YES	YES	.40 — .60	4.35	4,85
45DR K & B5	111/16 x 1	7	23/4	YES	NO NO	K & B 40RR	7.95	8.50
45DRR ⁵	113/16 x 1	7	N.A.	YES	NO	ROSSI 60	7.95	N.A.
60DRR5	2 x 1	91/2	31/2	YES	NO	OPS, HP61RR	8.75	9.25
60	2 x 1	9	31/2	YES	YES	.6080	4.95	5.45

For rear rotary engines. 3 For crankshaft rotary engines. N.A.—not available. 3 For new engines, enduro racing, heavy boats, larger, submerged or surface props. 4 For seasoned engines, multi-racing, light hulls, smaller props. 3 Includes special collet, spacer, 3 Collet Female Universal. Order OC10M (\$1.35) or OC10ML (\$1.65) sep. Price of flywheel includes one split brass collet in any of the following sizes to fit 3 /16"; 7 /32"; 1 4"; 7 /6"; 5, 6, 7, 8 mm crankshafts.

Enya .15 — .19 Super Tigre .15 OS Max. .15 Super Tigre .65ABC Enya .60 ______7 mm Super Tigre .29 thru .60 _____7 mm

If dealer cannot supply you— order direct—add 10% for postage and handling—Illinois customers include Sales Tax. 8148 N. MILWAUKEE AVE. MODEL NILES, ILLINOIS 60648

ASSOCIATED HOBBY MANUFACTURERS, INC.

627 East Cavuga Street Philadelphia. Pennsylvania 19120

compare...

prices...features...quality-see why Heathkit® R/C gear leads the field

> Heathkit "Spectre" 1/8 scale R/C car kit



Join The Fastest Growing Hobby In America!... building and racing radio-controlled Gran Prix cars. Feel the tense excitement as a dozen cars slam into the "s" turns ... the gripping near-panic as you thread your car thru the pack ... the surge of excitement at watching your car roar down the straightaway at scale speeds of up to 200 mph. This is the hobby ... and "Spectre" is the car.

Kit includes chassis, body, wheels, tires, fuel tank & tubing, R/C compartment & foam pad, clutch & gears, axles, servo linkages & mounting tape, all hardware, decals, manual.

On The Move, Nothing Beats A "Spectre". The one piece chrome plated steel chassis gives the car a true frame, and tracking and handling like a real Gran Prix machine. Adjustable caster & toe-in allow trimming for top performance. Special rubber tires that actually lock onto the nylon "mag-type" wheels and independent front suspension give the "Spectre" traction to take corners at speeds

that put other R/C cars off the track, and the 5.5:1 gearing delivers maximum torque at all speeds.

Other Features Include a high impact plastic body . . . coil spring suspension . . . a dirtproof, oilproof box inside to protect your R/C equipment . . . locking hardware. And the "Spectre" comes complete with everything you need except engine and R/C equipment . . . there are no extras to buy or make as with many other R/C cars.

Get On The Track With A Winner . . , order your new Heathkit 'Spectre' now.




Heathkit 3-Channel R/C System

The Ideal System For The "Spectre" . . . reliable digital circuitry gives you interference-free operation. Powerful transmitter with pre-assembled RF section has trim controls that leave sticks always centered. Receiver is housed in a virtually indestructable nylon case and weighs just 2 oz. . . . measures just 2%2" L x 1%4" W x 1%2" D. Double-tuned front end, RF amplifier, dual AGC and ceramic IF filters assure peak performance. System includes 2 servos having 2 linear and 1 rotary output each for extra versatility. Rechargeable nickel-cadmium battery packs in both transmitter and receiver with built-in charger.

Kit GDA-57-1, transmitter, battery, charging cord, (specify freq. de-

Kit GDA-57-2, receiver only, (specify freq.) 1 lb.\$34.95*



Best-Buy 5-Channel R/C... Heathkit GD-19 only \$219.95*

 Powerful transmitter has pre-aligned & assembled RF circuit Kraft sticks with thumb lever trim adjustment . Flat-pack rechargeable receiver & transmitter batteries • 2.3 oz. receiver has ceramic IF filters for sharp selectivity • Four servos • Choice of 5 frequencies in each of 3 bands. Includes soldering iron. 11 lbs.



Heathkit "Thumb Tach" only \$19.95*

· Measures RPM at any rotating device . . . pro-Measures RPM at any rotating device . . . propellers, gears, flywheels, shafts etc.
 Two ranges — 0-5000 & 0-25,000 RPM • 3% accuracy
 No direct connection — uses reflected light pulses — can't load engine • Unlimited uses in R/C modeling — needle valve adjustments, comparing fuels and glow plugs, indicates power loss, shows peak in RPM you can't hear. Fast, easy assembly • GD-69, 1 lb.



NEW

FREE 1971 CATALOG!

Now with more kits, more color. Fully describes these along with over 300 kits for stereo/hi-fi, color TV, electronic organs, guitar amplifiers, amateur radio, marine, educational, CB, home & hobby. Mail coupon or write Heath Company, Benton Harbor, Michigan 49022.

HEATH COMPANY, Dept 80-11 Benton Harbor, Michigan 49022	a Schlumberger comp	any
□ Enclosed is \$, plus shipping.	
Please send model (s) Please send FREE Heathkit Catalog. Name	□ Please send Credit Application.	
Address		
City	State Zip	



The Le Rhone Rotary Engine was developed in 1913 and used in Snyder Racing Aircraft. During W.W. I it was used extensively on fighter and reconnaissance airplanes of the Allied Forces. It proved itself a very reliable engine when properly maintained. After the Armistice it became popular for Barnstorming and for use in private planes.

\$11.95

2" SCALE

Complete with assembly instructions

SEND 25¢ FOR COMPLETE, ILLUSTRATED CATALOG

181 B STREET, SAN MARCOS, CALIFORNIA 92069

Schooner Yacht AMERICA 1851



Model Shipways Co., Inc. Folio AM Bogota, N. J. 07603 In kit form, the AMERICA, a masterful reconstruction by George F. Campbell, A.M.R.I.N.A. This racer was built on pilot boat lines, with flat setting sails in contrast to the narrow, slably types of British practice, with baggy sails. The kit is highly suitable to the beginner, being of large scale and simple of rig.

Kit, on 3/16"—1 ft. scale, has a machine carved pine hull, 19" long (o.a. model length 25½"), cast white metal fittings, spar and wood material, cordage, instructions and 2 sheets of plans.

Postpaid, \$27.50 Plans only, 2 sheets Postpaid, \$2.60

Shipmodellers, beginning and experienced will enjoy G. F. Campbell's "Neophyte Shipmodellers Jackstay." 60 pages, 8½" x 11", half sketch and half text of whence/why/how-to by a foremost marine historian and artist. Postpaid, \$2.65

Send 50¢ for our 52 page catalog showing many model kits, fittings, plans, books, tools.

that fit into hardwood holders like fixed LG legs. The outer end of each bar wire (wires and struts are 5/32" music wire) is bent to form a pivot point for the molded plastic piece which carries the wire wheel strut; the latter is fastened with two Allen-head setscrews.

Operating links are of 3/32" music wire, furnished in two lengths for each side of the wing, with a coupler, so the length can be adjusted to the setup. Couplers then join the smaller wire halves permanently by soldering. A heavy bellcrank formed from 3/32" thick fiberglass-epoxy sheet is pivoted at the center of the wing one operating link goes in of the wing; one operating link goes in each "ear" of the bellcrank, another link goes to the servo or power unit. The operating links are so arranged that the gears lock when down—link pivot points in the arm in line with bellcrank pivot. When retracted the gears do not lock, so they must be held in this position by the servo or power unit. Wheels should retract toward the center of the wing.

The P.M.W. PR-2 units come mounted on plates of ½" thick ply, measuring 2½ x 6". These plates are attached to the wing's underside and spaced chordwise to allow room for chordwise retrac-tion and a wheel well. The torsion-bar system is utilized. A guide rod must be soldered to the upper end of each strut. Strut and wheel are rotated 90 degrees as the gear moves up or down. The mechanism locks with wheels extended. Operating rods from each wing unit units are made in right and left-join at wing center with the combined coupler and control horn. Necessary hardware is furnished for both types.

PR-1 units have no metal-to-metal joints; the PR-2 system has several. Plastic bushings are used at other points for isolation to prevent extended runs of metal parts from one wing to other. Rugged and quite simple in design and construction, these units have no spring compensation, so fairly potent operating

sources are required.

ROWAN GAS-OPERATED system from Germany includes three quite similar wheel units, a small valve and a bottle of gas. Makers claim 60 to 70 system operations from one tank. Units are interconnected with tough plastic tubing, about 5/32" dia., and screw-on fittings. LG units are extremely simple with few parts; the nose gear unit differs only in having an attached aluminum bracket with linkage provisions for steering. Wheel legs are locked in down, but held up only by gas pressure; a spring in the cylinder forces gear down. All legs are easily adjustable for length and bent for wheels. Gas tank measures about 6" long and 1%" dia.



* ELECTRA (24"span) \$1.30 (was \$2.00)

* DOUGLAS DC7-C(30"span) \$1.80 (was \$2.80)

* SUPER CONSTELLATION (36 span) \$1.80 (was \$2.80)

Shipping \$.25—Calif. 5% 5. Tax—Catalog \$.20 John Hathaway 112 W 7 th St #216 San Pedro, Calif.90731

THAN

DYNAMIC R/C KITS OF AND AN INCOMPARABLE NEW R/C CHASSIS!

> We're all excited about our new R/C chassis . never having seen anything faster in its field. It defies competition! Simple but rugged in construction, the chassis is 1/8" thick draw formed aluminum. Edges are rolled. It features:

- STRONGEST FRONT SUSPENSION EVER **OFFERED**
- ADJUSTABLE CAMBER & KING PIN TILT
- POWER DERIVED THRU CENTRIFUGAL CLUTCH ATTACHED TO FLYWHEEL
- 5 TO 1 GEAR RATIO achieved thru a 12 tooth precision machined aluminum 24P spur gear and a 12 tooth precision machined steel pinion gear.
- BOTH GEARS INSURED AGAINST SLIPPAGE shaft position firmly fixed in the chassis
- MAXIMUM TRACTION—new molded contour sponge tires with controlled cell structure, on aluminum wheels
- MINIMUM MAINTENANCE

Top this "faster than fast" chassis with one of our new DYNAMIC super detailed, crystal clear .060 Butyrate bodies and you'll have the ultimate in an R/C race car . . . at a price you won't believe!!!

#200 STP-T500 INDY KIT. Complete with chassis, adjustable front suspension, flywheel-clutch, tires, wheels, engine bracket, 5:1 gear set, (steel pinion), body, hardware

*Does not include engine.

\$49.95*

#201 PORSCHE 917 COUPE KIT. Complete with chassis, outriggers, adjustable front suspension, engine bracket, flywheel-clutch, tires, wheels, body, hardware

Also available

Deluxe R/C RACE CAR KIT

The first complete 1/8" Scale ALL METAL KIT

It features: . Durable diecast aluminum alloy chassis

- num alloy chassis

 Screw driver & wrench assembly

 Countless means of modification . . . tap, drill, saw, file or polish
 Vibration-free operation
 Torque converter

 Clutch and brake
 Realistic scale wheels
 Tires with maximum traction
 Full spring shock suspension fully adjustable
 Super detailed .060
 Butyrate Body
- (transmission)-acts as clutch and brake

#100 DELUXE McLAREN MK8A KIT (sport) Complete kit with chassis, torque converter, wheels, tires, outriggers, spring shocks, body, hdwe.

\$127.50*

#101 DELUXE MATRA FORD KIT (formula) includes chassis, torque converter, spring shocks, wheels, tires, body, hdwe.°

\$119.95*

13309 SATICOY STREET . NO. HOLLYWOOD, CALIFORNIA 91605



P(P(I))MODELS

*Does not include engine.

Step into the real world of space with Vern Estes

Science fiction, physics and math...
these were the making of a rocket scientist,
Robert H. Goddard. Born in Worcester, Mass. In
1882, this pioneer in American rocketry read all
the books of Jules Verne and H.G. Wells that
he could get his hands on. As a young man
he realized that "If a way to navigate
space were to be discovered, it would
be through physics and mathematics."
From 1915 to 1941 he launched

many rockets. 10-9-8-7-6-5-4-3-2-1- liftoff!

Live the excitement of launching your first model rocket. Start with the popular Alpha, comes

with your Estes starter kit. Easy to prep and fly, this bird is a dependable performer right through parachute recovery.

- MAIL THIS COUPON ----

Payment	enclosed.
Diana	

- KS-2: Alpha Kit, 3 safety certified engines, design manual, instructions \$2.25
- KS-7: Same as above plus porta-pad and launch control system \$7.00
- New color-illustrated 144page catalog (free with order)

•	4		7	5	57	ES	
-	Si	85	Di),QV	CF	Daw	254

ESTES INDUSTRIES, INC.
Dept.4-L , Penrose, Colorado 81240

NAME.....

ADDRESS....

ADDRESS____

CITY____STATE___ZIP___

MAX HESTER says

...'The Fox 15RC amazes me by how well it runs and how outstanding its carburation is. Idle and power are superb. It's the ideal motor for our SIG Aero Sportster, Relic, Fleet Biplane, Stinson L-5, R-C Sport, Beaver and Stits Flutterbug. I recommend the Fox 15-RC for anyone who wants a 15. You can't beat it!"



MAX HESTER - 3 times Nationals RC scale winner...Internationals team member and winner of hundreds of smaller RC scale and pattern contests. Max is 45 years of age and has been flying RC for 20 years. He is plant superintendent for Sig Manufacturing Company.



FOX 15x RC

\$14.95

The Fox 15 RC has enough power to fly a full house proportional that will fit in your car or will do an outstanding job with pulse proportional systems.

FORT SMITH, ARK. 72901 A/C 501 646-1656

Nelson Model Products (Rowan's distributor) can supply refilling valve for use with standard can of Freon, purchased locally. Valve assembly will cost about \$4: cans of Freon \$2

about \$4; cans of Freon, \$2.


WING POSI-TRACT UNITS are the only present ones to have a built-in electric motor. Practically the same unit is used for both nose and wing positions. Nose gear may be mounted either horizontally or vertically and is fully steerable. The new Olympic units require only two wires to each gear and have two simple SPDT switches for operation. All gears operate together, but each has built-in limit switches, as well as capacitor and RF choke suppression of electrical noise. They work on 3.6V (not center-tapped). They require about ten sec. to retract, current running 200 to 350 ma. Several styles of 5/32" dia. wheel legs are available. Plastic dust covers are offered at extra cost. Units lock in any position because of the style of gearing used. Apparently, the maker feels it is sufficiently rugged to take inevitable abuse. Units are mostly plastic, including all gears except motor pinion.

CAS GEAR UNITS operate much on the same principles as the KDH (see Fig. 3), are all-metal and spring-loaded so that extra-powerful servos are not required. They are compact and have smooth action. Main gear legs do not have shock-absorbing coils in the wire, but the nose gear has five-turn shock coil. All legs are easily replaceable by loosening one setscrew. A single ordinary servo (no special 180-degree servo needed) will operate an entire trike gear setup. With spring assist and smooth action, this seems possible. About 11/16" thrust movement is required for operation. Spring tension is easily adjustable for different wheel weights and a simple ingenious mounting scheme is included. With each gear comes a plate of 3/16" ply—7½ x 3½" for main gear units, 7½ x 2½" for nose gear. Plates are printed for RLG unit mounting holes and for cutout to clear retracted gear leg and wheels. Holes for wheels of 2¾" to 3" dia, are indicated.

RMK SPECIAL GEAR UNITS are intended to operate from RMK special rotary servos, but can be handled by any other adequately powerful servo. Units are not spring-loaded, so one servo for nose gear and one for two wing units are probably mandatory. Although from the same maker, they are entirely different in appearance and design from other MK units reviewed. RMK special units also operate on the principle shown in Fig. 3.

Main gear units have single 5/32" music wire leg with three-turn shock

8 OUT OF 9 NATIONAL CHAMPS







Now from POCHER comes an exciting new model in their 1:8 scale series. The Rolls Royce Phantom Il Coupe marked the introduction of one of the worlds great classic cars. Fitted with a Sedanca body, this automobile offered the finest in motoring pleasures.

Over 2000 parts, mostly metal, in theRolls Royce Kitprovide the finest automotive model vet produced. Scale features include working suspension steering, brake system, opening doors, individual spoked wheels and realistic roll back top.

K-72 CONSTRUCTION KIT Complete parts and instructions

Send 75¢ for the New 1970 BOYD MODELS catalog of ships, planes, cars



Constructo Ship Catalog - \$3.00

Los Angeles, Calif. 90021 810 East 14th St

coil. Nose gears have dual 1/8" music wire legs, with four-turn coil in each leg. Main gear legs are easily replaced by removing one screw. Nose gear wires are straight as received, length is adjusted to suit when axle parts are assembled. Nose gear is designed to mount on the firewall's back surface. Leg is steerable. Units are mainly metal; the few plastic parts used eliminate most metal-to-metal contacts. Connections to operating and to steering pushrods are plastic. Servo movement required is % to ¾", depending upon the hole used in operating arm. Since gears lock both up and down, a 180-degree servo is not necessary, but a strong servo is important.

References

References
(1) RC Piper Comanche, Ralph Jackson,
May/June 1966 AM, p. 13.
(2) UC scale B-17G, Laumer and Simmance,
July/Aug, 1963 AM, p. 17.
(3) Pictures, data on UC P-38 RLG system,
H. Ogden, May 1967 AM, p. 29.
(4) Data on Centrak RLG in UC plane, AM
Annual for 1965.
(5) Data on Centrak RLG in UC plane, Feb.
1967 AM, p. 23.
(6) Pneumatic RLG system for RC plane.

1967 AM. p. 23.

(6) Pneumatic RLG system for RC plane, Dale Root, Jan./Feb. 1966 AM. p. 14.

(7) Pneumatic RLG system for UC Stunter, Harold Price, Jan./Feb. 1964 AM. p. 36.

(8) Bill Bertrand's RLG unit, March 1966 AM. p. 64.

(9) Modifications to BK RLG units, Martin Dietrich, June 1968 AAM. p. 30.

UNIVERSAL ZONA SAW

Designed for radio builders, 1516" cut. Fine thin cuts for those thick pieces



F.A.I. Model Supply 1112 W. Mission Lane Phoenix, Az. 85021

On the Scene

(Continued from page 12)

smooth operation with minimum delay between flights. Finalists in D N & E, using a full pattern, competed on Sunday.


Among the 13 entries in Scale was Ken Drummond's six-engine B-36 which had to be seen to be believed. And it flew beautifully! The racing events drew 27 contestants in Formula I, nine in FAI Pylon, and 25 in Sport Pylon. Extremely trying wind conditions kept times down and mortality high.

Perhaps the most gratifying event was FAI Pylon, conducted under the FAI pro-visional rules. Standard 25/75 fuel (Zero Nitro) was used and mufflers were required. Despite high winds, Harold de-Bolt had the fastest heat of 2:18; which is competitive by any standards, His opinion was: "This is a heck of a good event if they would only get rid of the blankety-blank mufflers!" However, to me the sound was beautiful, and the ships even look faster when they are quiet. Zero Nitro sure does save the finish and dollars.

Winners in the events were as follows: Class A Jr./Sr., James Carlson; Class A Open, Donald Love; Class B, Ted Berman; Class D Novice, M. C. Reed; Class D Ex-pert, Ed Keck. Also: Scale, H. Vandiver; Formula I, Marvin Kowalewski; FAI Pylon, Maurice Woods; Sport Pylon, Dave Penry; and Biplane Pattern, Dave Corven. As is customary, a Grand Champion was crowned. Marvin Kowalewski took that honor with a win in Formula I and places in FAI and Sport Pylon, Meet you here next month!

BETTER DETAIL!





U.S.S. CONSTITUTION

Kit D9 - Length 141/2"

12.95



Superbly Crafted For Easy Assembly

WOOD SHIP MODEL KITS

With Fine Quality
Cloth Sails



The use of hardwood throughout, insures an heirloom permanency that will last for generations—Carved hardwood hulls—Planking grooves printed into decks—Tapered birch masts and yards—Miniature rope for rigging in different sizes and colors—Complete hardware pack contains dozens of cast metal fittings—Many finished hardwood parts (as req.) Brass Chain (as req.) Authentic decals—Fine mahogany display base with mounting pedestals and hardware—Plans completely illustrated and detailed in step-by-step fashion, showing every "secret" method of easy mast construction and rigging—etc., etc.

SLOOP FERRET

Kit D8 — Length 151/2"

9.95



Wheels, British Royal Air Force insignia and assorted Hardware. Plans and instruction are simple and complete.

in the book

BEGINNERS SPITFIRE CONTROL LINE KIT



SCHWEIZER SGS 1-34 SAILPLANE CAN BE FLOWN WITH SINGLE CHANNEL THRU FULL HOUSE R/C



LANCER Advanced R/C Stunt Trainer ASSEMBLES QUICKLY AND EASILY, SUPERBLY RESPONSIVE IN FLIGHT



OPERATES RUDDER-ONLY ON SINGLE CHANNEL OR FULL HOUSE WITH SAILS & RUDDER

KIT B-21 \$34.95



STERLING MODELS . BELFIELD AVE. and WISTER ST. . PHILA., PA. 19144 STERLING MODELS * BELFIELD AVE. and WISTER ST. * PMILA., PA. 19144
If no dealer available, direct orders accepted—with 10 % additional charge for handling and shipping, (60c minimum in U.S., \$1.25 minimum outside U.S.)


Catalog of entire line of airplane control line model kits, R/C scale and Trainer kits, boat model kits, accessories; etc. 10c enclosed.

"Secrets of Model Airplane Building," including design, construction, covering, finishing, flying, adjusting, control systems, etc. 25c enclosed.

"Secrets of Control Line and Carrier Flying," including preflight, soloing, stunting, Carrier rules and regulations, Carrier flying hints and control line installation instructions. 25c enclosed.

Address





Merciful Succotash!

AAM's distinctive new self-adhesive adornments for flying machines are available now

to the discerning modeler.

Distinguished eagle, framed exquisitely on a three-inch circular decal 25¢ each; 5/\$1.00

Proud emblem for the noble Tenderfoot on one by two-inch oval insignia 15¢ ea.; 4/50¢



Smith on C/L

(Continued from page 35)

engine size and line length. (Line length same as AMA requires. See list at end of rules.)

(7) Takeoffs score one to five points, landings score one to ten points. (8) Blue zone scores 20 points; white zone, 15 points; red zone, ten points. (9) All laps must be in selected color zone to score points. (10) Failure to stay in selected color zone is an attempt. (11) Three attempts allowed for three official flights. (12) Speed points are mph minus engine displacement.

(13) Models may score up to 105 points for workmanship. CD's can use own point system to judge static (appearance) points. (14) Landing gear and canopy are required. (15) Motor run is not to exceed four minutes. (16) No pressure fuel systems are allowed. (17) No single line control system may be used.

Model Classes	Engine	Line	No. of
(Junior only)	Size	Length	Laps
1/2 A	to 050	35	6
A	051-19	52' 6"	8
В	19-36	60'	7
C	401-650	70'	6

Seniors and Open: Same as above with the following changes: 1/2 A line length is 42 ft. and trimmed for five laps.

Class A: up to .1526 cv. in.; Class B: .1526-.300; Class C: .301-.650.

Well, there it is. A few dollars for the pylon and a fun event is all set. To add interest, have contestants fly in several different color zones in each flight. For example: two laps red, two laps blue, and finish with two laps in the white zone. Or get the hotshot stunt fliers out and have them fly some laps upright, then some inverted or, for real skill, have them loop with the bottom of the loops cutting through a preselected color zone. The last should separate the men from the boys! While originally set up as a Sportsman Race, this event's possibilities are endless. Just be sure to have enough hardware for the winners. That first trophy can be mighty exciting for a Junior in his first contest.

This would be an ideal event for an afterhours activity at the Nats. It should be a natural step up from the Delta Dart program. Literally tens of thousands of Ready-to-Fly models are sold each year, but no competition events are open to them. Prizes can be trophies for the first three and Certificates of Participation for all other contestants. These certificates can be inexpensive. How about the HIAA having them printed up and distributing them through the AMA to CD's who then could run such an event along with their scheduled program? This should bring out the

Drill Straight Holes: A quickie drill jig can be used to drill true holes in speed pans. Keeping the top mounting surface flat so engine and tie-down holes can be drilled is difficult. This jig solves the problem. To use, simply hold the pan against the top bar with a wedge inserted between jig and pan. Make sure the jig is screwed and glued together and all parts are square. Surface the pan top before drilling. . .

Engine Care: Keep engines clean during the winter months by removing them from the airplanes and washing them out to make sure no dirt is in them. After cleaning, coat all moving parts with a light film of oil and wrap in a clean cloth. Check models for broken joints, bad hinges, and general condition. It's a lot easier to do repair work now than to wait until next spring. Also, by waiting, repairs may be done in a hurry and some important job skipped over. The result will be an unsafe model.

McEntee on R/C

(Continued from page 33)

Calif. (near San Francisco), the services of a large computer in Los Angeles were utilized to tabulate scores and record the order of winners for the three different events run in the two-day meet. A direct phone tie-line was used by Phil Simpson (an avid modeler and glider flier, also an engineer with Pacific Tel. & Tel.), who was in charge of data processing and handling. These facilities were available through General Electric Computer Time-Sharing Service, The computer also kept track of contestant registration and RC frequency allocations. . . .

Thermal Detection: While more fortunate glider fliers may utilize thermal sniffers to show when their craft are in rising currents, a much simpler and cheaper method has been devised. Bob Godden, who flies a simple rudder-only glider off a local hill, occasionally had been able to pick up a slope "wave," but it usually was elusive. He then resorted to "Magic Bubble" liquid from the five-andten. By dipping the furnished wand in the liquid and swishing it through the air, a long stream of bubbles forms and shows what really is going on in the nearby airl . . .

Current Glider Kits-the Kurwi Universal 68: Latest in the line of highly successful RC gliders, the Universal 68 can be built with many variations. With a fiberglass fuselage, the model weighs 12 ozs. and is about four and one-half feet long. Its characteristic long tail moment may be one reason the Kurwi is extremely stable and docile in flight. All wing wood is full length, including sheet, strips and hardwood spars. Standard wingspan is 115 in., but plans indicate it can be enlarged to a 139 in. As with earlier Kurwi's, wing and stab halves are held on by a

SIG FIRST IN BALSA AND MODEL SUPPLIES

* Three more SIG Foam-wing R/C Kits...



STINSON L-5>

Realistic semi-scale high-wing design re-tains all the basic lines of the famous L-5. Suitable for single-channel R/C, galloping ghost or three-channel proportional. Very stable, makes a perfect R/C trainer. 59.95

All models have 45" wing-span and are suitable for powerplants from .15-.19

1501

Aluminum landing gear



All three kits include Sig AAA Balsa — plus colorful fuel-proof super Sig decals

▼FLEET BIPLANE

This fine semi-scale bipe features two of Sig's super molded foom-wings, giving a total wing area of 580 square Inches, with strip allerons.

SIG 'AAA' E	BALSA - NEW	PRICE LIST
SHEETS	STRIPS	BLOCKS
36" LENGTHS	36" LENGTHS	3" LENGTHS
1/32×2 20c 1/16×2 23c 3/32×2 26c 1/8 ×2 31c 3/16×2 36c 1/4 ×2 46c	■ 1/16 SQ, 3c 1/16×1/8 3c 1/16×3/16 4c 1/16×1/4 6c 1/16×1/4 6c 1/16×1/2 10c	1 ×2 12c 2 ×2 16c 1 ×3 16c 2 ×3 23c
1/4 x2 466 1/8 x2 526 1/32 x3 326	1/16×3/4 12c 1/16×1 15c	3 ×3 360
1/16 x 3 32 c 3/32 x 3 40 c 1/8 x 3 45 c 3/16 x 3 54 c 1/4 x 3 72 c 3/8 x 3 85 c 1/32 x 4 45 c	■ 3/32 5G, 5c 3/32 × 3/16 5c 3/32 × 1/4 5c 3/32 × 3/8 7c 3/32 × 1/2 10c 3/32 × 3/4 13c 3/32 × 1 7c	1 5G 12c 1/2 x2 14c 3/4 x2 18c 1 x2 22c 1-1/2 x2 26c 2 x2 30c
1/16×4 45c 3/32×4 49c 1/8 ×4 63c 3/16×4 72c 1/4 ×4 80c 3/8 ×4 1.08	■ 1/8 5Q. 5c 1/8 × 3/16 5c 1/8 × 1/4 7c 1/8 × 3/8 10c 1/8 × 1/2 12c 1/8 × 3/4 16c 1/8 × 1/2 2c	1/2 x3 20c 3/4 x3 28c 1 x3 31c 1-1/2 x3 38c 2 x3 42c 3 x3 70c
1/16×6 98c 3/32×6 1 12 1/8 ×6 1 17 3/16×6 1 26 1/4 ×6 1 40 3/6 ×6 1 70 1/32×8 1 25	3/16 sG, 8c 3/16 x 1/4 10c 3/16 x 3/8 12c 3/16 x 1/2 16c 3/16 x 1/2 16c 3/16 x 1/2 22c	3/4 x4 35c 1 x4 40c 1-1/2 x4 52c 2 x4 62c 3 x4 90c 1/2 x6 44c
1/10×8 25 3/32×8 35 1/8 ×8 40 3/16×8 55 1/4 ×8 75 3/8 ×8 95	# 1/4 5G 13c 1/4 × 3/8 15c 1/4 × 1/2 18c 1/4 × 3/4 24c 1/4 × 1 30c # 5/16 5G, 15c 5/16 × 3/8 20c	3/4 ×6 50c 1 ×6 59c 1-1/2×6 82c 2 ×6 92c 3 ×6 1.33 12"LENGTHS
48" LENGTHS 1/32 x 3 43c 1/16 x 3 43c 2/32 x 3 54c 1/8 x 3 60c	5/16×1/2 25c 5/16×5/8 30c 5/16×1 35c ■ 3/8 5Q. 18c 3/8 ×1/2 28c	1/2 ×2 28c 3/4 ×2 35c 1 ×2 42c 1-1/2×2 50c
3/16×3 72c 1/4 ×3 89c 3/8 ×3 1.24 1/16×4 62c 3/32×4 68c 1/8 ×4 80c	3/8 x3/4 32c 3/8 x1 40c 1/2 5Q, 27c 1/2 x3/4 36c 1/2 x1 43c 5/8 5Q, 32c	2 x2 60c 1/2 x3 38c 3/4 x3 54c 1 x3 60c 1+1/2x3 73c 2 x3 89c
3/16×4 PAC 1/4 ×4 1.05	5/8 x 1 42c	3 x3 1.35
3/8 ×4 1.38 1/16×6 1.35	3/4 SQ. 42e 3/4 x1 52c	1/2 x4 59c 3/4 x4 67c 1 x4 79c
3/32×6 1.46 1/8 ×6 1.56	48"LENGTHS	1-1/2×4 990 2 ×4 1.20
3/16×6 1.68 1/4 ×6 1.87 3/8 ×6 2.20	# 1/8 SQ. 7c 1/8 x 1/4 10c 1/8 x 1/2 16c	3 x4 1.79 1/2 x6 86c 3/4 x6 99c
36" LENGTHS	■ 3/16 SQ. 11c 3/16×1/2 22c 3/16×3/4 26c	1 x6 1.15 1-1/2×6 1.60 2 x6 1.84 3 x6 2.68
CONTEST 4-6 LB STOCK 1/32 x 3 37c	1/4 sQ. 18c 1/4 x 1/2 24c 1/4 x 3/4 32c	3/4 ×8 1.17 1 ×8 1.50
1/16 x 3 37c 3/32 x 3 45c 1/8 x 3 50c 3/16 x 3 59c	■ 5/16 5Q 20c ■ 3/8 5Q, 24c 3/8 ×1/2 31c 3/8 ×3/4 42c	1-1/2×8 1.75 2 ×8 2.16 3 ×8 3.10
1/4 x 3 78c 3/8 x 3 92c	■ 1/2 5Q 36c	18" LENGTHS

36" LENGTHS

SHAPED T.E.

*1/2 17c *3/4 20c *1 26c *1-1/4 31c

3/4 × 6 2.95 × 3 2.65 1-1/2× 6 3.45 1/2 4 1.75 2 3 × 6 5.50 1/2 4 1.75 2 3 × 6 7.00 3/4 4 2.00 1/2 × 6 7.00 1 + 4 2.55 3 4 × 6 7.00 1 - 1/2× 6 2.95 1 4 × 6 3.50 3 × 6 5.35 2 2 5 5.25 1/2 × 6 2.56 5 5

TRIANGU-

* SECOND GRADE SHEETS

24" LENGTHS

L.E. D

V-H STOCK 12 LB. OR MORE

36" LENGTHS

PLANKS

1 SQ 1/2 x2 3/4 x2 1 x2 1-1/2x2 2 x2

NEW RAISA ADDITIONS

HELL BUEGN HEBITTOHO
SHEETS - 36" LENGTHS
5 32×3×36 30c
1/20×3×36 32c 5 16×3×36 76c
TAPER CUT SHEETS (TO 1/16" EDGE)
1/4×3×36 74c 1.4×4×36 82c
ROUNDED-EDGE PLANKING
5/32x1 4x36 LENGTHS 8c EACH
ROUNDED-EDGE (Alleron & Elevator)
1.4×1×36 40c 1.4×2×36 55c
3/8×1×36 45c 3 8×2×36 65c
WING SKINS - 36" LENGTHS
1 16×12×36 2.00 3 32×12×36 2.25

SIG SPRIICE

36" LENGTHS	48 LENGTHS
1 10e.1 8 5c 1/0e.1 4 7c 1/0e.2 16 5c 1/0e.1 4 7c 1/0e.2 16 5c 1/0e.1 4 7c 1/0e.2 16 1/0e.1 4 7c 1/0e.2 16 1/0e.1 4 8 1/0e.2 16 1/0e.2 1	33 x 3 x 3 x 3 x 3 x 3 x 3 x 3 x 3 x 3
28 x38 24c	3 16 + 3 4 150

BIRCH PLYWOOD

FINEST GRADE		24" LENI	LENGTHS		
- FLAT 5		1/32+12	1.40		
12" LENC	STHS:	1/16×12	1.69		
1:32×0	35c	2/32+12	1.60		
1/16×6	40c	1/8 x 12 3/16 x 12	7.80		
3/32×6	402	1/4 x 12	2.00		
1/8 ×6	45c	MACHINE.	X1.00		
1/4 ×6	45e 50e	48" LENV	GTHS		
1/32 x 12	70c	1/32×12	2.80		
1/10×12	804	1/16×12	3.20		
1/32×12	SJC	2 32 × 12			
1/8 × 12	90¢	1/8 + 12	3.60		
1/16 = 12	¥-c	2/16+12	2.6		
1.04 - 6.22		114 - 412 -			

SIG BASS WOOD

310 0			
181 1	ENGTH	SHEETS	
1/16 x 2-1 /2 1/32 x 2-1 /2 1/8 x 2-1 /2	176	3/16×2-1/2 1/4 ×2-1/2 3/8 ×2-1/2	23c 26c 35c
	BLCC	ks.	
1/2×3/4×6 1/2×3/4×12 1/2×3/4×18	110	3/4×2×6 3/4×2×12 3/4×2×18	274
3/4×3/4×6 3/4×3/4×12 3/4×3/4×18	14c	3/4×3×6 3/4×3×12 3/4×3×18	
3/4x1 × 2	9c 17c 26c	3/4×4×6 3/4×4×12 3/4×4×18	474
12" LENGT	26	DOWE 36 LENG	THS
1/8 dia,	36	1/8 dia.	60

SIG BALSA WINGSKINS

1 76x12x36 32	3 32	×12×26	\$2.2
SIG MO	DDEL	PIN	15

*8	1/2	Long	*20	1+1/4	Long
514	7/8	Long			Lang
*10	1	Spring	*28	1-5/8	Long
*17	1-1/8	Long	*32	2	Long
Pat.	15c	1,4 (2.	51.15	116.	\$3,95
	MODEL	MAKE	RIF T	PIN	5
24	ite !	de eta	394 4	20 224	\$1,95

21C KORRE	K BANDS
*8 1/16×7/8	*62 1/4×2-1/
*10 1/16×1-1/4	
*14 1/10×2	*84 1/2×3-1/
16 1/16×2-1/2	*105 5/8×5
30 1/8 ×2	*107 5/8×7
*32 1/8 x3	PACKETS 15
ALL SIZES AVAILA	ABLE IN BULK AT
1.4 lb. Pkg. \$1.10	1.1b. Pkg. 53.91

CIC AIDOL AC

210 WILL	JLMG	
OUR NEW	HIGH-GLOSS	CELLULOSE
ACETATE 8	UTYRATE DO	PE FEATURES
TRIPLE-GRO	JUND PIGME	NTS FOR AN
	OTH, GLAS	
	AST-FILLING	
- BI USH-R	ESISTANT & F	ADE-PROOF
NOW AVA	LABLE IN 15	COLORS
Lr. Red 1	Aedium Red	Gloss White
Lemon Yello	A CLE Ye	Tow Gray
	Dare Green	
sky floe	frite Green	Brite Otonge
	Bille Silver	
COLON	4 sz. 676	8 08. 51.19
	Qrt., 52,98	Gol 58.95
CLEAR	4 mg. 19g	8 mg. 98c
PL-+ \$1.49	Q+r 52.39	Gal. 57,19
THINNER.	4 02 390	9 or 59c
Pine 98c	Q+1_51.69	Gal. 54 39
ARCHAE A	LIO AVAILA	BLE IN PINT
SPRAY CAN	\$ 151, 171 PM	ALL COLORS

SIG CORE BOND

SANDING SEALER IGHT WEIGHT, TRANSPARENT, WILL KOT FILL GRAIN LIKE "SUPERFILL"

RAZOR PLANE

R/C FUEL TANKS

DDECCUDE CHEL DUMDS

FAST, E					BIG	
TANKS.						
Half Go	1 po	\$3.19		Gal	lian.	53.
Pump On	14.5	2.29	Py:	mer	Barr	4

COPPER WIRE

SIG FPOXY

SIG EPOXOLITE

SIG CONTEST RUBBER

SIG CELLULOID

.008 × 8 × 10 12c .015 × 8 × 10 30c

NEW CELASTIC

WE HAVE NEARLY ALL MODEL AIRPLANE PRODUCTS ADVERTISED

SIG FOAM BOND

POAM / COLOPLESS & STAINLESS PINT Con \$1.25 GUAFT Con \$2.25 THINNER: PINT Con \$9c

SIG NYLON PUSHROD

SIG SHEET NYLON

SIG NYLON WING SCREWS a 1-1 2" Potkoje

SIG NYLON BUSHINGS

SIG NYLON WASHERS

SIG NYLON ACCESSORIES

SIG HARDWARE

SIG JAP TISSUE PRE-WAR QUALITY JAPANESE TISSUE IN GRANGE, YELLOW, RED, WHITE, BLUE OR BLACK. 18,20 (heef 7c

BAMBOO PAPER

HEAVIER THAN OUR REGULAR JAP TISSUE — IN YELLOW, RED, WHITE, BLUE OR BLACK. 21 x 31 sheet 15c

SILKSPAN

WHITE: 19-1/2x24-1/2 sheet 5c WHITE: 24 x 36 sheet 10c WHITE: 26-1/2x33-1/2 sheet 15c

NEW SIG COVERING MATERIAL - A BLEND OF RAYON AND SILK, IN WHITE, BLACK, RED, YELLOW AND BLUE (36" WIDTH). Per Yord \$1.25

SIG NYLON

SIG SILK

FOR R C MODELS - IN RED, BLUE, WHITE, GOLD OR GREEN 136" x 36"! HEAVY SZ DO EXTRA-HEAVY* 52 25 - "EXTRA-HEAVY IN WHITE ONLY

JAP SILK

SIG SUPERCOAT FUEL PROOF DOPE

LLIANT WHITE .

CLEAR THINNER

SIG SUPERCOAT

IN NEW SPRAY CANS

SURGICAL TUBING THIN WALL, FOR FUEL LINE & USE WITH CLOCKWORK TIMERS 150 FT

SIG FUEL-RESISTANT **DECAL SHEETS**

DRANGE, GREEN, GOLD OF SILVEY
C-CHCCKERGADD (1 & AND 1 2'
SQUARES) RLD, BLUE, GREEN (ON WHITE, HED, MINTE, BLUE, BLACK,
YELLOW, DRANGE, GREEN, GOLD
OR SILVEY OLD CLEAR GOLD
OR SILVEY OLD CLEAR GOLD
OR SILVEY AND ON YELLOW
YELLOW, DRANGE, BLACK,
OR WHITE, HED, WHITE, BLUE,
YELLOW, DRANGE, BLACK, GREEN,
GOLD OR SILVEY ALL ON CLEAR
CON WHITE: FED, WHITE, BLUE,
YELLOW, DRANGE, BLACK, GREEN,
CON WHITE: FED, WHITE, BLUE,
YELLOW, DRANGE, BLACK, GREEN,
GOLD OR SILVEY ON CLEAR
WOLLING THE BULK,
THOMASHAME, BLACK, GREEN,
GOLD OR SILVEY ON CLEAR
WOLLING THE BULK,
THOMASHAME, BLACK, GREEN,
GOLD OR SILVEY ON CLEAR
WOLLING THE BULK,
THOMASHAME, BLACK,
THE BULK,

SANDPAPER

GARNET PAPER

SIG PIANO WIRE

1/32	dia.	éc.	3/32 dia-	- 3
3/64	dia.	7±	1/8 dia.	2
1/16	dia.	96	5/32 dia-	4
36"	LENG	THE	3/16 dia.	3

SIG-MENT

CONTACT CEMENT

R/C HOOK-UP WIRE SIG PACKAGE OF EIGHT DIFFERENT COLOR WIFES, 3-FT, LENGTHS, 690

SIG "PETER CHINN" MODEL ENGINE FUEL

FUEL TYPE	Plet	Guerr	Galler
REGULAR	85c	\$1.50	\$4.95
CONTEST	90c	51.59	\$5.95
GRAND PRIX	\$1.00	51.75	-
B F SEEPLAY	14	11.10	\$4.50

REGULAR

CONTEST

GRAND PRIX

R/C SPECIAL

MOLDED FOAM WING

SIG WINGSKINS

COVERING FOAN TYPE WIN 12 806 12 24 51 48 55 20 24 44 56

SIG BUBBLE CANOPIES

1970 SIG MODEL KIT LINE

* NEW SIG FREE COUPON *

THIS COUPON IS VOID IF PROHIBITED, TAXED OR RESTRIC

Nov. '70 AAM



SPACE-AGE MODEL POWER . . . for Aircratt, Helicopters, Racing Cars, Speed Boats, Ships, Etc.

SCORPION 600 \$4.00 For contest models. Engine of thrust 4 oz. Duration 7-9 thrust 4 oz. Lgt. 19/16 oz. Lgt. 19/4". Dia 11/4".







FUEL PELLETS: 50-10 60c, 50-20 \$1.00, 50-20 HT \$1.50, 150-10 \$1.00, 150-20 \$1.50, 600-10 \$2.00

WHOLESALER-DEALER INQUIRIES INVITED

ARISTO - CRAFT MINIATURES 314 Fifth Ave.(Dept. AM. 117) N.Y., N.Y. 10001

tongue and box system.

The plans show rib shapes for Eppler 385 (good for thermal flying) and Eppler 387 (a high-speed foil for slope flying). Also shown is a flying tail and conventional stabelevator setup. The full-size plans come with English instructions, translated by Keith Brewster. The glider will weigh around three lbs. with light equipment for R and E, and Mono Kote covering. The kit costs \$50, and definitely is not for the inexperienced builder.

McCullough on R/C

(Continued from page 33)

engine conks out. Takeoffs and slow flight are impressive and touchdowns are easily made nose high on the main gear. Soon to fly is a ten ft. six in. Twin Porter with an even lighter wing loading.

His opinion is that only WW I or similar simple construction types with high lift sections can be built small and still deliver flights at the scale speeds now demanded by judges. The only way that modern prototypes can accomplish this is to go larger and lighter....

A New Wrinkle: Check the local radio parts supply or a mail order catalog for an aerosol paint called Wrinkle Finish Spray-O-Namel. For use on wood or metal, it gives a fine-textured crackle surface for authentic reproduction of instrument panels. A can should last a whole club for several seasons. . . .

Books For Scale Modelers: Historical Aviation Album No. 8 (HAA, Box 33, Temple City, Calif. 91780. \$5.00.), the latest volume in Paul Matt's epic series, is now available. Color plates have been added but the main items of interest still are the beautiful, clear 3-views. This time they include the Waco UPF-7, Laird Super Solution and the Timm Collegiate. If you are tired of plain old

winged things, check the Vought XF5U-1 Flying Flapjack. Nasty!

Note that all of the Matt drawings which have appeared in the HAA series, in Aero Album quarterly, and in previous issues of AAM, over 75 in all, are available in double-size 17" x 22" blueprints for 75 cents a sheet. These enlargements are a treat.

Lowe on R/C

(Continued from page 32)

if any. If servos are moving as though under control, then keep that transmitter off, because somebody else is operating. Adjacent frequencies, if close, can jitter things but operation will not be solid.

One additional note: Occasionally a manufacturer delivers a radio set that is erroneously marked in regard to frequency; 27.045
may really be 27.095. Check out all new
equipment to be sure the frequency is accurate. In our own club, Doc Rodeghero had
a new rig marked 27.045 and flew it as such
for awhile. Then one evening I prepared to
fly on 27.095 with Doc in the air. When I
flipped on the receiver, lo and behold, the
servos were zipping back and forth—wow!
After Doc landed we checked his rig and
sure enough it was on my frequency. . . .

VTO: Ernie Huber, a guy of considerable talents, has tackled the toughest model design of all—a helicopter. Over the years, some beautiful works of art have evolved, but none were practical models that really flew. However, Ernie's ship is nearing completion, after exhaustive tether testing and overcoming such problems as blade tracking and belt slippage on the tail rotor. John Ross reports that the machine has lifted 16 lb. on a balanced test stand using a ST60. A machinist by trade, Ernie spent six months engineering the design before starting work. This machine is said to be computer-designed,

like airplanes p

fascinated

NAA is America's official voice in aviation as the U.S. representative to Federation Aeronautique Internationale: When aviation and space records are set, NAA is the responsible certification party. When championship competition in parachuting, or ballooning, or modeling, or any aspect of sport flying is scheduled, NAA is there. You can be too, as a member of

America's oldest prestige aeronautic organization. • The special silver wings that distinguish you as a member of NAA are a direct passport to the *entire* world of aviation. You'll know the inside facts about the nation's space effort; you'll be Johnny-on-the-sport at international aerobatic championships; you'll be something of an expert on every phase of American aviation. • Working within the structure of NAA you will be able to

effectively express your opinions on important air and space issues; you will be kept abreast of progress in all fields of flight; you will be eligible to vote and hold office in the country's oldest and most famous aviation association. • As a member of NAA you may receive — 10% to 40% discount on Aerospace Book Club selections. • \$2500 travel accident insurance and \$250 injury medical expense included in your dues. • Automobile rental from Hertz, Avis, and National at substantial discounts. • Up to 25% discount on many national aviations.

SPACE TRAVELS be involved-loin the

magazines. • All National Aeronautic Association publications. • Silver lapel wings and handsome NAA membership card. • The membership of NAA represents all elements of flight — the passenger and the pilot, manufacturer and buyer, astronaut and arm chair adventurer. Be involved in man's greatest experience — JOIN NAA TODAY!

be involved-Join the national aeronautic association

Building, 806- 15th St., N.W., Washington, D.C. 20005



APPLICATION	FOR	NAA	MEMBERSHIP

Please enroll me as a Member-At-Large, I enclose \$10.00 for first Annual Membership dues.

 I am a member in good standing of the following division of the National Aeronautic Association: (Includes members of The Academy of Model Aeronautics)

I enclose \$5.00 first Annual Membership dues.	
Name:	Print or Type
Address:	
City:	
State:	Zip Code



Write for our free catalogue of X-acto hobby tools and sets. X-acto, Inc., 48-41 Van Dam St., Long Island City, N.Y. 11101. Dept. 74

whatever that means, but the results are only as good as the accuracy of the input data. Let's hope that Ernie put in the right data and used the right equations! . . .

RC First Aid: OK, so we got shot down, had a glitch, or made an inverted pass and pulled up instead of down and there it lies in a heap—all that work down the drain! Naturally, the first concern is for those expensive innards called the control system. What can be done to determine its status, be it dead, alive or somewhere in between? Jim McNerney, in the DC R/C Newsletter, makes some suggestions.

Don't: (1) Frantically wiggle the sticks to see if it's been killed. (2) Dust it off, fire it up, and go again. (3) Pick up the system by one component, leaving the rest to dangle. (4) Plug a suspect component into a buddy's

Do: (1) Turn it off (if you can find the switch). (2) Unplug the battery and check for shorts (heat). (3) Check servos and receiver plugs for bent pins, cuts or breaks in wires, etc. (4) Check servos for damaged gears, cases, etc.

If the system seems OK, hook it up and operate, but don't fly it. Take the system home where it can be opened up and every component, such as antenna and wires, servo electronics, checked for integrity. Wiggle components, check for broken ones. If it doesn't work at all and no physical damage is evident, the receiver crystal may be broken. Check by wrapping the receiver antenna around transmitter antenna. It should work if a crystal is the problem. If a servo runs to one end, the problem could be a bad output transistor.

If you don't understand the beast, don't tinker with it! Wrap it up and send the complete rig back to the manufacturer. Include a description of what preceded the crash, if equipment failure is suspected.

NEW! MAVERICK

by Lanier

\$39.95

LATEST SWEPT-WING ADDITION TO THE WORLD'S LARGEST AND MOST COMPLETE LINE OF READY-TO-FLY R/C PLANES. READY FOR IMMEDIATE DELIVERY! NO SHORTAGES.



Only 5 to 12 hours to completely assemble. GREAT FOR FAI PATTERN! Pre-covered MOLDED wings and tail for unsurpassed accuracy — to assure you tops in flying! You cover ailerons, elevator and rudder with the AIR-O-SKIN provided. NEW HEAVY FUSELAGE MATERIAL . . . for longer life. Span 65". Area 630 sq. in. Sym. 17% airfoil. For .45-.60 engines.

LANIER TRIM SET AVAILABLE. Assorted Lanier colors in strong, durable AIR-O-SKIN including complete instructions and examples for adding the 'professional touch' to your finished model....

Only 99 cents.



LANIER INDUSTRIES, INC. • BRIARWOOD ROAD • OAKWOOD, GEORGIA, 30566

SUDDEN SERVICE PLANS

Full-Size Plans — Shipped First Class Mail Within 48 Hours — No Extra Charge

No. 0101, Undone 1-R/C Pattern plane for 60 engine for new maneuvers and lightweight equipment. Wing span

No. 0102, Skyvan — Semi-scale twin 049-powered STOL transport. Simple construction, all-balsa. For C/L. \$1.50

1191, Scimitar - Unusual-looking R/C stunter. High-speed maneuvers, clean tracking. 60 engines. Low-tail Rivets look. By Joe Foster. \$3

No. 1192, Ryan Mailplane — Light, F/F, with plenty of details. For rubber indoor or outdoor. Plan has scale views. \$1.50

No. 1193, Mig 21d — 40-powered C/L version of Russian fighter is fast, version of Russian fighter is fast, stable flyer. By Roland Baltes. \$2.50

No. 1194, 1937 Gas Model — Half-size 049 copy of great old-timer. Has dura-bility and easy-to-fly characteristics.

No. 1091, Halberstadt — Nearly scale R/C WW I fighter with semi-symmet-rical 6' wings. 60-powered. Two sheets.

No. 0791, Pusher Galore - Bill Hannan's all-sheet, rubber pusher for Ten-derfoot. Looks like supersonic trans-

No. 0894, Voltswagon — Trainer and stunter by Marsh for electric tether flying with slot-car motors. Plans for the pylon included. Great club activity. \$1.50

No. 0794, Skimmer Airboat — Sled-type fun watercraft by Paul Hook. .09 engine, R/C rudder, throttle. \$2

No. 0991, Flashby I — Rakish-looking all-balsa ROG by Wayne Brown. For the Tenderfoot. Tricycle gear. \$1

No. 0992, Fouga Cyclone — Scale model of jet-assisted French saliplane, by Nick Ziroli. Gains altitude easily on 09 engine. A two-piece 7-ft. wing. For R/C. \$3.50

No. 0993, La Jollita — Profile 15-powered Goodyear C/L racer by James Kloth, fast, groovy. On mild fuel and engine does 85 mph. \$1.25

No. 0892, Taylor Cub F-2 — Sport, F/F, scale, .020. Stick-and-tissue. By Schreyer. \$1.75

No. 0893, Martin MO-1 - Rare WW-1 era monopiane, carrier fighter ideal for Class 1 Carrier, Ailerons keep lines tight at low speed. By Reeves.

No. 1181. Junkers D-1 - Joe Tschirgi 1918 fighter, proportions for perfect R/C scale. .45 engine. Low-wing has 500 sq. in. \$2.50

No. 1182, FAI Pussy Cat — On this FF, Earl Thompson used high thrust-line, rear fin, clean lines to hurdle climb/transition gap. Hot .15, \$3.50

No. 1281, Strato-Streak '68 — Frank Heeb's ½A F/F updated version of hottest gas model of 1941 era. Simple pylon, 275 sq. in. \$1.50

No. 1282, Sky Mite — Small R/C multi by Hibbard has performance of larger craft. Foam and fiberglass. Span 52". Weight with 4-channel gear, 4 lb., .19 to .35 engines. \$2.25

No. 0191. Curtiss-Wright Jr. - Robert Hawkins transformed open-cockpit pusher of thirties for single channel. First step into RC scale, Span 44". Use .049, \$2.50

No. 0192, Skyraider — Mottin's Navy Carrier, fast, light, .40's or .60's. Easy construction. \$2.50

No. 0193, Cutic Coupe — Coupe d' Hiver F/F by Dave Linstrum. Quick to build with all-sheet surfaces. Your first rubber contest model. \$1.75

No. 0291, R/C Nobler — Ed Sweeney's conversion of famous C/L stunt ship. A highly maneuverable R/C. Only .40 for all AMA/FAI stunts. \$2.50

0491. Emeraude - Duke reduced famous home-built to R/C size (65"). 40 to .60, does stunt pattern. Gentle. Two sheets. \$3.75

No. 0492, Biceps — Don Yearout's show Control-Line bipe spectacular performer. 60-powered, flies slow, maneuverable. Two sheets. \$4

No. 0591, Small Fry Special — Mottin's C/L trainer for Tenderfoot. Easy to build. An .049. \$.75

No. 0592, Messerschmitt Bf. 109E— R/C, semi-scale by Munninghoff, Mean look of efficient fighter. Two sheets.

No. 0593, Manta — Howard Kuhn's Boost Glider for model rockets easy to build from sheet. A winner, \$.75

No. 0691, Jr. Sky Squire - R/C sporttrainer by Jess Krieser, .09 to .13.
From Galloping Ghost to multi-digital proportional. Span 48" (416 sq. in.), 3 lbs. \$2.50

No. .0892, ½A Sky Squire — Small version famous Sky Squire. 1 ch. rudder-only, or rudder, elevator and motor on Galloping Ghost. Only 22-28 oz. \$2

No. 0693, Mustang — Rabe's great near-scale $\mathrm{C/L}$ stunt. Flies pattern with ease. ST 40. Over 57". \$2

No. 0792, Rivets — Speedy, responsive R/C. Owen Kampen design for .020. Adams Baby Actuator, rudderonly. \$1.75

No. 1183, Corrigan — James Wilson's unique ½A C/L stunt model. Flies tail first! Stable like big stunt ships. Easy to build, 23". \$1.75

No. A693, Sweeper - Windy Urtnowsky's giant, C/L stunter, 78" span. .60 up front. Many trim adjustment features. \$2.75

No. A695, Lady Maxley — Brian Donn's A/2 Nordic towline. Davis 3 foil. Ritz construction. \$1.50

No. A697, Dwarf Dip III - Easy to fly, rubber Coupe de Hiver by Charles Sotich, a winner! For small fields. Warp-resistant. \$1.50

No. A691, E A A Biplane — Nick Ziroli's scale R/C uses .40 engine, full house gear. 38" wings, semi-sym-metrical foil, box-and-stringer fuselage. Two sheets, \$2.50

No. A692, Miracle Worker — John Blum's C/L trainer. Combat, carrier, stunt. Easy-to-build profile. 35 en-

No. A694, Montana Duster — R/C Class-C stunter by Simon Dreese, semi-scale appearance. Foam wings, simplified assembly in 6 hrs. Two sheets. \$3.50

No. 1291, Demon Delta — Fast, mild-stunting C/L for 35-45. Looks like modern fighter, Attract attention for demonstrations. By Jerry Farr. \$2.50

1292, Dolphin II - Czechoslovakian R/C for pusher, 09-15 mounted at rear under T-tail. Rudder/motor, good slope soarer. \$1.75

No. 1293, A/Wonder — Simple all-balsa A-1 towliner by Bob Stalick. Ideal for beginners at towline events.

No. 0201. Cardboard Cutie - Inexpensive all cardboard C/L for Tender-foot, 049, Two sheets. \$1.25

No. 0202, Push-Air — For Brown's tiny CO2 engine. Simple F/F by Ehling, like Curtiss-Wright Jr. \$.75

No. 0203, Ole Tiger — Bob Morse's swift Formula I R/C of Bob Downey's famous racer. K&B 40. \$3.50

No. 0204, Classical Gas — Haught's C/L stunt for 35, for flyers graduating from profiles. \$2

Kestrel - Dave Boddington's delightful R/C rudder-only soarer with 02, \$1.50

No. 0301, 1916 B&W — Biplane on floats was Boeing's first airplane. Beautiful R/C job by Francis Reynolds, uses a 60. Two sheets. \$4.50

No. 0302, Bearcat — Al Rabe's stunt C/L was talk of the 1966 Nats. Aldrich customized ST 46, \$2.00

No. 0303, Mistral — R/C by J. Swift, is fully aerobatic 50" job with 40 engine. \$3.00

No. 0304, M. K. Sportster — Ho Fang-Chiun's cute cabin free-flight takes 049 power. \$1.25

No. 0401, D-H 88 Comet — Scale twin by Skip Williams from Jan. '69 cen-terspread for .20's. Fast, stable, can fly pylon rules. \$3.75

No. 0402, Lively Lady — World Championships winning Nordic by Elton Drew. Well detailed plan. All weather fiver. \$3.75

No. 0403. Bonster - C/L Goodyear for club project with 35 engines. balsa and plan has balsa cut guides. By Williamson. \$2.50

0404. Sweapea - C/L Goodyear by Williamson for club project also is tough trainer. For 35 engine. Balsa cutting guide incl. \$2.50

No. 0501, Classic — Contest F/F for 14A to C engines. Build any size, photo reduce plan to suit. As supplied, plan is for C class. Good detail. \$4.50

No. 0502, Mod Pod — All - purpose model, F/F, R/C, or tether — glider or power. Fiberglass pod, arrow-shaft boom, \$1.75

No. 0503, Royal Marine - By Yuji No. 0503, Royal marrie — By 101 Oki of Japan, magnificent scaplane with 6' wing. Two 40's or one 60. Graceful lines, smooth flyer, handles easily on water. Two huge plan sheets, every part shown in detail, \$8.00

No. 0504, Dragonfly — Advanced C/L trainer with interesting shape for a 19. Flat-bottom airfoil easy to build, flies slowly. \$2.50

No. 0601, Flower Power — Sport/ sunt full-house RC with a 40 engine. All-balsa, simplified structure. Plugs generation gap. \$2.50

No. 0602, Skyraiderbuilt-up fuselage shape Navy Carrier job for 35-60 engine. A winner or a trainer all-in-one. \$2.00

No. 0603. Waco - Delightful bi-plane. stick and tissue, rudder-only RC on 09 to 020 for FF. Very well detailed plan. \$2.50

AMERICAN A	IRCRAFT	MODELER
733 Fifteenth St.,	N.W.	
Washington, D.C.	20005	

Please send the following plans by First Class mail, at no extra charge. I enclose \$_____ for payment.

Name _

______ State _____ Zip _____

#____\$___ ____ \$__ __ \$____ ____ \$__ Total: \$

PLAN NO. COST

No. 0701, Suds — Nimble RC for sport or competition. One-piece construction, 40 to 60 engines. Build fast from standard balsa sizes. By Joe Dolan, \$4.25

No. 0702, Contender — Military-like RC, also Sport/Stunt type for 35-60. Tri-gear, removable no-dihedral wing. Fast building. By Dave Platt. \$4.25 Special Offer: Get both Suds and Contender plans for only \$7.00

No. 0703, Ironsides — Record-holding CL jet speed model. Metal or wood model shown. Uses Dyna-Jet. By Jerry Thomas. Two plan sheets. \$1.25

No. 0704, Cessna AW—Delightful stick and tissue FF of great private plane of years ago. Indoor or outdoor version possible. Peanut Scale too.

No. 0801, Winnie Mas — Spectacular RC Vega for strong 60 engine in 2"-1' scale, foam and balsa, lots of details. By Monty Groves. Two big sheets. \$4.50

Also, special 1½"-1' version for FAI scale, 40 thru 60's. Two sheets. Order as No. 0802. \$4.25

No. 0803, Thermal Dart — Enlarged and improved rubber-powered beginner's delight by Frank Ehling. \$1.00

No. 0804, BV-141 B — Asymmetrical WW II fighter bomber in profile for 049 engine by Terry Aldrich. Easy to make, good flyer, \$2.00

No. 0901, Sorcerer—Pee Wee 02-powered, free-flight flying saucer uses sheet wing, easy to make by Tenderfoot builder. \$1.00

No. 0902, Cloud 9—Intricate contest winning Wakefield by Roger Gregory. Plan shows streamlined prop/hub design. \$3.50

No. 0903, Hawker Typhoon — Dennis Adamisin's scale-like CL stunter which won Junior Nats stunt event. Conventional type. \$4.00

No. 0904, Antoinette — Signorino/ Zundel RC. 98" wing, nearly scale, flies well on .36, like powered glider. Plans 3 huge detailed sheets. \$9.00

No. 0905, Mini Cat—Bud Atkinson scaled down the Cat series, for pulse or light digital and up to 19 engines. Easy to make RC sport fiyer. \$2.75

No. 1001, Phantom — Well-engineered RC Dyna-Jet-powered scale fighter by Ralph Saldivar is practical but noisy model. Highly detailed plane. Jet installation shown. \$4.00

No. 1002, Hobbit — Simplified Nordic Al by Bob Stalick is steady on tow, all-weather flyer. \$1.50

No. 1003, Charger — $\frac{1}{2}A$ powered sweptwing stunter does full pattern on long lines safely. \$2.00

THIS MONTH'S PLANS

No. 1101, Autogiro—Simple 049-powered model builds fast and gives unique performance. Pusher prop or motor. \$1.25

No. 1102, Aerobile—Large scale CL or RC of a famous Waterman roadable plane. Uses 45-60 motor. Wing detachable, car drivable! Large single-sheet plane. \$4.00

No. 1103, Akromaster—RC scale/stunt model or real aerobatic plane for 45-60 engine. Fast and responsive, easy to make, simple shapes. \$2.75

No. 1104, Tardon—Formula II semiscale pylon racer or stunt plane for 40 engines. Won event at 1969 NATS. Groovy filer. \$3.00

585

DIGITAL PROPORTIONAL

See your dealer today . . . he's got the hot one
If not available from your local hobby dealer, add
1% for postage and handling and order from:
(California Residents add local sales taxes.)



ADVANCED CONCEPTS IN DIGITAL GUIDANCE

2289 South Grand Avenue

Santa Ana, California 92705



SYSTEM PRICE 349⁹⁵

Spinks Akromaster

(Continued from page 26)

fuselage wing saddle (see drawing). Then drill the ¼" dowel holes in the rear fuselage ply saddle before it is glued on. The front saddle can wait until the wing and its saddle are finished. Then drill the two holes through them both. For added strength, some small pieces of ¾" maple triangle stock are put behind the firewall and onto the sides.

Next, lay out and drill holes for the Nyrods. The ½" sheet top then can be installed. Cut the top at F4 and cement on the rear portion. Glue in large nose blocks. Then plane and sand sides of the fuselage for the 45-degree angle top sheets. The top must be rounded to the contour shown on drawing. This template is cut in half, which makes it easier to use. Install Nyrods and sheet the bottom with ½" balsa.

The 1" nose block is held on with two wood screws. Two 5/16" holes are drilled right through the block into fuse-lage. The holes are filled with pieces of 5/16" dowel glued into the block and fuselage. Then drill through them for the wood screws. The result is a more permanent hardwood mounting.

The nose is shaped to the outline shown in the Spinks article and on the plans. It's a rather simple one. Cut out the back of the nose block to fit engine carburetor and throttle linkage. With the engine mounted, check the clearance for prop and spinner.

Behind the forward 1/8" ply wing saddle on the fuselage, epoxy a piece of hardwood triangle stock. This will ac-



OUNCE & GRAM SCALE

*3²⁵

Measure both ounces & grams. Just the thing for weighing out those wings, stabs, rubber motors & small R/C units. Great for weighing balsa wood.

9 Oz. or 250 Grams Capacity.

4 AMP. NICKLE-CAD CELL	
KOH PELLETS	.50
ACE HEAVY DUTY CHARGER	13.95
CHART-CHARGER	10.95
500 MA. CELLS USED & GUARANTEED	.95
LUBRICIN N-1 4 OZ. CAN	
DOPE PLASTICIZER TCP 4 OZ. CAN	
M SPRAY ADHESIVE	3.95
HOBBYPOXY GLUE	1.00
HOBBYPOXY II GLUE	3.00
I HUDDII UNI II ULUL	0.00

INCLUDE \$2.00 DEPOSIT
ON C.O.D. ORDERS
INCLUDE 50¢ POSTAGE
ON ALL ORDERS. FOREIGN \$1.00

STANTON SPECIALS CATALOG 25c

Stanton Hobby Shop Inc.

4734 North Milwaukee Avenue, Chicago, Illinois 60630 Telephone 283-6446 area code 312

\$38.95

R/C SPERRY MESSENGER

A BRAND NEW ANTIQUE



JACK STAFFORD MODELS 12111 BEATRICE CULVER CITY CALIFORNIA 90230

- EXACT SCALE
 FULLY ACROBATIC
- INJECTION MOLDED COWL
- DUMMY ENGINE CYLINDERS
- ALL SHEET CONSTRUCTION
- ◆ FORMED GEAR ◆ ALL BOLTED ASSEMBLY
- 44 IN SPAN .35 to.60 ENGINES
- COMPLETE PLANS & INSTRUCTIONS
- SCALE THREE VIEWS


PLEASE SEND POSTAGE FOR INFORMATION ON ALL RIC MODELS



Revolutionary—Fantastic—First ABS "Almost Ready to Float" boat kit. LOA 28", Beam 934", Engines .09-.15-.19

Radio equipment: Single or 2 Channel

FEATURES: Three sealed flotation compartments, one radio compartment with waterproof hatch . . . Die-cut Plywood Parts, Ready Formed ABS hull, deck and R/C compartment hatch. Uses standard Octura or Dumas hardware (not included).







cept the 10-32 tapped holes to hold the forward part of the wing to the fuse-

lage.

The stabilizer and elevator are ½" sheet, and the fin and rudder are ¾" sheet balsa. Hinge as desired. The stab, fitted between two balsa filler blocks, must be set at zero degrees incidence.

A fellow flier helped me cut the foam

wing. A piece of trailing edge balsa stock is glued to the trailing edge of the core. The leading edge is a piece of ½" sheet rounded off to match the airfoil. The core is then sheeted with 1/16" balsa. Lay out and cut the ailerons. The sheet on front of the aileron is replaced after the angle is cut.

Then mark out the round aileron bellcrank wells, which can be cut out with 1/32" music wire in a soldering gun. Remove an oversize disk of balsa, insert the hot wire and rotate. The wire cuts a perfect wafer of foam. Then a bellcrank is mounted on a 3/32" ply disk and epoxied in place. Now take a 1/8 piece of music wire, heat the end with a propane torch, and plunge it down through the wing. This makes the pushrod slot. Assemble bellcrank and wire. Do this to both halves and then epoxy together, using glass cloth around the joints.

Both front and back sides of the saddle are 1/8" ply. Glue the landing gear blocks together. Hollow out the wing to receive the double-decker gear mount and attach it with plenty of epoxy. Cover this assembled saddle with 1/16" ply. Note that the landing gears are mounted across the saddle, one in front of the other. When covering the 3/16" wire gear, make the groove for one for-ward of center and the other to the rear. When viewed from the side no one will know one landing gear is ahead of the other, and the ground handling is not affected at all.

Two ¼" dia. dowels hold on the rear wing, and two 10-32 nylon bolts retain

the front. I lay the wing on a flat piece of 4' sq. Novoply, which is flat and true and makes an excellent work surface. Glue on stab and rudder. I buried a Royal Products tail-wheel bracket in the rear of the fuselage, although any combination of 3/32" wire and tubing should work. The rudder has a hole drilled in it to accept the movable arm of the tail

wheel.

Radio installation is up to the builder. I used a Kraft with KP-10 servos, Try to keep the weight down.

The entire plane was covered with Super MonoKote, which keeps the weight within reason. For an exact copy of the real plane, follow closely the color scheme given in the AAM article. June '69 Air Progress has a color photo of the Spinks and it's a beauty.

The canopy was vacuum-formed and cemented in place with Walthers Goo. The wheel pants were molded in fiberglass after R.T.V. molds were produced from wooden patterns. A Royal Products needle-nose spinner was used on the front end. Plywood fairings, added to the landing gear, have slots which are staggered to give the appearance of both axles being on a common centerline.

It would be nice to say that Spinks flew the first time out, but it didn't! A loose transmitter antenna caused some range problems. Once the antenna was securely tightened, the plane flew like a dream. It tracks straight and true on level ground and then rises off smoothly at about half-throttle. Push the throttle full forward and the Spinks moves up like a scorched cat. It does fly fast but

is extremely groovy.

As might be expected, the plane flies inverted with a minimum of down element vator, and the rolls are smooth. The knife edge also is excellent. It would seem that the big, wide fuselage might detract from both knife edge or straight and level, but it doesn't seem to affect them and even may help. The small stab and elevator are more than adequate. I used a long Rocket City horn on the elevator. The plane enters a spin realistically but must be completely stalled out. Try a Lomcovak and watch it flip

out. Try a Lomcovak and watch it flip like a spinning pinwheel.

The Spinks lands like it flies—fast. Go way out and start chopping the throttle on the downwind leg. Then turn and kill it all the way. As the plane settles, keep hauling back on the elevator. Touchdown will occur when the glide can't be stretched any more. Any wind will help slow it considerably. Flaps might help, but none are shown in the AAM drawing or mentioned in the article. A 60 engine is more than the article. A 60 engine is more than adequate, and a 40 or 45 would handle it well. For scale enthusiasts the Spinks Akromaster is an easy one to build.

Should anyone want a canopy, wheel pants or a foam wing I will make them available if the demand warrants it.

Autogiro

(Continued from page 17)

and bend three rotor arms from 1/16" dia, wire. The rotor hub is made from 1/32" sheet brass or galvanized iron, with a 3/32" dia, hole drilled in its center. A rotor hub bushing is cut from brass tubing (1/16" ID and 3/32" OD). Jig up this assembly in an inverted position, by inserting the brass tubing into the hub and spacing the rotor arms 120 degrees apart. Recheck the assembly's alignment and then solder into one unit. After soldering, turn the completed unit

over into the proper position and twist each arm end up five degrees.

Rotor Blades: Cut three rotor blades from 3/32" sheet balsa and sand all their edges round. Then cement a 1/16 balsa frame to the bottom of each rotor blade. Insert a rotor arm (from the soldered assembly) into the frame of each rotor blade. Glue this area thoroughly. When this unit has dried, bend each arm to form a 21/4

dihedral at the tip of each rotor blade. Landing Gear: Cut 1/16" dia. wire to length and bend to shape. Next, notch the previously installed landing gear platforms 1/16" deep and insert wire flush with the platform's surface. Fasten the landing gear to the fuselage with 1/32" aluminum landing gear retainers, which are wood-screwed to the plywood platform. With soft wire, bind each side of the main landing gear V and solder. Also solder the inside wheel-retaining washers and install wheels, then solder the outside wheel-retaining washers.

Final Assembly: This autogiro was designed for 049 engine power. Select one of the medium-power engines and mount it to the ½" plywood firewall with wood screws. Keep the thrust line as near to zero degrees as possible. A 6 x 4" nylon pusher prop is used but each blade tip is trimmed 3/4" to make the diameter


To install the fuel tank, hollow out the balsa just below the firewall. The size of tank needed depends on the flying field's area. Although the autogiro can climb to tremendous heights, it descends nearby in still air.

ART SCHROEDER'S DARING DESIGN! THE EYEBALL IV BY DEE BEE

All new Dee Bee airfoil and fuselage strictly according to designer Schroeder's sensational mid wing pattern machine. This is the proven winner that has the competition world on its' toes! Vibration proof engineering by Dee Bee. Tested and approved by top contest pilots. Ready to fly-and win-for you. Eyeball IV is ready.







BLUE BOOK OF HOBBIES \$2.95 (A BUYER'S GUIDE)

500 Pages of: Model Planes, Trains, Ships, Radio-Control, Military Miniatures, Model Cars, Racing, Educa-tional Science.

CREATIVE CRAFTS CATALOG (100 pgs.) \$1.00

WITH REFUND COUPONS Dealer Inquiries Invited 314 FIFTH AVENUE N.Y., N.Y. 10001 2072 FRONT STREET E. MEADOW, L.I., N.Y.

ELECTRONIC WAR SURPLUS

NT-6 WILLARD 6-VOLT STORAGE BATTERY



Approx. dimensions 3½" | x 1¾4" w. x 2½s" h. Weight: 1 lb. 3 oz. (plastic case) Dry

PRICE \$2.50 each

R/C SERVO MOTOR DRIVE ACTUATOR



contains 2.6 volt permanent magnet motors. Current consumption approx 100 MA. 2-6 voit DPDT Relays Many Gears

Unit completely enclosed in aluminum housing.

PRICE \$4.00 each

NICKEL CADMIUM BATTERY, 1.2 VOLTS



rechargeable thousands of times alkaline storage battery sin-tered-plate . . . flat voltage curve during discharge . . will hold charge for long period of time . . high discharge rate up to 50 amps . spill-proof . may be used in any position . approx 6 ampere hour capacity . . . dimen-sions: 6" high; 2" wlde; ½" thick . . . Approx . wt . 6 oz . . . uses potassium hydroxide (30% Electrolite).

PRICE \$2.50 each, postpaid

Approx. 10 amperehour capacity dim. 41/2" high, 25/4" wide, 3/4" thick, approx. wt: 9 oz. 83.50 postpaid

NICKEL CADMIUM BATTERY, 5 VOLTS



Powerful 5-volt, .5-amp Eveready battery in a compact, lightweight, sealed package. Rechargeable for extralong life. Approx. size: 1%" dia. x 11/2". Approx. weight: 4 ounces. For many modeling uses.

PRICE \$1.95 each, postpaid or 6 for \$10.00, postpaid

C & H SALES CO. 2176 East Colorado Street • Phone: 681-4925 Pasadena, California 91107

BEWARE

The unsuspecting may be zonked by a decall

PLANS COTHINGS

PLANS • WHEELS • SUPPLIES TYRO-GYRO. Tiny, all-balsa autogiro, plans. .60 cents FOKKER FII PEANUT plans by Walt Mooney. 65 cents PILATUS TURBO-PORTER Peanut plans by Walf Mooney. 65 cents
PILATUS TURBO-PORTER Peanut plans by Hannan..75c
SOPWITH TRIPLANE drawings by Björn Karlstrom..\$1
ALCO SPORTPLANE Peanut plans by 51ott..75 cents
1909 ANTOINETTE Plans. By "Pierre" Hannan. Detoiled
stick and tissue type.. 23" span, rubber power...\$1.00

COMPLETE CATALOGUE 25c

W. C. HANNAN, GRAPHICS, P.O. BOX A ESCONDIDO CALIFORNIA 92025

Begin installation of the completed rotor assembly by placing a plain washer over the 1/16'' dia. rotor shaft, then add the rotor assembly. On top of that, sandwich a ball-bearing between two plain washers. Bind the tip of the shaft with fine wire and solder. The rotor blades should spin freely and be reasonably well-balanced. Balance the blades by inserting and gluing small bits of lead to the lighter blade tips.

Insert 1/8" hardwood dowels to the rear of the fuselage, and rubber-band the tail unit in place. Check alignment. The center of gravity position is shown on the plans and can be corrected by

adding lead weight to the nose or tail.

My model was finished with one coat of black fuelproof dope and striped with yellow markings. Dummy cabin windows were striped with tape and doped a pale green.

Testing and Flying: After rechecking the alignment of flying surfaces and the center of gravity location, one important adjustment remains before test flying. Tilt the entire rotor assembly to the left (as viewed from the rear of model) by bending the rotor shaft, just below the rotor bushing, approximately 1/32" to 1/16" from the vertical. This slight bend in the rotor shaft is an effective control in flight. When the rotor shaft is bent to left, the results are similar to rudder control. Bending the shaft back has the same effect as incidence to a fixed-wing model.

Select a grassy area for testing. Lean out the needle valve to full power. To start the rotor blades rotating in the proper direction (counter-clockwise), turn them with a finger. An autogiro is never launched by throwing. Instead, with model facing the wind, walk until the rotor blades develop enough lift to fly the model out of the hand. Observe

the first flight carefully. If the model turns sharply to the left

WHAT A MARRIAGE! Why, the Digit-Migit and our airboat of course. The Digit-Migit at \$69.00 represents today's best single channel proportional radio buy. Already some of our customers have made mechanical throttle controls working off the extreme ends of the servo travel. For plane, boat or car, these little units really perform. Our airboat is designed for .049 to .09 engines and boy, they move right on out! Made of rugged plastic construction for durability and long life. The airboat sells for \$16.95, complete hardware and instructions included. Send your order in today. Money orders or registered checks please.

BANKAMERICARD

HOBBIES, INC. 58 LAKE ST. MASSHIR, M.

AREA DODE 603 / 882-8422

MASTERCHARGE



At last ... a precision election motor for boats a precision electric

SeaWasp 6 & SeaWasp 12

AMAZING EFFICIENCY & POWER - SUPERS CONTROL FROM TICKOVER AT 1/2V, TO FLANK SPEED AT 1.3X RATED V. BURY DEEP IN SCALE BOATS WITH OPTIONAL WATER COOLI WEIGHS 13 0Z. BALL BEARINGS - 12 SLOT BALANCED ARM AIRCRAFT QUALITY - 6 ALZ VOC. - 11,000 RPM - 15 AMPS, MAX.

ELECTRIFY...THE MOTOR'S HERE

Kroker Engineering & Development Co. P.O. Box 14056 Albuquerque New Mex. 87111

after launching, add opposite rudder tab. If this does not remedy the problem, rebend the rotor shaft slightly from left to right or to a more vertical position. With ideal adjustments the model should fly in left-hand circles about 300 ft. in diameter, climbing slowly to 400 to

After the engine stops, the autogiro should descend slowly, with near zero forward speed. If a series of gentle stalls occurs upon descent, move the center of gravity forward by adding weight to the model's nose. Flight adjustments are not difficult to achieve, Keep in mind the following: (1) Power-bend the rotor shaft for proper climb and turns, using rudder tab for fine adjustments; (2) Descentshift center of gravity position until the model descends nearly vertically.


Tips for Performance

(Continued from page 15)

faces is provided. The best rule here is: only one adjustment at a time. Then if an error has been made, it's much simpler to undo it!

After trying various types of power, begin experimenting with the props. In order to obtain smoother and more efficient performance, it is worthwhile to balance the props. As when changing rubber, switching props probably will bring about a change in the model's balance. You may wonder why smaller props are suggested, since virtually every article emphasizes the merits of large props. However, blanket recommendations of that kind must be tempered with moderation. Probably more rubberpowered scale models have self-destructed from being overpropped and/or overpowered than from any other single cause, with the possible exception of warps. Models, which may be marginally unstable, will often perform happily with a small prop, whereas a larger fan may render them completely unflyable. But try it and see.

A change of propeller also can alter





DISCOUNT

PRICE

THIS MONTH ONLY! REECOPY OF THE NEW

HOBBY PEOPLE CATALOG

WITH YOUR ORDER FOR \$5.00 OR MORE.



SR. FALCON 69, 69" SPAN

35-45 disp. reg. \$35.00 **\$27.87** FALCON 56, 56" SPAN 15-19 disc. reg. \$18.95 \$14.87 15-19 disp

R/C RANGER 42



299 SKYLANE 62, 62" SPAN ...\$27.87 reg. \$35.00 19-.35 disp. DOUBLE VOODOO COMBAT

36" SPAN, .19-.35 disp., reg. \$8.00 4.99 LIL WIZARD, 23" SPAN \$ 2.77 .049 disp. reg. \$3.50 ... SWORDSMAN 18, 18" SPAN U/C

\$ 2.36 reg. \$3.00049 disp. HOBBY

PRODUCTS ELECTROCONE GLOW PLUGS

R/C HOT R/C COLD STD. LONG STD. SHORT

\$ 1.29 each \$.75 each

\$ 1.29 each \$.75 each

TERLING



\$189

ANCER 53%" SPAN 35-51 disp.

SE-SA, 403/8" SPAN reg. \$22.00 \$17.96 19-20 disp. RINGMASTER. 42" SPAN 19-35 disp. reg. \$6.95 RINGMASTER JR., 30" SPAN

.09-19 disp.

4.99 reg. \$4.95 \$ 3.99

WEST

DISCOUNT PRICE

TRI-SQUIRE, 5%" SPAN reg. \$15.00 09-.19 disp. LIL-TRI-SQUIRE, 40" SPAN .049-.099 disp. reg. \$8.95 ... LIL "T" GLIDER, 74" SPAN \$12.99 reg. \$17.00 MAGICIAN 35, 48" SPAN

\$7.57 reg. \$10.00 P-51, 48" SPAN U/C

29-.40 disp. SNIFFER 30" SPAN .010-.049

FLEA FLI + 10

FLEA FLI + 10, 42" SPAN .19-.20 disp. reg. \$24.95



reg. \$11.00 ... \$ 8.88 R/P GOLLYWOCK, 32" SPAN

\$ 3.47 \$ 3.47 R/C DAS LITTLE STICK, 46" SPAN 19. 23 disp. reg. \$22.9516.99

CIRRUS GLIDER King of Gliders, Reg. \$59.95 ... \$39.99 TAXI, 59" SPAN .15 - .35 disp. Reg. \$34.98 .. \$26.86

reg. \$49.95 3499



FOR LOW LOW PRICES SEND FOR OUR CATALOGUE

GIANT DISCOUNTS

ACCESSORIES

MODELERS T-PINS TATONE FUEL TANK FILLER AMA PROP NUTS 1/4" or 5/16" 4-WRENCH No. 64 RUBBER BANDS RAND WING MOUNTING TAPE TATONE ENGINE TEST UNIT ELECTRIC FUEL PUMP

6 for \$2.37 30" FIBERGLASS ARROW SHAFTS (reg. \$.65 cents each) ... (reg.\$1,50 each)... 99¢ (reg. \$.98 cents each) 79¢ (reg. \$.98 cents each)... 79¢ (reg. \$1.00) 79¢ (reg. \$1,25) . for 63¢ \$3.99 \$6.99 39¢/ft. 36" (reg. \$5.00) (reg. \$9.00) (large or small).

reg. \$11.95 SALE \$ 888 35 CUSTOM REG \$ 9.95 \$6.99 \$7.76 \$9.99 \$13.76 29 CUSTOM 40 CUSTOM \$10.95 \$12.95 29 R/C \$15.95 35 R/C \$16.95

\$17.95



reg. .020 \$11.95



SE-5A 52" SPAN 45-.60 disp.

DURA LINE FUEL LINE

REG. \$45.00 SALE PRICE 29.99 R/C NOBELER, 51" SPAN 19-,35 disp. reg. \$29.99 \$19.99 U/C NOBELER, 50" SPAN \$10.49 .19-,35 disp. reg. \$15.00 JR. NOBELER, 40" \$7.57 reg. \$9.00 .15-.25 disp. JR. FLITE STREAK, 31" SPAN

\$3.96 .15-.25 disp. reg. \$4.95

TESTOR SKYHAWK SET



\$69.99 REG. \$20.00 SALE \$12.71 REG. \$99.95

HOW TO ORDER

TO BE ABLE TO OFFER YOU THE BEST DISCOUNT PRICES HOBBY PEOPLE ASK FOR ONLY PART PAYMENT FOR POS-TAGE, HANDLING, AND INSURANCE

FOR ORDERS: TO \$5.00 ADD \$.35 \$5.01 - \$8.00 ADD \$.60 \$8.01 - \$15.00 ADD \$.90

\$15.01 - \$20.00 ADD \$1.25 \$20.01 - \$30.00 ADD \$2.00 \$30,01 - \$50,00 ADD \$2.50

ALL POSTAGE OVER \$50.00 ADD \$2.75. PLEASE SEND CASHIERS CHECK OR MONEY ORDER TO IN-SURE PROMPT DELIVERY, CALIF. RESIDENTS ADD 51/2%.

HOBBY PEOPLE IN ONE ALL IN DIE HORE

MODEL AIRPLANES . RADIO CONTROL MODEL RAILROADING • EDUCA-SCIENCE . ROAD TIONAL

RACING . PLASTIC MODELS SHIP MODELS



Over 200 Pages

Fully Illustrated!

*FREE CON \$1,000'S of \$\$\$ IN PRIZES

co	NTEST DETAILS INSIDE CATALOG
4	HOBBY PEOPLE A 130 EAST 33rd STREET LOS ANGELES, CALIFORNIA 90011
	I enclose 50¢ for Hobby People's NEWEST discount Hobby Catalog, Please RUSH it to me today.
Name	
Addre	ss
City _	
State	Zip



MOLDED FUSELAGE • RC • CIRRUS \$54.95 • WINGSPAN - 9'10"

See your dealer first - if ordering direct, add 10% for handling and postage. Our complete aircraft catalog lists gliders, sailplanes and powered models - \$1.00. DEALERS - send for our complete Hobby Catalog.

THE FINEST IN IMPORTS FROM JECO JECO MINIATURES

2837 Ladybird Lane . Dallas, Texas 75220

a model's entire flight pattern. Watch, in particular, its effect on turning radius, especially when the model is set up to fly in right-hand circles. Since a change in props often brings about a change in speed, be prepared for the effect of slight warps or maladjustments to be magnified.

Tardon

(Continued from page 31)

adding 1/16" plywood formers fore and

Cut out the cockpit and finish the area under the canopy. After a pilot and instrument panel are installed, epoxy the canopy in place.

Finishing and Painting: The choice of finishing methods is varied. We began with a good sanding; two coats of Hobbypoxy clear; two coats of automotive primer, wet-sanded between coats; and

the final finish of two coats of dope or acrylic lacquer. Rub and wax as desired.

Equipment Installation: When the finish has dried, hinge the control surfaces, making sure they all move freely. Add the landing gear and tail-wheel. Install a K&B 40 rear rotor with a 2¼" spinner.

Because of the long tail-moment, radio equipment must be placed as far forward as possible. Even so, it may be necessary to add lead to the nose. Tardon II weighed in at 4 lb. 12 oz. before balancing. After balancing, it checked out at 5 lb. 4 oz. It is more important that the plane balance at the CG than weigh in at 5 lb.

Control movement is quite important, since most RCers use too much. By following the recommended throws on the plan, no difficulties should arise. Remember that at higher speeds less throw is just as effective as a large throw at

slow speeds.

Orbit Cobra

(Continued from page 39)

on a shelf. Below it, on one side, is an Eveready battery (#276) whose current consumption was measured at 60 ma. Although not rechargeable, this battery should last for two to three months of hard use. (A NiCad battery with charger is available at a slight extra cost.) Voltage between the anextra cost.) Voltage between the antenna and battery terminal was measured at .8V. Signal amplitude on a CRT showed .67V from base line to peak. The battery is changed merely by removing the back cover (held by two screws) and slipping in a new one.

Throttle and gearshift levers are located on a separate board on the right

cated on a separate board on the right side in a straightforward manner.

The receiver is the same size as all the others in Orbit's 1970 line, but it does have one significant innovation. All connectors are now much smaller so that the car-borne system can be installed easily, with minimum bulk.

The switch is the old reliable sliding type supplied with regular Orbit sets. The battery is square, which made it easier to install than the flat pack. The battery capacity is 500 ma. The receiver batteries, which are NiCads, can be charged as usual with the charger module supplied in the set. The power plugs are a new triangular polarized configuration.

Servos are based on the new 1970 PS-3D Mark III configuration. While the radio will operate the 1969 PS-3 type servos, older radio systems will not operate these new servos because of the pulse frame rate and configuration. The servos delivered four lb, thrust on the linear output but, when a rotary output is used, more speed (albeit with less thrust) is available. Speed, rather than force, is essential, especially for a car's throttle. We found the servo transit time of 0.6 sec. fairly adequate. Resolution was excellent and there was no hint of cross talk or mutual interference.

During a typical car race, the transmitter may be put on the ground (blacktop) and track temperature at times may reach 125 degrees. With mixed feelings we left the transmitter

World's Finest Unit is backed by the World's Finest Service

RCS Engineering (Jerry Pullen) 11015 Fenway Sun Valley, California 91352 Phone (213) 768-1519

Southeast (Bill Johnston) Box 2572 Flamingo Lane tomery, Alabama 36105 (205) 288-9726

Kraft Northeast (Tony Bonetti) 161-175 Linden Street Hackensack, New Jersey 07601 Phone (201) 343-5008

G. G. Electronics (Gary Garabian) 497 Central Ave. Seekonk, Mass. 02771 Phone (617) 761-6268

AUTHORIZED SERVICE STATIONS:

ift Northwest (Len Doody) ite 5 Box 432 a. Washington 98423 (206) WA 7-3290

ol Engineering (Denton Birch)

lonio Baptista Rincon le 79 No. 17-77 "Quinta Claret"

ronix (Ivor W. S. Winby) Miller Avenue Jose, California 95129 e (408) 257-2461

off Franklin

ino, Texas 75074 one (214) 424-5840

KRAFT SYSTEMS EUROPE S.A. (Marcel Van Gompel)

Neal's R/C Service (Neal Strutzenburg) Manson, Iowa 50563 Phone (712) 463-3011

i<mark>gitare Services</mark> (Barry Angus - Brian Green) 3 Retreat Road ampton 3188 Australia ern Virginia R/C Service (Hal Peterson) Oakwood Drive Church, Virginia 22041 (703) 256-6665

Write for Free Catalog







Dumas Products, Inc., 790-2 Park Ave., Tucson, Ariz. 85716

on the track for 45 min, under the boiling California sun. The car also was left standing with the body unpainted, and yet no hint of drift or glitches developed. Thinking of our Northern buddies (who may want to operate radiocontrolled snowmobiles on ice), we wanted to test the radio in a cold chamber but, lacking that, a two-hour immersion in the family refrigerator had to do. Although the servos became a little sluggish, at least they did not act crazy,

Orbit also offers a thick-gear PS-5 car servo. Its gears are strip-proof and operation is very fast. We did not have these during technical testing.

The Dynamic Car

After testing and examination of the radio, the Editor installed an identical Orbit set with the PS-5 thick-gear fastaction servos in the Dynamic car. The following description of the car is based on several weeks of operation, adjust-ments, and racing at the RC model car Nationals.

Instructions included with the car describe and illustrate only its basic assembly. Because of the four-wheel independent suspension, torque converter transmission, and four-part frame, the car has numerous parts and requires plenty of screwdriver exercise. Wrenches for Allen head bolts in the kit are supplied. No special tools are needed, but a Dremel Moto-tool is helpful for trimming excess material beside the spring suspension cups on the stanchions. Detailed instructions for radio installation, suspension adjustment, and handling setup are not provided. These elements are so individualized as to driver, radio brand, and driving surface that instructions would be useless.

Our installation is unique. Orbit's three-servo side-by-side tray was mounted on hardwood supports and located just behind the front suspension stanchions. The steering servo has rotary output and is centrally located. The servo on the right (viewed looking forward) is transmission/clutch function and the servo on the left is the throttle function. The steering control arms were length-ened. A separate link from the servo disk goes to each front-wheel steering arm. The receiver is wrapped in foam and placed between the front suspension stanchions. The battery pack and on-off switch are positioned beside the motor.

Once the car was assembled, it was operated to break in all parts properly, especially the transmission. Then it was completely disassembled, each part cleaned, and reassembled using Lock-Tite on all screws. The suspension elements at the bottom stanchion mounts were not permanently tightened. These are to be adjusted for handling. The universal joint which screws into the transmission was tightened, then drilled for a thin cotter pin. The transmission case was assembled with gasket glue (silicone rubber works well here too) and sealed to retain as much oil as possible. The procedures of break-in, reassembly, and use of Lock-Tite have made this Dynamic car extremely reliable

Suspension adjustments are as follows: front wheels toe-in three degrees, tires flat on the road with control arms perfectly parallel, a 1/16" thick washer is then inserted under



IN CANADA



EVERYTHING FOR THE MODELER

Canadian Modelers:

Write for an ACADEMY CATALOGUE. 75 cents, Postage free. Wholesale only.

Canadian Dealer Inquiries Invited.

ACADEMY PRODUCTS LIMITED


51 Millwick Drive, Weston, Ont., Canada.

Look for the NYROD trademark on every Push Rod!

NOW BETTER THAN EVER! PRODUCTS "THE Flexible PUSH ROD"

PLAINFIELD, ILL, 60544

SLIM PAK - packaged straight - & COIL PAK AVAILABLE



the rear stanchion mount. This tilts the entire front end forward to give a castering effect and to provide understeer during hard cornering. It should be adjusted for different racing surfaces—the more slippery the surface, the more tilt. If oversteer (continuous spin-outs) remains a problem, put a strip of plastic electrical tape around the front tire, covering with one layer of tape only the second and third treads in from the outside. This reduces tire bite.

At the rear, the suspension must be set to have the tires flat on the road at all suspension positions. This means equal length control arms. Adjust the rear suspension spring to be quite hard and stiff. The downward travel of the rear suspension must be limited by drilling and tapping a 4-40


bolt hole immediately under the lower control arms on the chassis and just beside the stanchions. A 4-40 round-head screw in these holes is screwed in from the top, which stops the sus-penson so that the universal joints are parallel to the road. Not only does this improve handling, but it also

eliminates universal joint wear.

Many builders of the Dynamic car
have complained that it is not strong enough to withstand the abuse of hard racing and hitting walls or sharp rocks. At the car Nationals, I learned from Dynamic that a front nerf bar could be added to protect the front suspen-sion. All the open-wheeled cars used such protection. I also learned that a strong music-wire connection must be used between servo and steering arms or between steering arms, depending

THIS IS IT!

Strip Aileron Horns with Swivel & Clevis



Puts the action where the action is. Precision threaded horn. Precision thread, molded in the swivel. Perfect fit for free action on horn. Heavy 3/2" diameter clevis pins. The strongest, most rugged link made. Short throat clevis will retain itself, no need for safety rubber bands. Clevis will accept 2-56 threaded rod. Horn is mfg. from $\frac{3}{32}$ " steel wire and is 6" long from bend in horn. Can be cut shorter if necessary and bent to suit installation. Price \$1.59 pair. Add 25c on direct orders.

ROCKET CITY R/C SPECIALTIES

103 WHOLESALE AVENUE, N.E. **HUNTSVILLE, ALABAMA 35811**

Getting Started in R/C?

START TODAY-order Howard McEntee's

"GETTING STARTED IN R/C." Nineteen chapters of this informative series are now in a single volume at the low price of \$1.25 ppd. Use this book as a firm foundation for a start in Radio Control. Use the coupon below.


Interested in Control-Line?

START OFF with Howard Mottin's "GETTING STARTED IN CONTROL-LINE."

It's Vol. II in AAM's library series for the novice and the expert. Chapters cover all aspects of C/L-where to start, how to build, trim and fly plus a thorough review of competition events. \$1.25 ppd. Use the coupon below.

\$1.25 each or Order Both for only \$2.00

T 0						1	200
AMERICAN AIR							
733 Fifteenth Street							
I've enclosed S	s for	copy(s) of	Mottin's	GETTING	3 STAR	TED	IN
CONTROL LINE /	Price: \$1 25 00	(day					
I've enclosed \$.	for c	opy(s) of M	cEntee's G	ETTING S	TARTED	IN R	C.
(Price: \$1.25 each).							
I've enclosed \$	for set	(s) (One each	of above),	at \$2.00 p	er set.		
RUSH TO:							_
ADDRESS:						1900	- 50
CITY			. 22		710		
CITY		STATE			ZIP	-	_



"Ambroid's my brand"

AMBROID COMPANY, INC.

305 FRANKLIN STREET, BOSTON, MASSACHUSETTS 02110 · Tel: 617 426-9390

on the setup. My car has hit all kinds of obstacles, bounced over rocks, and often hit the wall. However, after adding the nerf bar and stiff steering links, the car is just as rugged as the non-

suspended type cars.

The question most asked at the Nationals was whether it is worth the trouble to have a suspension such as this one. Some cars had absolutely no suspension. Driver limitations (my errors and inexperience) kept the car from contention, but it handled better, it always passed the competition during the corners, and, with the torque converter solidly in gear, it usually outraced them on the straight. I think the suspension is worth the trouble and expense, but it must be patiently adjusted, trimmed, tested, etc., to obtain top-notch per-formance. If these results are not worth the time involved, use a simpler carbut don't expect the same ultimate performance, available only with the Dynamic car.

Together, the Orbit Cobra and the fully suspended Dynamic car make a winning combination.

AIR SHOW

The Confederate Air Force Flying Museum Air Show will be held at Rebel Field in Harlingen, Texas, on October 25th, 1970.

For additional information on the show, featuring World War II combat aircraft in action, contact: Head-quarters, Rebel Field, Harlingen, Tex. 78550.

AMA Contest Calendar

(Continued from page 56)

Oct. 4—Milford, Conn. (A) Flying Aces Club Fall Meet for rubber powered events. Site: Pinkham Field-Orange Ave. D. Stott CD, 66 Bankside St., Bridgeport, Conn. 06606. Sponsor: Flying Aces Club. Oct. 4—Council Bluffs, Iowa (AA) Annual Goodyear & Rat Race CL Contest. Site: Iowa School for the Deaf. H. Hough CD, 924 Avenue I, Council Bluffs, Iowa 51501. Sponsor: Balsa Busters.
Oct. 4—LaSaile, Ill. (AA) Illinois Valley RC Annual Contest. Site: Hamer Strip. M. Doucey CD, 600 Arch St., Ottawa, Ill. 61350. Sponsor: Illinois Valley Radio Control Club.
Oct. 4—Van Nuys, Calif. (AA) Flishtmasters Annual

Oct. 4—Van Nuys, Calif. (AA) Flishtmasters Annual FF, CL & RC Meet. Site: Sepulveda Basin, J. Bailey CD, 11161 Mansel Ave., Inglewood, Calif. 90304.

CD. 11161 Mansel Ave., Inglewood, Calif. 99394Sponsor; Flightmasters.
Oct. 10-11—Taft, Calif. (AA) Califas Annual FF
Meet. Site: Gardner Field. A. Vela CD. 11807 Crystal,
Chino, Calif. 91710. Sponsor: Califas Club.
Oct. 10-11—New Orleans, La. (AA) 9th Annual
Crescent City RC Contest. Site: Crescent City RC
Club Field. A. Wiltz CD, 3231 47th St., Metalrie, La.
70001

70001.

Oct. 11—Ohio City, Ohio (A) RC Club Contest. Site:
Club Fleid. D. Kraner CD, RR =1, Ohio City, Ohio
45874. Sponsor: SHOO Flyers MAC, Inc.
Oct. 11—Mentor, Ohio. MARCS 34 Midget RC Pylon
Race. Site: Club Fleid. F. Vidmar CD, 26500 Zeman
Ave., Euclid, Ohio 44132.

Oct. II.—Waternill, L.I., N.Y. (AA) Suffolk Falcon's 4th Annual Hydro Meet. Site: Mill Pond. D. McGorein C.D. P.O. Drawer E. 149 Wagon Lane W. Centereach, L.I., N.Y. 11720. Sponsor: Suffolk Falcon's

Oct. II—Sacramento, Calif. (AA) Northern Calif. FF Council Contest. Site: Condors Field (Weagel Field), R. Fallon CD. 2667 61st St., Sacramento, Calif. 95817. Sponsor: Capitol Condors.

Calif. 95817. Sponsor: Capitol Condors.
Oct. II—Lincoln Park, N.J. (AA) 12th Annual CL
Model Air Show, Site: (SSCB Club Field, A. Cangialosi CD, 131 Horseneck Rd., Fairfield, N.J. 07006.
Sponsor: Garden State Circle Burners.
Oct. II—Vineland, N.J. (AA) Charles Riser Memorial CL Meet. Site: Senior High School, K. Andrews
CD, RD 3, Box 260, Millville, N.J. 08232. Sponsor:
South Jersey Aeromodelers.
Oct. II—Phoenix, Ariz. (AA) 4th Annual Phoenix
RC Invitational Meet. Site: To be announced. N.
Lemak CD, 2810 W. Golden Lm., Phoenix, Ariz.
85021. Sponsor: Air-Zona Model Airplane Club.
Oct. II—Richmond, Va. (AA) Brainbusters Annual
Fall FF Meet. Site: Curles Neck Farm. R. Lynch CD,
742 Tombark Dr., Newport News, Va. 23609. Sponsor:

HOBBY HELPERS

Group Plan = 1167

sembled using Ambroid Liquid Cement, the best cement money can buy. Try a tube on your next model or repair job, then you too will say "Ambroid's My Brand".

This is the opinion of Vernon Krehbiel, owner of the VK Model Aircraft Company of Akron, New York, He stated "since I started building model airplanes over 40 years ago, Ambroid cement has always been my favorite. The first I ever purchased was packaged in glass vials and corked. At that time the red color was well known to be the symbol of exceptional quality. Thank you for manufacturing and maintaining the quality of this fine product through the years." Vern is shown with two of his built-up kits. On the left is his new VK Fokker Tri Plane and also shown is the popular VK Nieuport. Both of these models were as-

Colt 35—Alan Schwemmer's Class I winner. A docile flyer on a throtted-down 35, it lest the novice shoot touch-and-goes all day. Fly it full bore for aerobatic fun. [a pic of the above is enclosed too]

FULL SIZE PLANS

Sunliner 365—Harry Murphy designed this FF with plenty of wing area to tame the hot .049 and .051 engines. He built it light yet strong-for high performance.

Papa Taca IX—highly efficient design by Walt Perkins. Retractable landing gear cuts down on the frontal area; adds speed and laps. Lightweight too for acceleration.

Group Plan = 1267

Neutrino—not an ordinery delta, this RC was engineered by Dave Youngblood. Fantastically stable and strange appearing, it matches a regular multi ship's performance. Power it with a .45.

Band Wagon—for the flyer about to try Wakefield FF. Brian Dans set out to design, a simple yet sturdy model. It's easy to adjust too. Best of all the prop assembly need not give you nightmares.

\$1.50 Group Plan = 168

Helberspodt-0-11 — Semi scale control liner of a famous WWI fighter by Walt Musciano. Power this rugged model with a 15 to 22 and take off on the dawn patrol.

Dec-Bee — Dario Britishella's newest RC; Scale like multi-design was patterned after the classic national air racers of the thirties. By this original with a 30.

For Special Handling of Plans only

6¢ per oz.1st Class 10¢ per oz. AirMail United States and Possessions only

Latest Catalog send 15¢ to cover handling

HOBBY HELPERS

1543 STILLWELL AVE. • BRONX, N.Y. 10461

"JET START" The Geared Engine Starter

You'u looked at the res Now buy the best

Check List Smallest Safest Reversible Most Powerful Most Economical

.049 to .80 engines and twins

\$24.95

\$39.95 with battery

Dealer inquiries now invited Free brochure on request

Patchogue Hobby Center

240 Medford Ave. Patchague, L.I., N.Y. 11772 Phone (516) 475-8856

Add \$3.50 for postage; balance refunded to individual. All New York state residents add 5% sales tax extra,

* PLUS TAX WHERE APPLICABLE

INTEGRATED DESIGNS \$ 199.95

- . FOUR CHANNEL DIGITAL PROPORTIONAL
- HIGH RELIABILITY DESIGN 90 DAY WARRANTY
- FIVE HOUR BURN IN SELECTED COMPONENTS ONE WATT OUTPUT-TX - FET RECEIVER
- INTEGRATED CIRCUITS FOUR FEEDBACK SERVOS
- THIRTEEN OUNCE AIRBORNE WEIGHT

Liľ

NICKEL CADMIUM TX AND RX BATTERIES COMPLETE! NOT A KIT — FLIGHT TESTED

WRITE

8301 EAST MONTEBELLO SCOTTSDALE, ARIZONA 602-947-7924

Modern design for

all-out competition. Plenty of

room for equipment; built-in non-

trips on sponsons.

Complete cab section removes for

easy access to en-

gine and radio.



ALL METAL FLAKE FINISH

Kit comes in three sizes!

36" ONLY \$49.95 • 27" \$39.95 • 42" \$59.95

PMP MANUFACTURING, Box 10233, Denver, Colo. 80210

(Distributed by Royal Products Corp.)

*Send 25¢ for catalog and price list of the finest in R/C planes, boats and cars—accessories, too!



Brainbusters Model Airplane Club.
Oct. 17-18—Oklahoma City, Okla. Oklahoma Model
Hobble Fair Demo. Flying. Site: State Fair Park. R.
McGee CD, 405 NW 30th, Oklahoma City, Okla. 73118.
Sponsor: T.O.R.K.S.
Oct. 18—Garden Grove, Calif. (AAA) Golden West
CL Championships. Site: Garden Grove Park. J. Plaunt
CD, 106 S. Monterey St., #3, Alhambra, Calif. 91801.
Sponsor: Orange County Thunderbugs Model Airplane
Club.

Spensor: Orange County Thunderbugs Model Airplane Club.

Oct. 24-25—Bay St. Louis, Miss. (AA) 5th Annual Dyna-Soarers FF Folly. Site: Bayside Park, J. Pedreira CD. 4658 Redwood St., New Orleans, La. 70127.

Sponsor: Dyna-Soarers MAC.
Oct. 24-25—So. El Monte, Calif. (AA) Open Pylon RC Races. Site: Whittier Narrows. J. Garabidian CD. 909 N. 3rd St., Montebello, Calif. 90640. Sponsor: San Gabriel Valley RC.
Oct. 25—Fresno, Calif. (A) Fresno's Monthly FF Contest, Site: Near Kerman, Calif. F. Gallo CD, 1725 Kemmore Dr., W., Fresno, Calif. 93703. Sponsor: Fresno Gas Model Club.
Nov. 7-8—Taft. Calif. (AA) WFFA FAI Annual FF Contest, Site: Gardner Field, B. Vinson CD, 233 E. Wilson, Costa Mesa, Calif. 92627. Sponsor: Sky Hoppers of Orange County.
Nov. 15—Colorado (A) Magnificent Mountain Men Indoor Meet. Site: Hinkley High School, H. Blubaugh CD, 555 Moline St., Aurora, Colo. 80010. Sponsor: Magnificent Mountain Men.
Nov 15—Sacramento, Calif. (AA) Northern Calif. FF Council Contest. Site: Condors Field (Weagel Field). D. Foote CD, 2438 Palmetto St., Oakland, Calif. 94602. Sponsor: Oakland Cloud Dusters.
Nov. 22—Van Nuys, Calif. (Special Contest) Northrop Flying Wing Contest. Site: Model Airport (Basin). C. Hatrak CD, 3825 W. 144th St., Hawthorne, Calif. 90205.
Nov. 27-28-29—Tucson, Ariz. (AA) Winter RC Na-

Nov. 27-28-29—Tucson, Ariz. (AA) Winter RC Nationals. Site Marana Air Park. R. Angus CD, 6640 N. Columbus, Tucson, Ariz. 85718. Sponsor: Tucson RC

Club.

Nov. 29—Fresno, Calif. (A) Fresno's Monthly FF
Contest. Site: Near Kerman, Calif. F. Gallo CD, 1725
Kemmore Dr., W., Fresno, Calif. 93703. Sponsor:
Fresno Gas Model Club.

Dec. 13—Van Nuys, Calif. 2nd Annual Jumbo Rubber Scale FF Meet. Site: Sepulveda Basin. J. Balley
CD, 11161 Mansel Ave., Inglewood, Calif. 90304. Sponsor: Flightmasters.

Dec. 2.—Les Angeles, Calif. (AA) SCIFS Year Ender.

sor: Flightmasters.

Dec. 13—Los Angeles, Calif. (AA) SCIFS Year Ender for Old Timer Events. Site: Sepulveda Basin. J. Keller CD, 1890 Moore St., Simi, Calif. 93065, Sponsor: Southern California Ignition Fiyers.

Dec. 27—Fresno, Calif. (A) Fresno's Monthly FF Contest. Site: Near Kerman, Calif. F. Gallo CD, 1725 Kenmore Dr., W., Fresno, Calif. 93703, Sponsor: Fresno Gas Model Club.

Remmore Dr., W., Fresno, Calif. 93703. Sponsor: Fresno Gas Model Club. Dec. 27-28—Winter Park, Fla. (AA) Tangerine In-ternational RC Championships. Site: RCACF Field. W. Schoonard CD, 2080 Sharon Dr., Winter Park, Fla.

1970 Nats

(Continued from page 56)

this year but became Champ by taking

fourth in Pylon I, and fifth in D Pattern. The 1969 U.S. RC World Championship team took the top four D Pattern places, including second place for Jim Edwards (New Albany, Miss.) who was the reserve team member last year. Jim Kirkland (Valparaiso, Fla.) took first, Phil Kraft (Oceanside, Calif.) was third, Jim Whitley (Decatur, Ala.) was fourth.
The third annual Delta Dart Nats

event was again a great success. More models were actually flown than ever before-over two thousand out of many more that were built. Over forty people pitched in to operate the event which ran during five days of the Nats, including one special day for children of station personnel.

This year the event featured the HIAA-Flyer version of the Delta Dart, with bulk-pack kits produced by member firms of the Hobby Industry Assn. of America. New simplified pictorial instructions were used to aid construction, and the kits were praised as a major contribution to the current AMA-HIAA

Junior Program.

The event was highlighted on local TV, with a reporter building a Dart for the cameras. Miss Model Aviation—Suzanne Bowie, a cute and cheerful Continental Airlines stewardess-also built and flew a Delta Dart along with the youngsters. One hundred and fifty awards were given to Delta Dart contestants—30 per day; 10 for each of three age groups from 8 to 13. Delta Dart was a big effort this year, better supported and organized than ever before.

Scale got a major overhaul in practically all categories this year, with new procedures and scoring forms. As a result, Scale judging was credited with being more consistent and efficient this year, despite increased entries. Control Line had some crowd control and score confusion problems, but otherwise Scale as a whole was a happier Nats category to most entrants. To top off a great week, the AMA Executive Council approved the upgrading of Scale to full Contest Board status, effective immediately, with Claude McCullough (Ottumwa, Iowa) as its first chairman.

Nats week was climaxed by an outstanding Sunday Air Show. The Navy's Air Barons—also dubbed the Red Barons due to their colorful uniforms—put on a great full scale precision flying demonstration which equalled that of the better known Blue Angels Navy team. The Barons' A4D Skyhawks were smaller and more maneuverable, enabling their show to be flown in a much smaller area of airspace.

Both before and after the Barons, modelers flew all types of demonstrations: CL Combat and Racing, Speed and Stunt; RC Sailplaning, Pylon Racing, Aerobatics; FF was represented by a great Old Timer flight and a pair of flying saucers. At one time there were at least twelve models in the air simultaneously. About seventy-five modelers took part, and each received a special Nats Air Show medal and ribbon from Miss Model Aviation at the end of the program.

Nats week ended suddenly and spectacularly at the close of the Air Show. As the show ended, Admiral Bernard M. Strean, Chief of Naval Air Training, Pensacola, Fla., indicated his pleasure at how well the Nats went and said that the 1971 Nats would he held again at Glenview. This was further confirmed by the new commanding officer for Glenview who took over immediately after this year's Nats. The basic Navy position seems to be that economic and operational problems prevent continuing the former policy of changing the Nats location each year, at least for the present. The next best thing, according to Navy officers, is to do all that's possible to make the Nats at Glenview better than ever so as to make the trip worthwhile for those who might be able to come from far away.

Already discussions are being held to improve on various aspects of the 1970 Nats, with a particular view toward better informing of contestants and spectators as to field activity and also simplification of paperwork, procedures, and processing.

One new aspect of the 1970 Nats was well received—tenting. The tent and camping trailer areas were well used and caused no major problems. They greatly relieved the berthing shortage at Glenview and permitted many to attend the Nats cheaply so as to offset the cost of traveling. The success of this operation has assured its continuance next year.

In a future issue we'll tell more about the great '70 Nats: how it was organized and who contributed to its success. It's a story worth knowing—it took well over a hundred officials and lots of effort.





INDEX TO ADVEDTICEDS

INDEX TO ADVERTISERS	
Advertiser	Page
Academy Products Limited ACE Radio Control, Inc. Ambroid Company, Inc. American Aviation Historical Society Aristo-Craft Miniatures Associated Hobby Manufacturers	50-51 . 79 . 82 . 68
Boyd Models	. 63
Centuri Engineering Co	
Dembros Hobbies, Inc. Dee Bee Models Du-Bro Products, Inc. Dumas Products, Inc. Dynamic Models	. 73 . 57 . 77
EK Products, Inc.	
F.A.I. Model Supply	
G.E.M. Models Carl Goldberg Models, Inc. Grish Brothers Paul K. Guillow, Inc.	. 13
W. C. Hannan, Graphics John Hathaway Heath Company Hobby Helpers Hobby People Hobbypoxy Products	60 59 79 75
Integrated Designs	80
Jeco Miniatures	. 76 b. 5
Kalmbach Publishing Co. Kayeff, Inc. Kraft Systems, Inc	44-45 ver III
Lanier Industries, Inc.	
Marine Model Co., Inc. Midwest Products Co. Mini-Flite Company Model Rectifier Corp. Co Model Shipways	63 72 ver IV
National Aeronautic Association	68
Octura Models	58
Patchogue Hobby Center Phil-leys PMP Manufacturing Polk's Hobby Dept. Store	62
Rocket City R/C Specialties	78
Scientific Models, Inc	73 67 71 71 64-65
Tatone Products	
Verdell Instrument Sales Co Vintage Model Aircraft	
Williams Brothers	
X-acto, Inc	69
C. A. Zaic Co., Inc	81

OUALITY HOBBY SHOPS

Quality Hobby Shop spaces are sold on a six-month basis at \$7.00 per month, payable in advance. All insertions must be consecu-tive. No mention of mail-order business is permitted. Closing Date: 10th of third pre-ceding month.

OHIO-CLEVELAND

We carry the most complete line in Ohio for your model airplane hobby. Also large HO train dept., Boats, R/C, motors, parts, supplies, dope, balsa, tools, books, magazines, etc. etc.

NATIONAL HOBBY, INC.

5238 Ridge Road

(216) 749-4750

CALIFORNIA-LOS ANGELES

CALIFORNIA—LOS ANGELES
Large stock of model airplane kits and supplies including Top Flite, Testor, Guillow, Sterling, Aamco, Scientific, Midwest, Aero Gloss, X-Acto, plus many others. Also we stock R/C equip., trains and accessories, model ships and boats, and slot racing: Hours: Mon & Fri 10 AM—9 PM, Tues & Thurs: 10 AM—7 PM, Sat 10 AM—8 PM. Closed Sundays. Downtown near the Spring Sts.

NATICK STORE

209 West Fourth St.

MA 6-3339

SOUTH CAROLINA-BEECH ISLAND (Near Augusta, Ga.)

We carry hard to get items, custom kits in R/C. 20% discounts on most kits-motors-accessories-U-Control-etc. Open 9:00 AM till 11:00 PM. MILLER'S HOBBY SHOP

(803) 822-0565 315 Laurie Dr.

MASSACHUSETTS—CAMBRIDGE

Model planes, motors, railroads, ships, radio control equipment and accessories — also slot racing supplies. Open 9:00 AM to 5:30 PM daily & Thurs, evenings.

CROSBY'S HOBBY CENTRE

1704 Massachusetts Ave. (617) 547-4389

MICHIGAN-DETROIT (FERNDALE)

Trains, planes, stamps, coins. R-ways. Over 50,000 items for hobbyists. Mich, largest antique train collection. Look for our 55' RR crossing sign. Arnold Rapido.

MODELS HOBBY CENTER 22524 Woodward Ave. (Zip 48220)

GEORGIA-DECATUR

HO Railroads, Planes, Model Car Racing. Open 11 A.M. to 10 P.M. Metro Atlanta's Friendly hobby

HOBBY HOUSE DECATUR SPEEDWAY

130 E. Ponce de Leon

HONG KONG-KOWLOON

The most complete stock of aeromodelling and hobby supplies in the Far East. Sole agents for Graupner, O.S. and Min-X and agents for Vernon, Frog. Solarbo and many others. and many others

RADAR CO., LTD.

Kowloon, Hong Kong 2 Observatory Road K-680-507

NEW YORK-BUFFALO

Pactory authorized Orbit and Micro-Avionics sales-service center. New Orbit and Micro radio systems at very best prices. Complete stock of parts and acces-sories. Immediate service on all Orbit and 1970 Micro systems. Guaranteed reconditioned previously owned Orbit systems always available.

ORBIT NORTHEAST

3833 Harlem Rd. 14215

Ph. (716) 836-6860

378-2253

CLASSIFIED ADS

Rates: 30c per word (including name and address). Minimum-14 words, Send remittance with copy and order to: AMERICAN AIRCRAFT MODELER, 733 Fifteenth St., N. W., Washington, D. C. 20005.

WE MADE \$100,000 MAKING MODELS-Fantastic report reveals secrets—Send \$4.75—Start making money at home. MINIKIN, 3505-412 Turtle Creek, Dallas, Texas 75219.

WORLD WAR I HEX-CAMOUFLAGE, 4 colors, individually cut pieces \$2.95 pkg. 1"-1' and 2"-1' scale. VINTAGE MODEL AIRCRAFT, Route 3, Box 219, Coos Bay, Oregon 97420.

CUSTOM SPEED COMPONENTS-Formed sheet custom speed components—formed sneet aluminum wings, machined magnesium spars, magnesium tails, matched sets or individual components for U/C speed, proto speed, ratrace or Goodyear models, all classes. Rat Race and Goodyear fuel cut-off switches. Free technical components of the c nical information and price list. TECHNAMICS CORP., P.O. Box 1665, Scottsdale, Arizona 85252. Tel. 602-949-5251.

BOEING 747 COLOR SLIDES. Four-slide set, \$1.00. Ten-slide set, \$2.00. PAP, Box 948, Lawndale, Calif. 90260.

AEROTEC MODEL ENGINEERING COMPANY, Juniper Drive, R.F.D. #5, Lake Lincolndale (Somers), N.Y. 10541. Cut Out Rib

& Former Kits Plans Only \$7.95 \$7.95 \$6.95 & Plans \$28.95 \$28.95 S.P.A.D. 13 \$7.95 \$28.95 Albatros DV/DVA \$7.95 \$28.95 Eindecker E-111 \$6.95 \$22.90 Fokker Triplane \$7.95 \$26.95 Boeing P-26-8 (Peashooter fighter) \$9.95 \$30.95 Complete Albatros DV/DVA Kit . . . special price this month

this month.

Dealer's inquiries invited. MODEL AIRPLANE KITS, engines, radios, MODEL AIRPLANE KITS, engines, radios, supplies from 30 manufacturers. Contest winning Stardusters—3 sizes. Rare plans. Send 35: for brochure. Refunded on first order. LUXON HOBBY ENTERPRISES, Dept. A, P.O. Box 253. Sunland, Calif. 91040.

PLASTICRYL used on model that won Toledo '70 Best Finish award. Prevents acrylic lacquer cracking. \$1.49. FINISH LINE 64B, Rt. 1, Clarks-burg, Md. 20734.

burg, Md. 20734.

VINTAGE R/C PLANS. Spinks Akromaster 60" span. 2" Scale model of full size plane which may win the World Acrobatic Championships. Plans \$4.95 ppd. Vacuum formed cowl, wheel pants, canopy for Spinks \$8.50 ppd. Other plans available. Dealers write. SID MORGAN, 13157 Ormond, Belleville, Mich. 48111.

SAILPLANE MODEL KITS. Send for free illustrated literature. AWARD MINIATURES, Box 262-A, Renton, Washington 98055.

FOR SALE: Controlaire 10, \$80.00. SHEPHERD, 15 Ryder Road, Fairlawn, N.J. 07410.

OLD TIMER FLYERS, ENGINE COLLECTORS—
Now available. New super cyclone engines. New coils, condensers and spark plugs. Parts for Anderson Spitfire. List 10¢. REMCO MFG. P.O. Box 15243, Denver, Colorado 80215.

INDOOR KITS AND SUPPLIES. Nichrome Micro-Film, parts, scale plans, indoor balsa. Send stamped addressed envelope for FREE LITERATURE MICRO-DYNE, Box 2338, Leucadia,

Send Stamped addressed invelops for Accident Stamped addressed invelops for Accident Page 192024.

BACK ISSUES, Air Trails, Air Progress, Aerodigest, Flying, Flying Aces, Popular Aviation, Aeromodeller, Airnews, M.A.N., all models, pulps, etc. AVIATION MAGAZINES, 24248 Crenshaw Blvd., Torrance, Calif. 90505.

AIRCRAFT PHOTOS—Beautiful 8 x 10 glossy prints F-100, F-105, F-111 plus list. All only \$1.00. Satisfaction Guaranteed. MARCRAFT, Box 423, Ocean City, N.J. 08226.

HELP WANTED—World Engines is always on the lookout for talented modelers in drafting, die making and electronics. Let the hobby support you for a while. Work here part time while you get educated at one of Cincinnati's fine colleges. Resume to JOHN MALONEY, \$690 Rossash Avenue, Cincinnati, Ohio 45236.

FREE CATALOG—1,000 aviation books. Many FREE CATALOG—1,000 aviation books. Many with scale drawings and 3-views. AERO PUBLISHERS, 329 M Aviation, Fallbrook, Calif. 92028.

92028.

MONEY? Save lots of it! We know of nobody who beats our prices. Write for free R/C-Kits-Supplies list. PUGET SOUND R/C ELECTRONICS, 1547 Hoff, Rd., Bellingham, Wash. 98225.

NEWEST AND WIDEST variety of plastic models from the world over. Send 10¢ for list. Visit our complete hobby shop. BAYONNE HOBBY SHOP, 815 Broadway at 37th St., Bayonne, N.J. Tel 201/437-0005.

CUSTOM PLANS SERVICE—Plans drawn to your specifications. Many available. Free estimates and plans list. ROBERT SWEITZER, 2331 S.E. Maple, Hillsboro, Oregon 97123.

PRIVATE COLLECTION of 1/72nd kits, Many AIRFIX, FROG WWII. Also Scale Modeller and other magazines. P.O. Box 481, Crystal Lake, Ill. 60014.



Join A.A.H.S. now

Annual Membership \$7

Get 72-page quarterly JOURNAL plus quarterly Newsletter

AVIATION HISTORY RARE PHOTOGRAPHS

ORIGINAL DRAWINGS MILITARY, NAVAL, RACING NO ADVERTISEMENTS



AMERICAN AVIATION HISTORICAL SOCIETY

P.O. BOX 99 E. REDONDO BEACH, CA 90277

Sample copy of JOURNAL - \$2 Send \$1 for monograph "VF-2 and the Brewster Buffalo"



A business is people. Meet some of ours. The experience and ability of this group has helped make Kraft the world's largest manufacturer and most respected name in radio control.


JERRY PULLEN — Engineer. Designer of the first successful multi-channel feedback proportional systems, and holder of Patents covering basic electronic design principles used in most of today's digital proportional servos.

DOUG SPRENG — Engineer. National Champion 1960, 1961. Member of World Champion U.S.A. Team 1967. Originator of the basic principles used in all of today's digital proportional systems. Designer of many famous stunt R/C models including the "Stormer" series.

PHIL KRAFT — President. World Champion 1967, National Champion 1967, 1968, 2nd World Championships 1969. Designer of many well known R/C models including the "Kwik-Fli" and "Ugly-Stik".

CLIFF WEIRICK — Executive Vice President. National Champion, 1964, 1965, Member of World Championship U.S.A. Team 1965, 1967. AMA President 1966-1967.





The experts have done their testing and the results are in. Complete reliable control equal to any, is their verdict! Read the reviews in March R/C Modeler or the April American Aircraft Modeler ... MRC F-700, the system for the seventies has made its mark. We built more power into the F-700. With approximately 900 milliwatts input to the RF final amplifier MRC delivers more than twice the power of most others. Power that cuts through interference

and often keeps your control when the others lose their signal . . . Marked competitive superiority! State of the art design, finest imported and U.S. components, rigid quality control and effective service backup have made MRC digital the most wanted R/C gear in just a few short months. At your Dealers . . . 5 channels with 4 servos \$300.00 — 5 channels with 3 servos \$270.00 — 5 channels with 2 servos \$240.00 — 5 channels with 1 servo \$210.00 — Additional servos \$35.00.

MODEL RECTIFIER CORPORATION EDISON, NEW JERSEY 08817